

Open Front & impulse **Coolers**



scandomestic

Why choose Scandomestic?

Trusted Quality

- delivered with Excellence.

Your partner

- in tailored cooling and freezing solutions.

Built for professionals.

- backed by experience.

More than 500 years

- of combined in-house Appliance expertise.

In-house service support

- and spare part stocking.

Always +30.000 products in stock

- ready to ship.




Impulse Coolers and Freezers

General features

- Impulse coolers and freezers ensure effective product presentation at a strategic spot at eye level.
- The compact size makes it ideal for placement at the counter or checkout line where it captures customers' attention. It is also easy to move and reposition depending on campaigns and sales needs.
- Transparent top ensures maximum product visibility and supports impulse buying in self-service environments.
- Perfect for decoration and branding that provide maximum visibility and visual profiling.
- Interior LED lighting provides a clear overview and highlights the products in an inviting way. Energy-saving lighting with long lifespan and low power consumption.
- Digital control provides precise temperature regulation and stable operation, ensuring consistent cooling or freezing so products are always stored correctly. Easy and user-friendly operation with accurate settings.
- Automatic defrosting effectively prevents ice build-up and ensures optimal cooling or freezing function. Reduces the need for manual maintenance and saves time in daily operations.

Can Cooler/Freezer

- A barrel cooler/freezer with its round design is highly suitable for branding and excellent for marketing products for impulse sales, especially cans, water, and ice cream.
- The barrel shape makes it easy to place in any space, both indoors and outdoors, where it is ideal for creating attention. With decoration in custom design, extra visibility is achieved. Scandomestic has many years of experience decorating commercial products on refrigerators and freezers and can assist with branding products according to your wishes.





Open Front Cooler

Scancool - OFC60B



Dimensions and weight

Product dimensions, HxWxD, mm	1425 x 600 x 700
Max. adjustable height, mm	1425
Product depth w/handle, mm	700
Packaging dimensions, HxWxD, mm	1525 x 700 x 820
Gross- / Net volume, L	190 / 135
Internal dimensions, HxWxD, mm	810 x 550 x 420
Gross- / Net weight, kg	/

Performance and consumption

Energy efficiency class	D
Daily Energy Consumption, kWh/24	7,21
Annual energy cons. kWh/a	2631,65
Energy Efficiency Index (EEI)	43,1
Refrigeration / freezing technique	Ventilated
Climate class	3
Type of refrigerant / gas gr.	R290a / 108
Temperature range °C	0 / 10
Humidity range (%RH)	65

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	570 / 3
Peak power watt, W	570
Length of Powercord, cm	220

Design and comfort

Digital display	Yes
Internal light	Horizontal LED
External thermometer	No
Self closing / reversible	No/No
Door- / lid type	Flip
Handle	Outside
Number of feet	4 adjustable
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	Black/Black
Colour and material of door/lid	None
Edge trim on shelves / drawers	None

Features

Number of shelves	3
Adjustable shelves	Yes
Shelves material	Black wire
Max loading per shelf/basket, kg	42
Large shelves size WxD, mm	542 x 361
Small shelves size WxD, mm	542 x 281
Internal light colour temperature, kelvin	6500



Eprel ID	Item number	263114OFC60B	Taric goods code	8418501990
2516687	EAN code	5704704022904	QTY in 40HQ	54


Short Description

A temperature range of 1–10°C makes it ideal for beverages, dairy products, snacks, ready meals, and more. Three adjustable tilting shelves and integrated price tag holders provide a flexible, sales-ready product display. Easy to move with four swivel castors – perfect for bakeries, cafés, delicatessens, and more.

Key features

- 3 adjustable shelves with possibility of tilt - Price tags incl.
- Energy-friendly LED lighting on top and under each shelf
- Digital controller with light switch
- Automatic defrost
- 4 swivel casters, 4 adjustable feet
- Full glass sides ensuring excellent product visibility
- Excellent for branding
- Night curtain

Measurement drawing





Open Front Cooler

Scancool - OFC90B



Dimensions and weight

Product dimensions, HxWxD, mm	1421 x 900 x 700
Max. adjustable height, mm	1421
Product depth w/handle, mm	700
Packaging dimensions, HxWxD, mm	1530 x 1000 x 820
Gross- / Net volume, L	294 / 209
Internal dimensions, HxWxD, mm	810 x 850 x 420
Gross- / Net weight, kg	139 / 130

Performance and consumption

Energy efficiency class	E
Daily Energy Consumption, kWh/24	12,14
Annual energy cons. kWh/a	4431
Energy Efficiency Index (EEI)	63,8
Refrigeration / freezing technique	Ventilated
Climate class	3
Type of refrigerant / gas gr.	R290a / 145
Temperature range °C	0 / 10
Humidity range (%RH)	65

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	700 / 3.15
Peak power watt, W	570
Length of Powercord, cm	220

Design and comfort

Digital display	Yes
Internal light	Horizontal LED
External thermometer	No
Self closing / reversible	No/No
Door- / lid type	Flip
Handle	Outside
Number of feet	4 adjustable
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	Black/Black
Colour and material of door/lid	Glass
Edge trim on shelves / drawers	None

Features

Number of shelves	3
Adjustable shelves	Yes
Shelves material	Black wire
Large shelves size WxD, mm	842 x 361
Small shelves size WxD, mm	842 x 281
Internal light colour temperature, kelvin	6500



Eprel ID	Item number	263114OFC90B	Taric goods code	8418501990
2516683	EAN code	5704704022911	QTY in 40HQ	37

Short Description

A temperature range of 1–10°C makes it ideal for beverages, dairy products, snacks, ready meals, and more.


Three adjustable tilting shelves and integrated price tag holders provide a flexible, sales-ready product display.

Easy to move with four swivel castors – perfect for bakeries, cafés, delicatessens, and more.

Key features

- 3 adjustable shelves with possibility of tilt - Price tags incl.
- Energy-friendly LED lighting on top and under each shelf
- Digital controller with light switch
- Automatic defrost
- 4 swivel castors, 4 adjustable feet
- Full glass sides ensuring excellent product visibility
- Excellent for branding
- Night curtain

Measurement drawing





Open Front Cooler

Scancool - OFC120BG



Dimensions and weight

Product dimensions, HxWxD, mm	1425 x 1200 x 700
Max. adjustable height, mm	1425
Product depth w/handle, mm	700
Packaging dimensions, HxWxD, mm	1525 x 1275 x 780
Gross- / Net volume, L	422 / 283
Internal dimensions, HxWxD, mm	810 x 1150 x 420
Gross- / Net weight, kg	/

Performance and consumption

Energy efficiency class	C
Daily Energy Consumption, kWh/24	4,07
Annual energy cons. kWh/a	1485,55
Energy Efficiency Index (EEI)	20,3
Refrigeration / freezing technique	Ventilated
Climate class	3
Type of refrigerant / gas gr.	R290a / 80
Temperature range °C	0 / 10
Humidity range (%RH)	65

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	415 / 2.1
Peak power watt, W	500
Length of Powercord, cm	220

Design and comfort

Digital display	Yes
Internal light	Horizontal LED
External thermometer	No
Self closing / reversible	Yes/No
Door- / lid type	Sliding
Handle	Outside
Number of feet	4 adjustable
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	Black/Black
Colour and material of door/lid	Glass
Edge trim on shelves / drawers	None

Features

Number of shelves	3
Adjustable shelves	Yes
Shelves material	Black wire
Large shelves size WxD, mm	1131 x 361
Small shelves size WxD, mm	1131 x 281
Internal light colour temperature, kelvin	6500



Eprel ID	Item number	263114OFC120BG	Taric goods code	8418501990
2516690	EAN code	5704704022928	QTY in 40HQ	28


Short Description

Self-closing, transparent sliding doors retain the cold efficiently and reduce energy consumption. A temperature range of 1–10°C makes it ideal for beverages, dairy products, snacks, ready meals, and more. Three adjustable tilting shelves and integrated price tag holders provide a flexible, sales-ready product display. Easy to move with four swivel castors – perfect for bakeries, cafés, delicatessens, and more.

Key features

- 3 adjustable shelves with possibility of tilt- Price tags incl.
- Energy-friendly LED lighting on top and under each shelf
- Digital controller with light switch
- Automatic defrost
- 4 swivel castors, 4 adjustable feet
- Full glass sides ensuring excellent product visibility
- Excellent for branding
- Energy-saving glass doors

Measurement drawing





Display Cooler

Scancool - DC287SLBC



Dimensions and weight

Product dimensions, HxWxD, mm	1454 x 900 x 495
Product depth w/handle, mm	495
Packaging dimensions, HxWxD, mm	1634 x 950 x 565
Gross- / Net volume, L	302 / 235
Internal dimensions, HxWxD, mm	1063 x 803 x 374
Gross- / Net weight, kg	100 / 88

Performance and consumption

Energy efficiency class	C
Daily Energy Consumption, kWh/24	1,218
Annual energy cons. kWh/a	444,57
Energy Efficiency Index (EEl)	28,7
Refrigeration / freezing technique	Ventilated
Climate class	4
Type of refrigerant / gas gr.	R600a / 46
Temperature range °C	0-10
Humidity range (%RH)	75

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	160 / 0.87
Peak power watt, W	160
Length of Powercord, cm	250

Design and comfort

Digital display	Yes
Internal light	2 Vertical LED
External thermometer	Yes
Self closing / reversible	Yes/No
Door- / lid type	Sliding
Handle	Integrated
Number of castors, pcs	4 castors (2 w/brake)
Lock & Key	Yes

Colour and material

Inside-/outside colour	White/Black
Colour and material of door/lid	Black glass
Edge trim on shelves / drawers	None

Features

Number of shelves	6
Adjustable shelves	Yes
Shelves material	White wire
Max loading per shelf/basket, kg	67
Large shelves size WxD, mm	385 x 317
Small shelves size WxD, mm	/
Internal light colour temperature, kelvin	6000



Eprel ID	Item number	263111DC287SLBC	Taric goods code	8418501990
	EAN code	5704704022843	QTY in 40HQ	50


Short Description

The Ventilated NoFrost Upright Cooler combines efficient performance with a clean, modern design. It features two vertical energy-saving LED lights for excellent product visibility, self-closing sliding glass doors with lock, six adjustable white coated wire shelves, and four durable black castors—two with lock—for easy mobility. The unit is also suitable for custom branding, making it ideal for professional display environments.

Key features

- Ventilated NoFrost Upright Cooler
- 2 vertical energy-saving LED lights
- Self-closing sliding glass doors with lock
- 6 white adjustable coated wire shelves
- 4 strong black large castors, 2 with lock
- Suitable for branding

Measurement drawing





Impulse Cooler

Scancool - IM 111 E



Dimensions and weight

Product dimensions, HxWxD, mm	1010 x 750 x 555
Packaging dimensions, HxWxD, mm	1070 x 780 x 580
Gross- / Net volume, L	110 / 55
Internal dimensions, HxWxD, mm	380 x 630 x 472
Gross- / Net weight, kg	53 / 43

Performance and consumption

Energy efficiency class	D
Daily Energy Consumption, kWh/24	2,4
Annual energy cons. kWh/a	876
Energy Efficiency Index (EEL)	45,9
Noise level, dB(A)	58
Refrigeration / freezing technique	Ventilated
Climate class	ST
Temperature class	H1
Type of refrigerant / gas gr.	R290a / 65
Temperature range °C	2 / 8

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	190 / 0,9
Peak power watt, W	217
Length of Powercord, cm	250

Design and comfort

Digital display	Yes
Internal light	1 Horizontal LED
External thermometer	No
Self closing / reversible	No/No
Handle	Integrated
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	Transperent/White
------------------------	-------------------

Features

Adjustable shelves	No
Internal light colour temperature, kelvin	6500



Item number	34310111E10000	Taric goods code	8418501990
EAN code	5704704015579	QTY in 40HQ	106

Short Description

IM 111 E holds 110 liters. The energy-saving LED light provides a good light that represents the goods extra well in the cooler.

Ventilated cooling ensures even distribution of cold throughout the refrigeration compartment and the transparent lid keeps the cold in.

Electronic control and external display make it easy to see the temperature.


4 wheels make it easy to move the cooler even when it is filled with products. The transparent front provides a good eye-catcher from all sides.

IM 111 E is extremely suitable for branding and can, if desired, be decorated in your design for extra brand visibility.

Key features

- Perfect display for cans and bottles
- 1 Horizontal LED
- 4 castors
- Ventilated cooling
- 2 transparent lids

Measurement drawing





Impulse Cooler

Scancool - VM 91 E



Item number	34310091E10000	Taric goods code	8418501990
EAN code	5704704015586	QTY in 40HQ	142


Short Description

Impulse coolers present the products well and are at eye level which catches people's attention. The VM 91 E holds 90 liters. The curved and transparent front and the solid back wall make it ideal for placement against a wall. The energy-saving LED light provides a good light that represents the goods extra well in the cooler. Ventilated cooling ensures even cold distribution in the cold room and the transparent lid retains the cold. Electronic control and external display make it easy to see the temperature. Adjustable legs so it can stand flat on any surface. The VM 91 E is extremely suitable for branding and can, if desired, be decorated in your design for extra brand visibility.

Key features

- Perfect for displaying cans and bottles
- 1 Horizontal LED
- Possible of placing against wall
- One transparent lid

Measurement drawing



Dimensions and weight

Product dimensions, HxWxD, mm	1010 x 690 x 445
Packaging dimensions, HxWxD, mm	1120 x 740 x 490
Gross- / Net volume, L	90 / 60
Internal dimensions, HxWxD, mm	460 x 618 x 350
Gross- / Net weight, kg	48 / 39

Performance and consumption

Energy efficiency class	C
Daily Energy Consumption, kWh/24	1,7
Annual energy cons. kWh/a	620
Energy Efficiency Index (EEl)	33,4
Noise level, dB(A)	57,3
Refrigeration / freezing technique	Ventilated
Climate class	ST
Temperature class	H1
Type of refrigerant / gas gr.	R290a / 60
Temperature range °C	2 / 8

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	190 / 0.9
Peak power watt, W	199
Length of Powercord, cm	250

Design and comfort

Digital display	Yes
Internal light	1 Horizontal LED
External thermometer	No
Self closing / reversible	No/No
Door- / lid type	Flip
Handle	Integrated
Number of feet	3 adjustable
Lock & Key	No

Colour and material

Inside-/outside colour	Transperent/White
------------------------	-------------------

Features

Adjustable shelves	No
Internal light colour temperature, kelvin	6500



Impulse Cooler

Scancool - IMC82BC



Item number	67311610000IMC82BC	Taric goods code	8418501990
EAN code	5704704021303	QTY in 40HQ	138

Short Description


The IMC82BC is ideal for cans and bottles and holds 82 litres. The transparent front provides a good eye-catcher from all sides and the cabinet is extremely suitable for branding.

Energy-saving LED lighting provides a good light that represents the goods well in the cooler. The cooler has 4 wheels with brakes that make the cooler mobile and easy to move around, even if it is full.

Key features

- Mobile Impulse Cooler Generates Incremental Sales
- Ventilated Refrigeration System
- Transparent lid and LED light
- Adjustable digital temperature Control
- Perfect display for cans and bottles
- Perfect for branding
- High duty wheels with brakes
- Glass Sliding Lids

Measurement drawing



Dimensions and weight

Product dimensions, HxWxD, mm	900 x 745 x 450
Product depth w/handle, mm	450
Packaging dimensions, HxWxD, mm	1000 x 765 x 485
Gross- / Net volume, L	82 / 68
Internal dimensions, HxWxD, mm	345 x 680 x 330
Gross- / Net weight, kg	45 / 35

Performance and consumption

Energy efficiency class	C
Daily Energy Consumption, kWh/24	2,27
Annual energy cons. kWh/a	828,55
Energy Efficiency Index (EEl)	32,8
Noise level, dB(A)	55
Refrigeration / freezing technique	Ventilated
Climate class	3
Temperature class	M2
Type of refrigerant / gas gr.	R290a / 90
Temperature range °C	3 / 7
Humidity range (%RH)	60±3%

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	250 / 1.5
Length of Powercord, cm	180

Design and comfort

Digital display	Yes
Internal light	2 Horizontal LED
External thermometer	Yes
Self closing / reversible	No/No
Door- / lid type	Sliding
Handle	Outside
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	Black/Black
Colour and material of door/lid	Sliding glass

Features

Adjustable shelves	No
--------------------	----



Impulse Cooler

Scancool - OTC 95 BE



Dimensions and weight

Product dimensions, HxWxD, mm	930 x 773 x 833
Packaging dimensions, HxWxD, mm	1135 x 845 x 900
Gross- / Net volume, L	110 / 87
Internal dimensions, HxWxD, mm	270 x 610 x 554
Gross- / Net weight, kg	120 / 80

Performance and consumption

Energy efficiency class	D
Daily Energy Consumption, kWh/24	2,901
Annual energy cons. kWh/a	1058
Energy Efficiency Index (EEL)	37,4
Noise level, dB(A)	50
Refrigeration / freezing technique	Ventilated
Climate class	3
Temperature class	M1
Type of refrigerant / gas gr.	R290a / 70
Temperature range °C	2 / 8

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	231 / 1.32
Length of Powercord, cm	280

Design and comfort

Digital display	Yes
Internal light	1 Horizontal LED
External thermometer	Yes
Self closing / reversible	/No
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	Black/Black
------------------------	-------------

Features

Internal light colour temperature, kelvin	6500
---	------



Item number	6031095BE10000	Taric goods code	8418501990
EAN code	5704704014442	QTY in 40HQ	52

Short Description

The OTC 95 BE holds 110 liters and the transparent front provides a good eye-catcher from all sides.


The electronic control and external display make it easy to see the temperature. Energy-saving LED lighting provides a good light that represents the goods well in the cooler.

The cooler has 4 wheels and is easy to move around, even when full. The impulse cooler is delivered without a lid, which makes it easy and effortless to get into the cooler. A sliding lid can be purchased as an accessory if a lid is desired.

Key features

- Elegant soft design
- Efficient product presentation
- LED interior light
- Ventilated cooling 2-8°C
- Lids are available as sparepart

Measurement drawing





Display Freezer

Scancool - OTF 87 BE



Dimensions and weight

Product dimensions, HxWxD, mm	930 x 773 x 833
Packaging dimensions, HxWxD, mm	1135 x 845 x 900
Gross volume, L	110
Net volume, L	102
Gross- / Net volume, L	110 / 102
Internal dimensions, HxWxD, mm	270 x 610 x 554
Gross- / Net weight, kg	120 / 80

Performance and consumption

Energy efficiency class	E
Daily Energy Consumption, kWh/24	8
Annual energy cons. kWh/a	2920
Energy Efficiency Index (EEI)	58,9
Refrigeration / freezing technique	Ventilated
Climate class	3
Temperature class	L1
Type of refrigerant / gas gr.	R290a / 60
Bulb Watt, W	5
Temperature range °C	-18 / -21 & -1 / 5
NoFrost	Yes

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	375 / 3.5
Length of Powercord, cm	350

Design and comfort

Controller	Electronic
Control panel	Outside
Digital display	Yes
Canopy light sign	No
Internal light	1 Horizontal LED
External thermometer	Yes
Door- / lid type	Sliding
Self closing / reversible	No/No
Handle	Outside
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Outside colour	Black
Inside Colour	Black
Colour and material of door/lid	Sliding glass

Features

Internal light colour temperature, kelvin	6500
---	------



Item number	60320087BE10000	Taric goods code	8418501190
EAN code	5704704015722	QTY in 40HQ	52


Short Description

Electronic control and with an external display that makes it easy to see the temperature. Energy-saving LED lighting provides a good light that represents the goods well in the freezer/cooler. The display case has 4 wheels and is easy to move around, even when full. Top class design with soft and rounded corners. The impulse freezer/cooler comes with transparent sliding lids to keep out the cold. Defrosting is fully automatic via a maintenance-free electronic timer that ensures evaporation of the dripping water that is formed during defrosting.

Key features

- Dual function - conversion between refrigerator and freezer
- Temperature range for freezing -18 to -21°C
- Temperature range for cooling -1 to 5°C
- Digital thermostat
- Comes with sliding lid

Measurement drawing





Can Cooler

Scancool - CC30BC



Dimensions and weight

Product dimensions, HxWxD, mm	639 x 445 x 445
Packaging dimensions, HxWxD, mm	690 x 460 x 460
Gross- / Net volume, L	30 / 29
Internal dimensions, HxWxD, mm	303.5 x 355 x 355
Gross- / Net weight, kg	15 / 13

Performance and consumption

Energy efficiency class	C
Daily Energy Consumption, kWh/24	0,52
Annual energy cons. kWh/a	190
Energy Efficiency Index (EEI)	22,6
Refrigeration / freezing technique	Static
Climate class	4
Type of refrigerant / gas gr.	R600a / 18
Temperature range °C	0 / 10
Humidity range (%RH)	60

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	65 / 0.4
Peak power watt, W	65
Length of Powercord, cm	220

Design and comfort

Digital display	No
Internal light	No light
External thermometer	No
Door- / lid type	Flip
Handle	Outside
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	Black/Black
Colour and material of door/lid	Flip
Edge trim on shelves / drawers	None

Features

Adjustable shelves	No
--------------------	----



Item number	26311210000CC30BC	Taric goods code	8418501990
EAN code	5704704021846	QTY in 40HQ	455

Short Description

The CC30BC holds 29 litres and has a glass lid with a handle that makes it easy to see the contents and makes it easy to get to the cold drinks.


The cooler is mounted with 4 wheels, making it easy to move around, even if it is filled with drinks.

Temperature range 0°C-10°C makes the keg cooler perfect for cooling all kinds of beverages.

Key features

- Glass lid with handle
- 4 strong castors
- Suitable for branding
- Mechanical controller

Measurement drawing





Can Cooler

Scancool - TK 42 BE



Dimensions and weight

Product dimensions, HxWxD, mm	735 x 445 x 445
Packaging dimensions, HxWxD, mm	790 x 460 x 460
Gross- / Net volume, L	41 / 37
Internal dimensions, HxWxD, mm	392 x 360 x 360
Gross- / Net weight, kg	18 / 16

Performance and consumption

Energy efficiency class	B
Daily Energy Consumption, kWh/24	0,39
Annual energy cons. kWh/a	142
Energy Efficiency Index (EEI)	16,3
Noise level, dB(A)	50
Refrigeration / freezing technique	Static
Climate class	ST
Type of refrigerant / gas gr.	R600a / 23
Temperature range °C	2 / 10

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	56 / 1
Length of Powercord, cm	200

Design and comfort

Digital display	No
Internal light	No light
External thermometer	No
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	White/Black
Colour and material of door/lid	Flip glas lid
Edge trim on shelves / drawers	None

Features

Adjustable shelves	No
--------------------	----



Item number	26310042BE10000	Taric goods code	8418501990
EAN code	5704704014220	QTY in 40HQ	375

Short Description

Barrel coolers can also be used in places other than the retail trade, such as in the office with your own company logo, so that guests can be offered a cold water, or at trade fairs where it is easy to carry. But it is also ideal to have at home for the hot summer days and for parties, where the temperature range of 2°C -10°C is ideal for storing wine, beer, water and champagne.

The TK 42 BE holds 41 liters and has a 2-piece glass tilting lid, which makes it easy to see the contents and makes it easy to get to the cold drinks.


The cooler is fitted with 4 wheels, making it easy to move around, even when filled with drinks.

The temperature range 2°C -10°C makes the barrel cooler perfect for cooling all kinds of drinks.

Key features

- Split flip glass lid
- 4 strong castors
- Suitable for branding
- Static cooling

Measurement drawing





Can Cooler

Scancool - TK 66 BE



Dimensions and weight

Product dimensions, HxWxD, mm	960 x 445 x 445
Packaging dimensions, HxWxD, mm	1015 x 460 x 460
Gross- / Net volume, L	63 / 58
Internal dimensions, HxWxD, mm	617 x 360 x 360
Gross- / Net weight, kg	21 / 19

Performance and consumption

Energy efficiency class	B
Daily Energy Consumption, kWh/24	0,39
Annual energy cons. kWh/a	142
Energy Efficiency Index (EEl)	15,3
Noise level, dB(A)	50
Refrigeration / freezing technique	Static
Climate class	ST
Type of refrigerant / gas gr.	R600a / 23
Temperature range °C	0 / 10

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	100 / 0.7
Length of Powercord, cm	200

Design and comfort

Digital display	No
Internal light	No light
External thermometer	No
Number of castors, pcs	4 castors

Colour and material

Inside-/outside colour	White/Black
Colour and material of door/lid	Flip glas lid

Features



Item number	26310066BE10000	Taric goods code	8418501990
EAN code	5704704014237	QTY in 40HQ	250


Short Description

Barrel coolers can also be used in places other than the retail trade, such as in the office with your own company logo, so that guests can be offered a cold water, or at trade fairs where it is easy to carry. But it is also ideal to have at home for the hot summer days and for parties, where the temperature range of 2°C -10°C is ideal for storing wine, beer, water and champagne. The TK 66 BE holds 63 liters and has a 2-piece glass tilting lid, which makes it easy to see the contents and makes it easy to get to the cold drinks. The cooler is fitted with 4 wheels, making it easy to move around, even when filled with drinks. Temperature range 2°C -10°C makes the barrel cooler perfect for cooling all kinds of drinks.

Key features

- Split flip glass lid
- 4 strong castors
- Suitable for branding
- Static cooling

Measurement drawing





Can Cooler

ScanCool - CC66BCLL



Dimensions and weight

Product dimensions, HxWxD, mm	975 x 447 x 447
Packaging dimensions, HxWxD, mm	1010 x 460 x 460
Gross- / Net volume, L	65 / 61
Internal dimensions, HxWxD, mm	605 x 360 x 360
Gross- / Net weight, kg	20 / 18

Performance and consumption

Energy efficiency class	C
Daily Energy Consumption, kWh/24	0,6
Annual energy cons. kWh/a	219
Energy Efficiency Index (EEI)	23,6
Refrigeration / freezing technique	Static
Climate class	4
Type of refrigerant / gas gr.	R600a / 23
Temperature range °C	0 / 10
Humidity range (%RH)	60

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	100 / 0.7
Peak power watt, W	100
Length of Powercord, cm	220

Design and comfort

Digital display	No
Internal light	Horizontal LED
External thermometer	No
Door- / lid type	Flip
Number of castors, pcs	4 casters (2 w/brake)
Lock & Key	No

Colour and material

Inside-/outside colour	White/Black
Colour and material of door/lid	Flip

Features

Adjustable shelves	No
--------------------	----



Item number	2631121000CC66BCLL	Taric goods code	8418501990
EAN code	5704704021860	QTY in 40HQ	250

Short Description

Energy-saving LED lights in the top frame provide a good overview and light in the barrel cooler.


CC66BCLL holds 65 liters and is fitted with 4 wheels, making it easy to move around, even if it is filled with drinks.

The model has a hinged flip glass lid, which makes it easy to see the contents and which makes it easy to get to the cold drinks.

Key features

- Hinged design lid
- Bright LED light inside
- 4 strong castors, 2 with brake
- Suitable for branding
- Mechanical controller

Measurement drawing





Can Cooler

Scancool - CC66BBCAN



Dimensions and weight

Product dimensions, HxWxD, mm	1040 x 445 x 445
Packaging dimensions, HxWxD, mm	1085 x 460 x 460
Gross- / Net volume, L	63 / 58
Internal dimensions, HxWxD, mm	628.5 x 360 x 360
Gross- / Net weight, kg	20 / 18

Performance and consumption

Energy efficiency class	B
Daily Energy Consumption, kWh/24	0,36
Annual energy cons. kWh/a	131,4
Energy Efficiency Index (EEI)	14
Refrigeration / freezing technique	Static
Climate class	4
Type of refrigerant / gas gr.	R600a / 23
Temperature range °C	0 / 10
Humidity range (%RH)	60

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	100 / 0.7
Peak power watt, W	100
Length of Powercord, cm	220

Design and comfort

Digital display	No
Internal light	No light
External thermometer	No
Door- / lid type	Flip
Handle	Outside
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	/Grey
Colour and material of door/lid	Flip

Features

Adjustable shelves	No
--------------------	----



Item number	2631121000CC66BBCAN	Taric goods code	8418501990
EAN code	5704704021853	QTY in 40HQ	250

Short Description

CC66BBCAN holds 58 litres and has a decorative lid that gives the keg a special look and eye-catcher.


The cooler is mounted with 4 wheels, making it easy to move around, even if it is filled with drinks.

Temperature range 0°C-10°C makes the keg cooler perfect for cooling all kinds of beverages.

Key features

- Hinged Can lid
- 4 strong castors
- Suitable for branding
- Mechanical controller
- Temperature range 0°C-10°C

Measurement drawing





Can Cooler

Scancool - TK 86 BE



Dimensions and weight

Product dimensions, HxWxD, mm	836 x 565 x 565
Packaging dimensions, HxWxD, mm	890 x 580 x 580
Gross- / Net volume, L	87 / 84
Internal dimensions, HxWxD, mm	470 x 493 x 493
Gross- / Net weight, kg	27 / 25

Performance and consumption

Energy efficiency class	B
Daily Energy Consumption, kWh/24	0,45
Annual energy cons. kWh/a	164
Energy Efficiency Index (EEl)	16,6
Noise level, dB(A)	50
Refrigeration / freezing technique	Static
Climate class	ST
Type of refrigerant / gas gr.	R600a / 35
Temperature range °C	0 / 10

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	100 / 0.7
Length of Powercord, cm	200

Design and comfort

Digital display	No
Internal light	No light
External thermometer	No
Handle	Outside
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Inside-/outside colour	White/Black
Colour and material of door/lid	Flip glas lid
Edge trim on shelves / drawers	None

Features

Adjustable shelves	No
--------------------	----



Item number	26310086BE10000	Taric goods code	8418501990
EAN code	5704704014350	QTY in 40HQ	240


Short Description

Barrel coolers can also be used in places other than the retail trade, such as in the office with your own company logo, so that guests can be offered a cold water, or at trade fairs where it is easy to carry. But it is also ideal to have at home for the hot summer days and for parties, where the temperature range of 2°C -10°C is ideal for storing wine, beer, water and champagne. The TK 86 BE holds 87 liters and has a 2-piece glass tilting lid, which makes it easy to see the contents and makes it easy to get to the cold drinks. The cooler is fitted with 4 wheels, making it easy to move around, even when filled with drinks. Temperature range 2°C -10°C makes the barrel cooler perfect for cooling all kinds of drinks.

Key features

- Split flip glass lid
- 4 strong castors
- Suitable for branding
- Static cooling

Measurement drawing





Can Freezer

Scancool - FT 87 BE



Dimensions and weight

Product dimensions, HxWxD, mm	836 x 565 x 565
Packaging dimensions, HxWxD, mm	890 x 580 x 580
Gross volume, L	85
Net volume, L	85
Gross- / Net volume, L	85 / 85
Internal dimensions, HxWxD, mm	493 x 470 x 470
Gross- / Net weight, kg	31 / 28

Performance and consumption

Energy efficiency class	D
Daily Energy Consumption, kWh/24	2,801
Annual energy cons. kWh/a	1095
Energy Efficiency Index (EER)	46,6
Refrigeration / freezing technique	Static
Climate class	4
Temperature class	L1
Type of refrigerant / gas gr.	R600a / 50
Bulb Watt, W	N/A
NoFrost	No

Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	145 / 0.95
Length of Powercord, cm	220

Design and comfort

Controller	Mechanical
Control panel	None
Digital display	No
Canopy light sign	No
Internal light	No light
External thermometer	No
Door- / lid type	Right hinged
Handle	Integrated
Number of castors, pcs	4 castors
Lock & Key	No

Colour and material

Outside colour	Black
Inside Colour	White
Colour and material of door/lid	Flip glas lid

Features

Number of baskets, pcs	1 basket
Adjustable shelves	No



Eprel ID	Item number	26320087BE10000	Taric goods code	8418501190
981339	EAN code	5704704015593	QTY in 40HQ	240

Short Description

The FT 87 BE is black, but can also be decorated as desired. The round shape makes the cooler suitable for decorations. It is eye-catching and does not take up much space on the floor. The barrel shape makes it easy to place in any room, both indoors and outdoors.


Holds 85 liters and has a two-piece glass tilting lid, which makes it easy to see the contents and makes it easy to get to the ice. The freezer is fitted with 4 wheels, making it easy to move around, even when it is filled with ice.

It comes with 1 removable wire basket which is handy and makes it easy for you to arrange your products in the freezer.

Key features

- Split flip glass lid
- Suitable for branding
- 1 wire basket
- 4 strong castors
- Temperature range <-18°C

Measurement drawing



scandomestic



Scandomestic A/S

Linåvej 20 . DK-8600 Silkeborg

Tel: + 45 7242 5571 . www.scandomestic.com