

scandomestic

White goods for households and professionals



Scandomestic is a young company employing staff with a long experience in commercial and household appliances.

Scandomestic imports, stocks and distributes commercial and household appliances, and has customers in all European markets as well as a number of overseas markets.

Our production takes place in close cooperation with our customers. We have direct contact to our customers and react quickly to changes in market trends. Our sales staff possess considerable market knowledge and we wish to serve our customers in an atmosphere of flexibility, proficiency and credibility. In addition to standard appliances we aim to be up front with new trends and ideas in order to be an attractive partner for existing and potentially new customers.

Scandomestic is located in the middle of Jutland in Denmark with easy access to ports and international roads.

In order to fulfil customer requirements, we have constantly 30-35,000 units in stock which ensures quick and efficient deliveries.

Scandomestic uses the brand names Scandomestic and ScanCool.

Scandomestic - a cool flexible partner.

Content

Upright Refrigerators	5
Upright Freezers.	9
Combi Fridge/Freezers	14
Chest Freezers.	21
Hobs	24
Hoods	28
Microwave Ovens	31
Cookers	35
Ovens	37
Dishwashers	39
Washing Machines.	43
Tumble Dryers	44
Wine Coolers	46
Minibars	52
Cool Cubes Coolers	53
Display Coolers	55
Showcases	68
Display Freezers.	69
Impulse Coolers and Freezers.	72
Storage Coolers and -Freezers.	76
Ice cream. and supermarket freezers	80
Gastro	84
Profesional Dishwashers.	88



FA



SKS 56 W

Table Top Refrigerator

- Reversible door
- Ideal for rooms, garage etc.
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	100
Net volume, L	47
Noise level, dB(A)	39
Handle	Integrated
Digital display	No
Product dimensions, HxWxD, mm	525 x 475 x 445









SKS92WE

Table Top Refrigerator

- Reversible door
- Adjustable shelves
- Break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	85
Net volume, L	92
Noise level, dB(A)	40
Handle	Integrated
Digital display	No
Product dimensions, HxWxD, mm	842 x 475 x 448



- Reversible door
- Energy-saving LED lighting
- Break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	90
Net volume, L	130
Noise level, dB(A)	41
Handle	Outside white plastic
Digital display	No
Product dimensions, HxWxD, mm	845 x 545 x 566

SKS 152 W

Table Top Refrigerator

Reversible doo

- Adjustable feet
- Energy-saving LED lighting

Energy efficiency class	E
Annual energy cons. kWh/a	90
Net volume, L	130
Noise level, dB(A)	41
Handle	Outside white plastic
Digital display	No
Product dimensions, HxWxD, mm	845 x 545 x 566



A † G

(日本)

SKS 136 W

Table Top Refrigerator



SKS 192 W

Freestanding Refrigerator

- Reversible door
- Energy-saving LED lighting
- Break safe glass shelves

÷.	Energy efficiency class	F
	Annual energy cons. kWh/a	118
	Net volume, L	168
	Noise level, dB(A)	39
	Handle	Outside white plastic
	Digital display	No
	Product dimensions, HxWxD, mm	1025 x 540 x 580









SKS 201 W

Freestanding Refrigerator

- Reversible door
- Large transparent vegetable drawer
- Break safe glass shelves

	Energy efficiency class	E
	Annual energy cons. kWh/a	98
	Net volume, L	197
	Noise level, dB(A)	39
	Handle	Outside
	Digital display	No
	Product dimensions, HxWxD, mm	1250 x 540 x 580



EAt

SKS 262 W

Freestanding Refrigerator

- Reversible door
- Automatic defrost
- Break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	99
Net volume, L	205
Noise level, dB(A)	41
Handle	Outside
Digital display	No
Product dimensions, HxWxD, mm	1441 x 540 x 550

SKS332WE

Freestanding Refrigerator

- Reversible door with robust steel handle
- Energy-saving LED lighting
- Possibility of side-by-side solution with SFS242WE

Energy efficiency class	E
Annual energy cons. kWh/a	114
Net volume, L	331
Noise level, dB(A)	40
Handle	Outside
Digital display	No
Product dimensions, HxWxD, mm	1710 x 600 x 587



SKS 346 W

Freestanding Refrigerator

Reversible door with robust steel handle

- Adjustable and break safe glass shelves
- Energy-saving LED lighting

Energy efficiency class	F
Annual energy cons. kWh/a	139
Net volume, L	308
Noise level, dB(A)	39
Handle	Outside
Digital display	No
Product dimensions, HxWxD, mm	1780 x 540 x 585









SKS 452 W

Freestanding Refrigerator

- Reversible door with robust steel handle
- Display on door with many functions
- Possibility of side-by-side solution with SFS 352 W

Energy efficiency class	E
Annual energy cons. kWh/a	142
Net volume, L	370
Noise level, dB(A)	40
Handle	Outside
Digital display	Yes
Product dimensions, HxWxD, mm	1855 x 595 x 651



BIK 222 W

Integrated Refrigerator

- Bracket fitting
- Adjustable and break safe glass shelves
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	125
Net volume, L	197
Noise level, dB(A)	39
Handle	Integrated
Digital display	No
Product dimensions, HxWxD, mm	1220 x 540 x 540



BIK 343 W

Integrated Refrigerator

Slider fitting	
----------------	--

- 2 large vegetable drawer 1 with telescopic extension
- Energy-saving LED lighting

Energy efficiency class	F
Annual energy cons. kWh/a	143
Net volume, L	316
Noise level, dB(A)	39
Handle	Integrated
Digital display	No
Product dimensions, HxWxD, mm	1769 x 540 x 540





SFS 56 W

Table Top Freezer

- Integrated handle in the door
- Reversible door
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	187
Net volume, L	38
Noise level, dB(A)	39
Freezing capacity kg/24h	2,6
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	522 x 479 x 447





EA

A

SFS 61 W

Table Top Freezer

- Integrated handle in the door
- Reversible door
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	196
Net volume, L	61
Noise level, dB(A)	39
Freezing capacity kg/24h	3
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	842 x 475 x 448





SFS 82 W

Table Top Freezer

Can be placed in a dry environment at temperatures down to -15°C

Reversible door

Adjustable feet

	Energy efficiency class	E
	Annual energy cons. kWh/a	164
	Net volume, L	90
	Noise level, dB(A)	45
	Freezing capacity kg/24h	4,5
	Superfreeze w/auto shut off	No
	Product dimensions, HxWxD, mm	845 x 545 x 566

SFS 112 W

Table Top Freezer

Can be placed in a dry environment at temperatures down to -15°C

Reversible door

Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	164
Net volume, L	90
Noise level, dB(A)	45
Freezing capacity kg/24h	4,5
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	845 x 545 x 566

行道



SFS 140 W

Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	183
Net volume, L	146
Noise level, dB(A)	41
Freezing capacity kg/24h	6,6
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1250 x 545 x 566









SFS 170 W

Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

	Energy efficiency class	E
	Annual energy cons. kWh/a	183
	Net volume, L	146
	Noise level, dB(A)	41
	Freezing capacity kg/24h	6,6
	Superfreeze w/auto shut off	No
	Product dimensions, HxWxD, mm	1250 x 545 x 566

SFS163WE

Upright Freestanding Freezer

- NoFrost 100% self-defrosting
- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door with robust steel handle

Energy efficiency class	E
Annual energy cons. kWh/a	209
Net volume, L	166
Noise level, dB(A)	44
Freezing capacity kg/24h	7,5
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1443 x 540 x 590

SFS 206 W

Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	192
Net volume, L	177
Noise level, dB(A)	41
Freezing capacity kg/24h	8
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1440 x 540 x 570



A

高速



SFS 209 W

Upright Freestanding Freezer

- NoFrost 100% self-defrosting
- Removable glass shelves create a large space
- Can be placed in a dry environment at temperatures down to -15°C

Energy efficiency class	F
Annual energy cons. kWh/a	261
Net volume, L	166
Noise level, dB(A)	44
Freezing capacity kg/24h	7,5
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1443 x 540 x 590









SFS 226 W

Upright Freestanding Freezer

- NoFrost 100% self-defrosting
- Removable glass shelves create a large space
- Can be placed in a dry environment at temperatures down to -15°C

Energy efficiency class		
Annual energy cons. kWh/a	278	
Net volume, L	206	
Noise level, dB(A)	43	
Freezing capacity kg/24h	9,3	
Superfreeze w/auto shut off	Yes	
Product dimensions, HxWxD, mm	1700 x 540 x 590	



Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door with robust steel handle
- Transparent drawers

Energy efficiency class				
Annual energy cons. kWh/a				
Net volume, L	242			
Noise level, dB(A)	40			
Freezing capacity kg/24h	11			
Superfreeze w/auto shut off	Yes			
Product dimensions, HxWxD, mm	1710 x 600 x 587			

SFS 352 W

Upright Freestanding Freezer

- NoFrost 100% self-defrosting
- Reversible door with robust steel handle
- Possibility of side-by-side solution with SKS 452 W

Energy efficiency class	E
Annual energy cons. kWh/a	246
Net volume, L	274
Noise level, dB(A)	41
Freezing capacity kg/24h	13
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1855 x 595 x 651



A †

A † G

异义:P 合义:P



SFS 381 BX

Upright Freestanding Freezer

- NoFrost 100% self-defrosting
- 70 cm wide XXL capacity
- Removable glass shelves create a large space

Energy efficiency class	E	
Annual energy cons. kWh/a	282	
Net volume, L	380	
Noise level, dB(A)	39	
Freezing capacity kg/24h	17,2	
Superfreeze w/auto shut off	Yes	
Product dimensions, HxWxD, mm	1855 x 710 x 705	





EĜ

SFS 381 W

Upright Freestanding Freezer

- NoFrost 100% self-defrosting
- 70 cm wide XXL capacity
- Removable glass shelves create a large space

Energy efficiency class	E
Annual energy cons. kWh/a	282
Net volume, L	380
Noise level, dB(A)	39
Freezing capacity kg/24h	17,2
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1855 x 710 x 705



BIF 172 W

Integrated Freezer

- Bracket fitting
- Superfreeze
- Removable door gasket

Energy efficiency class	F
Annual energy cons. kWh/a	233
Net volume, L	127
Noise level, dB(A)	39
Freezing capacity kg/24h	6
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1221 x 540 x 540



A †





Table Top Fridge with box

- Reversible door
- Break safe glass shelves
- Energy-saving LED lighting

Energy efficiency class	E
Annual energy cons. kWh/a	124,83
Net volume refrigerator, L	75
Net volume freezer, L	7
Noise level, dB(A)	38
Freezing capacity kg/24h	
Product dimensions, HxWxD, mm	842 x 475 x 448









EA

SKB 119 W

Table Top Fridge with box

- Reversible door
- Energy-saving LED lighting
- Break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	137
Net volume refrigerator, L	94
Net volume freezer, L	13
Noise level, dB(A)	39
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	845 x 549 x 557

SKB 161 W

Table Top Fridge with box

- Reversible door
- Energy-saving LED lighting
- Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	137
Net volume refrigerator, L	94
Net volume freezer, L	13
Noise level, dB(A)	39
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	845 x 549 x 557

SKB182WE

Fridge with box

- Reversible door
- Energy-saving LED lighting
- Adjustable and break safe glass shelves

	Energy efficiency class	E
	Annual energy cons. kWh/a	144
	Net volume refrigerator, L	133
N	Net volume freezer, L	17
	Noise level, dB(A)	39
	Freezing capacity kg/24h	
	Product dimensions, HxWxD, mm	1025 x 540 x 580



EAt





SKB 190 W

Fridge with box

Electronic	temperature	control

Internal	LED	light		

4-star freezer compartment

Energy efficiency class	E
Annual energy cons. kWh/a	143
Net volume refrigerator, L	176
Net volume freezer, L	14
Noise level, dB(A)	39
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1235 x 545 x 580









EA

SKF 206 W

Freestanding Combi Fridge Freezer

Reversible door

Energy-saving LED lighting

Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	176
Net volume refrigerator, L	170
Net volume freezer, L	41
Noise level, dB(A)	41
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1428 x 540 x 551



Freestanding Combi Fridge Freezer

- Reversible door
- Energy-saving LED lighting
- Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	176
Net volume refrigerator, L	170
Net volume freezer, L	41
Noise level, dB(A)	41
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1428 x 540 x 551

SKF 221 X

Freestanding Combi Fridge Freezer

- Reversible door
- Energy-saving LED lighting

Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	176
Net volume refrigerator, L	170
Net volume freezer, L	41
Noise level, dB(A)	41
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1428 x 540 x 551



A





SKF 231 W

Freestanding Combi Fridge Freezer

- SmartFrost limits frost in your freezer
- Removable glass shelves create a large space
- Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	191
Net volume refrigerator, L	153
Net volume freezer, L	52
Noise level, dB(A)	39
Freezing capacity kg/24h	2,4
Product dimensions, HxWxD, mm	1440 x 540 x 550









SKF 297 W

Freestanding Combi Fridge Freezer

- SmartFrost limits frost in your freezer
- Reversible door with integrated handle
- Removable glass shelves create a large space

Energy efficiency class	E
Annual energy cons. kWh/a	210
Net volume refrigerator, L	153
Net volume freezer, L	74
Noise level, dB(A)	39
Freezing capacity kg/24h	3,5
Product dimensions, HxWxD, mm	1593 x 540 x 550



SKF 307 W

Freestanding Combi Fridge Freezer

- SmartFrost limits frost in your freezer
- Adjustable humidity in the vegetable drawer
- Removable glass shelves create a large space

Energy efficiency class	E
Annual energy cons. kWh/a	215
Net volume refrigerator, L	187
Net volume freezer, L	75
Noise level, dB(A)	39
Freezing capacity kg/24h	3,4
Product dimensions, HxWxD, mm	1760 x 540 x 550

SKF 313 W

Freestanding Combi Fridge Freezer

- NoFrost 100% self-defrosting
- Adjustable humidity in the vegetable drawer
- Reversible door with integrated handle

Energy efficiency class	E
Annual energy cons. kWh/a	219
Net volume refrigerator, L	180
Net volume freezer, L	70
Noise level, dB(A)	41
Freezing capacity kg/24h	3,2
Product dimensions, HxWxD, mm	1800 x 540 x 576

At



SKF 313 X

Freestanding Combi Fridge Freezer

- NoFrost 100% self-defrosting
- Adjustable humidity in the vegetable drawer
- Reversible door with integrated handle

Energy efficiency class	E
Annual energy cons. kWh/a	219
Net volume refrigerator, L	180
Net volume freezer, L	70
Noise level, dB(A)	41
Freezing capacity kg/24h	3,2
Product dimensions, HxWxD, mm	1800 x 540 x 576





SKF 327 W

Freestanding Combi Fridge Freezer

- SmartFrost limits frost in your freezer
- Removable glass shelves create a large space in the freezer
- Adjustable humidity in the vegetable drawer

Energy efficiency class	F
Annual energy cons. kWh/a	292
Net volume refrigerator, L	211
Net volume freezer, L	104
Noise level, dB(A)	39
Freezing capacity kg/24h	4,7
Product dimensions, HxWxD, mm	1855 x 595 x 590



SKF 327 X

Freestanding Combi Fridge Freezer

- SmartFrost limits frost in your freezer
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	F
Annual energy cons. kWh/a	292
Net volume refrigerator, L	211
Net volume freezer, L	104
Noise level, dB(A)	39
Freezing capacity kg/24h	4,7
Product dimensions, HxWxD, mm	1855 x 595 x 590





SKF 331 W

Freestanding Combi Fridge Freezer

- NoFrost 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	244
Net volume refrigerator, L	224
Net volume freezer, L	94
Noise level, dB(A)	42
Freezing capacity kg/24h	4,3
Product dimensions, HxWxD, mm	1855 x 595 x 635





SKF334WE

Freestanding Combi Fridge Freezer

- NoFrost 100% self-defrosting
- Air flow
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	244
Net volume refrigerator, L	226
Net volume freezer, L	96
Noise level, dB(A)	42
Freezing capacity kg/24h	4,3
Product dimensions, HxWx	D, mm 1855 x 595 x 635





F

的成

SKF340WD

Freestanding Combi Fridge Freezer

- NoFrost 100% self-defrosting
- Removable glass shelves create a large space in freezer
- Adjustable humidity in the vegetable drawer

Energy efficiency class	D
Annual energy cons. kWh/a	195
Net volume refrigerator, L	226
Net volume freezer, L	96
Noise level, dB(A)	35
Freezing capacity kg/24h	6
Product dimensions, HxWxD, mm	1855 x 595 x 635



SKF 433 X

American Fridge Freezer

- NoFrost 100% self-defrosting
- Energy-saving LED light
- Adjustable and break safe glass shelves

Energy efficiency class	F
Annual energy cons. kWh/a	350
Net volume refrigerator, L	261
Net volume freezer, L	169
Noise level, dB(A)	41
Freezing capacity kg/24h	8
Product dimensions, HxWxD, mm	1763 x 839 x 637



SKF 481 X

American Fridge Freezer

- NoFrost 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable and break safe glass shelves

Energy efficiency class	F
Annual energy cons. kWh/a	376
Net volume refrigerator, L	316
Net volume freezer, L	176
Noise level, dB(A)	42
Freezing capacity kg/24h	8
Product dimensions, HxWxD, mm	1810 x 785 x 716

EAtg



SKF 562 W

American Fridge Freezer

NoFrost - 100% self-defrosting

- Removable glass shelves create a large space
- Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	323
Net volume refrigerator, L	359
Net volume freezer, L	203
Noise level, dB(A)	39
Freezing capacity kg/24h	10
Product dimensions, HxWxD, mm	1770 x 912 x 704









SKF 562 X

American Fridge Freezer

- NoFrost 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	323
Net volume refrigerator, L	359
Net volume freezer, L	203
Noise level, dB(A)	39
Freezing capacity kg/24h	10
Product dimensions, HxWxD, mm	1770 x 912 x 704



BIC 336 W

Integrated Combi Fridge Freezer

- Slider fitting
- Energy-saving LED lighting
- Adjustable humidity in the vegetable drawer

Energy efficiency class	F
Annual energy cons. kWh/a	256
Net volume refrigerator, L	190
Net volume freezer, L	60
Noise level, dB(A)	39
Freezing capacity kg/24h	2,5
Product dimensions, HxWxD, mm	1769 x 540 x 540

RKF 203 R

At

Freestanding Combi Fridge Freezer

Stylish retro design

- Robust steel handle
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	174
Net volume refrigerator, L	172
Net volume freezer, L	39
Noise level, dB(A)	41
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1497 x 546 x 646

Chest Freezers



Chest Freezers

At

部的



CF51WE

Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 1 basket included
- Mechanical controller

Energy efficiency class	E
Annual energy cons. kWh/a	154
Net volume, L	51
Noise level, dB(A)	42
Superfreeze w/auto shut off	No
Internal light	No light
Product dimensions, HxWxD, mm	850 x 355 x 590







SB 101 W

Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Dual function conversion freezer to refrigerator -24°C to 5°C
- 1 basket included

Energy efficiency class	F
Annual energy cons. kWh/a	210
Net volume, L	99
Noise level, dB(A)	41
Superfreeze w/auto shut off	No
Internal light	1 Horizontal LED
Product dimensions, HxWxD, mm	835 x 545 x 476

CF200WD

Chest freezer

- Inverter compressor with 5 years warranty
- Can be placed in a dry environment at temperatures down to -15°C
- Dual function conversion freezer to refrigerator -24°C to 8°C

Energy efficiency class	D
Annual energy cons. kWh/a	160
Net volume, L	199
Noise level, dB(A)	41
Superfreeze w/auto shut off	No
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 823 x 555



CF300WD

Chest freezer

- Inverter compressor with 5 years warranty
- Can be placed in a dry environment at temperatures down to -15°C
- Dual function conversion freezer to refrigerator -24°C to 8°C

Energy efficiency class	D
Annual energy cons. kWh/a	185
Net volume, L	299
Noise level, dB(A)	39
Superfreeze w/auto shut off	Yes
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 1125 x 610



Chest Freezers

A † G



CF400WE

Chest freezer

- Inverter compressor with 5 years warranty
- Can be placed in a dry environment at temperatures down to -15°C
- Dual function conversion freezer to refrigerator -24°C to 8°C

Energy efficiency class	E
Annual energy cons. kWh/a	263
Net volume, L	400
Noise level, dB(A)	41
Superfreeze w/auto shut off	Yes
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 1365 x 730





CF500WE

Chest freezer

- Inverter compressor with 5 years warranty
- Can be placed in a dry environment at temperatures down to -15°C
- Dual function conversion freezer to refrigerator -24°C to 8°C

Energy efficiency class	E
Annual energy cons. kWh/a	295
Net volume, L	500
Noise level, dB(A)	45
Superfreeze w/auto shut off	No
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 1650 x 735



E creating CF560WE

Che

Can be placed in a dry environment at temperatures down to -15°C

4 baskets included

Mechanical controller

Energy efficiency class	E
Annual energy cons. kWh/a	314
Net volume, L	560
Noise level, dB(A)	50
Superfreeze w/auto shut off	No
Internal light	Top LED
Product dimensions, HxWxD, mm	850 x 1805 x 715



Hobs



Hobs



K 30 Domino

Ceramic Hob

Without frame

2 Zones: 1 x 16,5 cm - 1 x 20 cm

```
Timer
```

Type of cooking zones	Hightlight
Number of cooking zones	2
Child safety	Yes
Controls	Touch
Watt, W	3000
Booster	No
Product dimensions, HxWxD, mm	64.5 x 288 x 520





K 52 Domino

Induction Hob
Without frame

2 Zones:	1 x 1	4 cm -	1 x 18 cm

Timer

Type of cooking zones	Induction
Number of cooking zones	2
Child safety	Yes
Controls	Touch
Watt, W	3500
Booster	No
Product dimensions, HxWxD, mm	60 x 288 x 520

K 61

Ceramic Hob

- Without frame
- 4 Zones: 2 x 20 cm 2 x 16,5 cm
- Timer

Type of cooking zones	Hightlight
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	6000
Booster	No
Product dimensions, HxWxD, mm	55 x 590 x 520



K 62

```
Ceramic Hob
```

4 faceted edges

4 Zones: 1 x 20 cm - 2 x 16,5 cm - 1 x 14/23

Timer

Type of cooking zones	Hightlight
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	6400
Booster	No
Product dimensions, HxWxD, mm	55 x 590 x 520



品成合



IKP 60 Induction Hob

- Straight edges, suitable for flat gluing in the tabletop
- 9 stage power setting with Boost
- Automatic pan detection

Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Slider
Watt, W	7400
Booster	Yes
Product dimensions, HxWxD, mm	62 x 590 x 520





IKF 60 FLEX

Induction Hob

- Straight edges, suitable for flat gluing in the tabletop
- 9 stage power setting with Boost

Large flex zone

Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Slider
Watt, W	7400
Booster	Yes
Product dimensions, HxWxD, mm	62 x 590 x 520

IKF 180-1

Induction Hob

- 4 faceted edges
- Zones 2 x 18 1 x 16 1 x 21 cm
- Slider touch Timer function

Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	7000
Booster	Yes
Product dimensions, HxWxD, mm	60 x 770 x 520



IKF 265

Induction Hob

- 4 faceted edges
- Zones 2 x 15 cm 2 x 22 cm
- Slider touch on each zone

Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	7000
Booster	Yes
Product dimensions, HxWxD, mm	60 x 590 x 520

Hobs



IKF 285



Induction Hob 4 faceted edges

Zones 2 x 18 - 1 x 16 - 1 x 21 cm

- Slider touch on each zone

Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	7000
Booster	Yes
Product dimensions, HxWxD, mm	60 x 770 x 520

Hoods



Hoods

В



EMV 102-1

Pull-out Hood

- Replaceable front (steel / white) included
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	В
Fluid dynamic efficiency class	D
Grease filtering efficiency class	С
Controls	Switch
Airflow min/max, m3/h	211.6/329.6
Airborne Noise min/max dB(A)	58/64
Product dimensions, HxWxD, mm	175 x 600 x 280





С

EMV 103

PREMIUM Collection

Pull-out Hood

- Replaceable front (steel / white) included
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	С
Fluid dynamic efficiency class	D
Grease filtering efficiency class	E
Controls	Switch
Airflow min/max, m3/h	243/433
Airborne Noise min/max dB(A)	55/68
Product dimensions, HxWxD, mm	175 x 600 x 280





EMV 104

Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	C
Fluid dynamic efficiency class	E
Grease filtering efficiency class	E
Controls	Push knobs
Airflow min/max, m3/h	65.6/138.1
Airborne Noise min/max dB(A)	50/68
Product dimensions, HxWxD, mm	150 x 600 x 500



EMV 105

Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	С
Fluid dynamic efficiency class	E
Grease filtering efficiency class	E
Controls	Push knobs
Airflow min/max, m3/h	65.6/138.1
Airborne Noise min/max dB(A)	50/68
Product dimensions, HxWxD, mm	150 x 600 x 500



Hoods

С

В

PREMIUM Collection



EMV 660

Wall Hood

- Built-in motor
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	A+
Fluid dynamic efficiency class	A
Grease filtering efficiency class	D
Controls	Touch
Airflow min/max, m3/h	187.6/494.3
Airborne Noise min/max dB(A)	43/63
Product dimensions, HxWxD, mm	764 x 600 x 382



EMF 990

Island Hood

Built-in motor

- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	С
Fluid dynamic efficiency class	В
Grease filtering efficiency class	В
Controls	Push knobs
Airflow min/max, m3/h	348.7/591.5
Airborne Noise min/max dB(A)	64/64
Product dimensions, HxWxD, mm	1050 x 900 x 600



EMF 902

Island Hood

Built-in motor

- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	В
Fluid dynamic efficiency class	В
Grease filtering efficiency class	С
Controls	Push knobs
Airflow min/max, m3/h	343.3/578.7
Airborne Noise min/max dB(A)	62/73
Product dimensions, HxWxD, mm	690 x 900 x 600





MIG 20 W

Microwave Standard

- 25 cm turntable
- Timer
- Defrost program

Oven size, L	20
Outside colour	White
Number of programs, pcs	5
Micro effect, W	700
Grill effect, W	-
Child safety	Yes
Product dimensions, HxWxD, mm	253 x 440 x 360





MIG 20 B

Microwave Standard	
25 cm turntable	
Timer	
Defrost program	
Oven size, L	20
Outside colour	Black
Number of programs, pcs	5
Micro effect, W	700
Grill effect, W	-
Child safety	No
Product dimensions, HxWxD, mm	253 x 440 x 360



MIG 27 SS

Microwave Grill

- 27 cm turntable and 1 grate

Oven size, L	23
Outside colour	Black
Number of programs, pcs	8
Micro effect, W	800
Grill effect, W	1000
Child safety	Yes
Product dimensions, HxWxD, mm	293 x 485 x 396



MIG 2301

Microwave Grill

- 27 cm turntable and 1 grate
- LED display with remaining time
- Defrost program

Oven size, L	23
Outside colour	White
Number of programs, pcs	8
Micro effect, W	800
Grill effect, W	1000
Child safety	Yes
Product dimensions, HxWxD, mm	285 x 485 x 410

- LED display with remaining time
- Child safety lock

Oven size, L	
Outside colour	E
Number of programs, pcs	
Micro effect, W	
Grill effect, W	:
Child safety	
Product dimensions, HxWxD, mm	293 x 485 x



MIG 2501

Microwave Combi

- 31 cm turntable and 1 grate
- LED display with remaining time
- Electronically hot air oven with auto menu

Oven size, L	25
Outside colour	White
Number of programs, pcs	10
Micro effect, W	900
Grill effect, W	1100
Child safety	Yes
Product dimensions, HxWxD, mm	307 x 512 x 470



MWC25X

Microwave Combi

- Electronically hot air oven with auto menu
- LED display with remaining time
- 31 cm turntable and 1 grate

Oven size, L	25
Outside colour	Stainless Steel
Number of programs, pcs	10
Micro effect, W	900
Grill effect, W	1100
Child safety	Yes
Product dimensions, HxWxD, mm	304 x 514 x 480



Air-fry function with 11 menues

10 auto cooking menu

LCD display with 24 hours digital display and 95 minutes digital timer

Oven size, L	26
Outside colour	Black
Number of programs, pcs	22
Micro effect, W	900
Grill effect, W	1500
Child safety	Yes
Product dimensions, HxWxD, mm	495 x 435 x 290



MWP 25

Professional Microwave

- LED display with remaining time
- Defrost program
- Ideal for commercial kitchens, cafeteria etc.

25
Stainless Steel
100
1000
-
Yes
311 x 511 x 432





MWP34X



Professional Microwave

- LED display with remaining time
- Defrost program
- Ideal for commercial kitchens, cafeteria etc.

Oven size, L

Outside colour	Stainless Steel
Number of programs, pcs	100
Micro effect, W	1000
Grill effect, W	-
Child safety	Yes
Product dimensions, HxWxD, mm	343 x 553 x 485

Cookers and Built-in Ovens



Cookers

30



SK 403-1

Solid Plate Cooker

Zoner	2	Х	14	cm	/	2	Х	18	cm	

- Conventional oven with fan
- Extra deep baking tray

Energy efficiency class	А
Net volume, L	60
Full glass in inner door	Yes
Storage compartment	No
Multi function oven	Yes
Controls	Turnable knobs
Product dimensions, HxWxD, mm	900 x 600 x 600





FCC800W

Ceramic Cooker

Multifunction oven with circular heating element

8 cooking functions including grill and defrost function

Spacious magazine drawer

Energy efficiency class	А
Net volume, L	60
Full glass in inner door	Yes
Storage compartment	Yes
Multi function oven	Yes
Controls	Turnable knobs
Product dimensions, HxWxD, mm	900 x 600 x 600



FCI900W

Induction Cooker

Multifunction oven with circular heating element

- Induction hob with residual heat indicator
- 8 cooking functions including grill and defrost function

Energy efficiency class	А
Net volume, L	60
Full glass in inner door	Yes
Storage compartment	Yes
Multi function oven	Yes
Controls	Knobs - touch
Product dimensions, HxWxD, mm	900 x 600 x 600

Built-in Ovens



XO 6300

Built-in Oven

Black 3 layer glass door and enamel cavity

- Light, Defrost, Top/Bottom heat, Convection, Grill
- Convection w/circular heating element

Energy efficiency class	A
Number of programs, pcs	9
Full glass in inner door	Yes
Oven size, L	70
Telescopic pullout system	No
Function light	None
Product dimensions, HxWxD, mm	595 x 595 x 540









XO 6800

Built-in Oven

Multifunction oven with Pyrolitic

- Black glass design
- Convection with circular heating element

Ene	rgy efficiency class	А
Nur	mber of programs, pcs	9
Full	glass in inner door	Yes
Ove	en size, L	70
Tele	escopic pullout system	No
Fun	ction light	White
Pro	duct dimensions, HxWxD, mm	595 x 595 x 580

XO 6500

Built-in Oven

Clean enamel

- Hot air Circular heating element
- Extra deep baking tray

Energy efficiency class	А
Number of programs, pcs	8+1
Full glass in inner door	Yes
Oven size, L	72
Telescopic pullout system	Available as sparepart
Function light	White
Product dimensions, HxWxD, mm	596 x 595 x 546

XO 7500

Built-in Oven

Clean enamel

- Hot air Circular heating element
- Detachable door with full glass inner door

Energy efficiency class	A+
Number of programs, pcs	13
Full glass in inner door	Yes
Oven size, L	72
Telescopic pullout system	Available as sparepart
Function light	White
Product dimensions, HxWxD, mm	596 x 595 x 546

Built-in Ovens

A



XO 7800

Built-in Oven

- Pyrolyse self-cleaning
- Hot air Circular heating element
- Touch display

A+
12
Yes
72
epart
White
x 546



G



SFO 101 W

Table Top Dishwasher

- Only uses 5 liters of water
- Does not require water connection
- Disinfectant steam program

Energy efficiency class	G
Place settings, pcs	2
Noise level, dB(A)	58
Number of programs, pcs	7
Water cons pr dishwash cycle (EPWC), L	5
Energy cons. pr dishwash (EPEC), kWh	0,396
Product dimensions, HxWxD, mm	435 x 420 x 435









SFO 2203 W

Table Top Dishwasher

- Delayed start function 2, 4 or 8h
- LED indicator for salt and rinse aid
- Easy and simple LED operation

Energy efficiency class	F
Place settings, pcs	6
Noise level, dB(A)	49
Number of programs, pcs	6
Water cons pr dishwash cycle (EPWC), L	6,5
Energy cons. pr dishwash (EPEC), kWh	0,613
Product dimensions, HxWxD, mm	438 x 550 x 500



SFO 4502 W

Freestanding Dishwasher

Delivered with a steady top plate and contra weight

- LED indicator for salt and rinse aid
- AquaStop

Energy efficiency class	E
Place settings, pcs	10
Noise level, dB(A)	47
Number of programs, pcs	4
Water cons pr dishwash cycle (EPWC), L	9
Energy cons. pr dishwash (EPEC), kWh	0,755
Product dimensions, HxWxD, mm	845 x 448 x 610

DWF1444WD

Freestanding Dishwasher

- 7 programs, LED display
- 44 dB(A) noise level, 1-24H delay start
- Freestanding, 14 place settings

1	Energy efficiency class	D
	Place settings, pcs	14
	Noise level, dB(A)	44
	Number of programs, pcs	7
	Water cons pr dishwash cycle (EPWC), L	11
	Energy cons. pr dishwash (EPEC), kWh	0,849
	Product dimensions, HxWxD, mm	845 x 598 x 600

D

At

CA



SFO 3802 W

Integrated Dishwasher

- Delayed start function 3, 6 or 9h
- 1/2 wash function
- AquaStop

Energy efficiency class	D
Place settings, pcs	14
Noise level, dB(A)	44
Number of programs, pcs	6
Water cons pr dishwash cycle (EPWC), L	10,5
Energy cons. pr dishwash (EPEC), kWh	0,849
Product dimensions, HxWxD, mm	815 x 598 x 550









Dt

SFO 3806 W

Integrated Dishwasher

- Extra space with 3rd basket
- Delayed start function 1-24h
- Auto sensor and 30 min Rapid program

1	Energy efficiency class	С
	Place settings, pcs	14
	Noise level, dB(A)	42
	Number of programs, pcs	8
	Water cons pr dishwash cycle (EPWC), L	9,8
	Energy cons. pr dishwash (EPEC), kWh	0,747
	Product dimensions, HxWxD, mm	820 x 600 x 550

DWB1444WD

Built-in Dishwasher

- 7 programs, LED display
- 44 dB(A) noise level, 1-24H delay start
- Built-under, 14 place settings

Energy efficiency class	D
Place settings, pcs	14
Noise level, dB(A)	44
Number of programs, pcs	7
Water cons pr dishwash cycle (EPWC), L	11
Energy cons. pr dishwash (EPEC), kWh	0,849
Product dimensions, HxWxD, mm	815 x 598 x 570

SFO 4102 X

Built-in Dishwasher

Evtra	cnaco	with	2rd	basket
LAUA	space	VVILII	JIU	Dasket

- Delayed start function 3, 6, 9 or 12h
- AquaStop

Energy efficiency class	D
Place settings, pcs	14
Noise level, dB(A)	44
Number of programs, pcs	6
Water cons pr dishwash cycle (EPWC), L	11
Energy cons. pr dishwash (EPEC), kWh	0,849
Product dimensions, HxWxD, mm	815 x 598 x 570

A † G



DWB1442WC

Built-in Dishwasher

7 programs,	Touch	control,	LED	display

- 42 dB(A) noise level, 1-24H delay start
- Built-under, 14 place settings

Energy efficiency class	С
Place settings, pcs	14
Noise level, dB(A)	42
Number of programs, pcs	7
Water cons pr dishwash cycle (EPWC), L	9,8
Energy cons. pr dishwash (EPEC), kWh	0,747
Product dimensions, HxWxD, mm	815 x 598 x 57





SFO 4901 X

Built-in Dishwasher

- flexible decor with 3 baskets
- Delayed start function 1-24h
- AquaStop

Energy efficiency class	D
Place settings, pcs	14
Noise level, dB(A)	44
Number of programs, pcs	8
Water cons pr dishwash cycle (EPWC), L	10
Energy cons. pr dishwash (EPEC), kWh	0,849
Product dimensions, HxWxD, mm	815 x 598 x 570

Washing Machines and Tumble Dryers



Washing Machines

A † G





Top Loaded Washing Machine

- Delayed start function
- Soft opening can be opened with one hand
- 16 programs

1	Energy efficiency class	F
_	Energy consumption, kWh/cycle	0.784
		- / -
	Spin speed, rpm	1200
	Capacity, kg	7
	Water cons. weighted L/cycle	42
	Spin/Drying Efficiency Class	В
	Product dimensions, HxWxD, mm	860 x 405 x 600









EA

日が月

WAH 1506 W

Front Loaded Washing Machine

Dept	onlv	40	cm	
o e p c	····,		0	

- Quick wash 15' 30' or 45' min
- Drum clean program

Energy efficiency class	D
Energy consumption, kWh/cycle	0,644
Spin speed, rpm	1200
Capacity, kg	6
Water cons. weighted L/cycle	43
Spin/Drying Efficiency Class	С
Product dimensions, HxWxD, mm	850 x 595 x 400

WAH 2808 W

Front Loaded Washing Machine

- 8 kg capacity 1400 RPM
- Delayed start and remaining time display
- Quick wash 15 min

Energy efficiency class	E
Energy consumption, kWh/cycle	0,827
Spin speed, rpm	1400
Capacity, kg	8
Water cons. weighted L/cycle	48
Spin/Drying Efficiency Class	В
Product dimensions, HxWxD, mm	850 x 595 x 565

WAH 2908 W

Front Loaded Washing Machine

- Inverter motor
- Delayed start and remaining time display
- Quick wash 15 or 45 min

Energy efficiency class	В
Energy consumption, kWh/cycle	0,545
Spin speed, rpm	1400
Capacity, kg	8
Water cons. weighted L/cycle	48
Spin/Drying Efficiency Class	В
Product dimensions, HxWxD, mm	850 x 595 x 565



B

44

Washing Machines





WAH 3110 W

Front Loaded Washing Machine

- Inverter motor
- Delayed start and remaining time display
- Quick wash 15 or 45 min

Energy efficiency class	В
Energy consumption, kWh/cycle	0,593
Spin speed, rpm	1500
Capacity, kg	10
Water cons. weighted L/cycle	52
Spin/Drying Efficiency Class	В
Product dimensions, HxWxD, mm	850 x 595 x 565





WAD 3815 W

Washer Dryer

Wash and dry 1 kg in 1 hour

Inverter motor

Delayed start and remaining time display

Energy efficiency class	В
Energy consumption, kWh/cycle	0,545
Spin speed, rpm	1500
Capacity, kg	8
Water cons. weighted L/cycle	64
Spin/Drying Efficiency Class	В
Product dimensions, HxWxD, mm	850 x 595 x 500

Tumble Dryers



TRK 1020 W



Condenser Tumble Dryer

- Electronically controlled
- Delayed start function 3, 6, 9, or 12h

Light inside the drum	
-----------------------	--

Energy efficiency class	В
Condence efficiency class	В
Annual energy cons. kWh/a	561
Rated capacity, kg	8
Airborne acoustical noise dB(A)	69
Option of drainhose connection	Yes
Product dimensions, HxWxD, mm	845 x 595 x 615





TRK 3308 W

Heat Pump Tumble Dryer

Electronically controlled

Big LCD display

Delayed start and remaining time in display

Energy efficiency class	A++
Condence efficiency class	В
Annual energy cons. kWh/a	236
Rated capacity, kg	8
Airborne acoustical noise dB(A)	69
Option of drainhose connection	Yes
Product dimensions, HxWxD, mm	845 x 595 x 622



F



SV 19 B

Wine Cooler

Stylish frameless black glass door

- Curved black stainless handle
- One temperature zone

Energy efficiency class	F
Annual energy cons. kWh/a	98
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	1 Horizontal LED
Wine bottles, pcs	18
Product dimensions, HxWxD, mm	865 x 295 x 561









SV 45 B

Wine Cooler

Black glass door with thin frame

- Freestanding model
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	138
Temperature range °C	4 / 22
Noise level, dB(A)	39
Internal light	1 Horizontal LED
Wine bottles, pcs	45
Product dimensions, HxWxD, mm	845 x 540 x 548



SV 81 B

Wine Cooler

Stylish frameless black glass door

- Curved black stainless handle
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	130
Temperature range °C	5 / 18
Noise level, dB(A)	40
Internal light	1 Horizontal LED
Wine bottles, pcs	46
Product dimensions, HxWxD, mm	865 x 595 x 561



SV 85 B

Wine Cooler

Stylish frameless black glass door

- Curved black stainless handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	145
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	44
Product dimensions, HxWxD, mm	865 x 595 x 561

FA



SV 104 B

Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- Two temperature zones

Energy efficiency class	F
Annual energy cons. kWh/a	121
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	90
Product dimensions, HxWxD, mm	1392 x 595 x 680





G

SV 111 B

Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	158
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	1 Horizontal LED
Wine bottles, pcs	126
Product dimensions, HxWxD, mm	1764 x 595 x 680





SV 124 B

Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	175
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	126
Product dimensions, HxWxD, mm	1764 x 595 x 680



SV 138 B

Wine Cooler

One temperature zone

- Touch display
- Exclusive, frameless glass door with lock

Energy efficiency class	G
Annual energy cons. kWh/a	158
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	10 Vertical LED + 1 Horizontal LED
Wine bottles, pcs	138
Product dimensions, HxWxD, mm	1764 x 595 x 682

49

G



SV 1382 B

Wine Cooler

- Two temperature zones
- Touch display
- Exclusive, frameless glass door with lock

Energy efficiency class	G
Annual energy cons. kWh/a	175
Temperature range °C	5/18
Noise level, dB(A)	39
Internal light	10 Vertical LED +
	2 Horizontal LED
Wine bottles, pcs	138
Product dimensions, HxWxD, mm	1764 x 595 x 682





SV 81 X

Wine Cooler

Stylish door frame in stainless steel
Curved stainless steel handle
One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	130
Temperature range °C	5 / 18
Noise level, dB(A)	40
Internal light	1 Horizontal LED
Wine bottles, pcs	46
Product dimensions, HxWxD, mm	865 x 595 x 570







SV 91 X

Wine Cooler

 Stylish door frames in stainless steel

 Curved stainless steel handle

Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	142
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	36
Product dimensions, HxWxD, mm	865 x 595 x 570



SV 104 X

Wine Cooler

Stylish door frame in stainless steel

Curved stainless steel handle

Two temperature zones

Energy efficiency class	F
Annual energy cons. kWh/a	121
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	90
Product dimensions, HxWxD, mm	1392 x 595 x 678





SV 124 X

Wine Cooler

- Stylish door frame in stainless steel
- Curved stainless steel handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	175
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	126
Product dimensions, HxWxD, mm	1763 x 595 x 678

Minibars

A † G



MB 32 BE

Minibar

LED	interior	light	

- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	E
Annual energy cons. kWh/a	70
Climate class	Ν
Reversible door	Yes
Gross- / Net volume, L	35 / 32
Temperature range °C	6 / 8
Product dimensions, HxWxD, mm	485 x 385 x 455









EG

D

MB 32 BGD

Minibar

LED interior light
Adjustable glass shelves
Peltier cooling
Energy efficiency class
Annual energy cons. kWh/a
Climate class
Poversible door

Reversible door	Yes
Gross- / Net volume, L	35 / 32
Temperature range °C	12 / 14
Product dimensions, HxWxD, mm	485 x 385 x 450

D 60 Ν

MB 34 BE

Minibar

LED interior light	
--------------------	--

- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	E
Annual energy cons. kWh/a	77
Climate class	Ν
Reversible door	Yes
Gross- / Net volume, L	40 / 34
Temperature range °C	6 / 8
Product dimensions, HxWxD, m	1m 560 x 400 x 435

MB 34 BGD

Minibar

LED interior light

- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	D
Annual energy cons. kWh/a	60
Climate class	Ν
Reversible door	Yes
Gross- / Net volume, L	40 / 34
Temperature range °C	12 / 14
Product dimensions, HxWxD, mm	570 x 400 x 420

Cool Cubes Coolers



Cool Cubes Coolers



Compact Cube

Cool Cubes

- Stylish chrome door with integrated handle
- Adjustable shelf
- Black exterior and interior

Energy efficiency class	F
Annual energy cons. kWh/a	98
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	55 / 48
Temperature range °C	0/10
Product dimensions, HxWxD, mm	510 x 430 x 475





F

FA

Coca-cola FiftyCube

Cool Cubes

- Classic oldtimer Coca Cola design
- Integrated handle in the door
- Perfect for children's room or office

Energy efficiency class	F
Annual energy cons. kWh/a	98
Climate class	ST
Reversible door	Yes
Gross- / Net volume, L	50 / 48
Temperature range °C	0/10
Product dimensions, HxWxD, mm	510 x 430 x 475





Coca-Cola Coolcube

Cool Cubes

- Classic Coca Cola design
- Stylish chrome door with integrated handle
- Perfect for children's room or office

Energy efficiency class	F		
Annual energy cons. kWh/a	98		
Climate class	Ν		
Reversible door	Yes		
Gross- / Net volume, L	55 / 48		
Temperature range °C	0/10		
Product dimensions, HxWxD, mm	510 x 430 x 475		

Coca-Cola Highcube

Cool Cubes

- Classic Coca Cola design
- Stylish chrome door with integrated handle
- Adjustable shelves

Energy efficiency class	F
Annual energy cons. kWh/a	104
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	130 / 115
Temperature range °C	0/10
Product dimensions, HxWxD, mm	840 x 540 x 564



C t



RT 82 BE

Display Cooler

- 3 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	С
Annual energy cons. kWh/a	1003
Climate class	4
Reversible door	No
Gross- / Net volume, L	78 / 71
Temperature range °C	0/12
Product dimensions, HxWxD, mm	960 x 428 x 386









RT 82 WE

Display Cooler

Double glazed glass on four sides
3 adjustable coated wire shelves

- 5 adjustable coated wire site
- 2 vertical LED in front

Energy efficiency class	С		
Annual energy cons. kWh/a	1003		
Climate class	4		
Reversible door	No		
Gross- / Net volume, L	78 / 71		
Temperature range °C	0/12		
Product dimensions, HxWxD, mm	960 x 428 x 386		



B

RTC 237 BE

Display Cooler

- Double glazed glass on four sides
- 4 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	В
Annual energy cons. kWh/a	1622
Climate class	4
Reversible door	No
Gross- / Net volume, L	235 / 176
Temperature range °C	0 / 12
Product dimensions, HxWxD, mm	1690 x 515 x 485

RTC 237 WE

Display Cooler

Double glazed glass on four sides

- 4 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	В
Annual energy cons. kWh/a	1622
Climate class	4
Reversible door	No
Gross- / Net volume, L	235 / 176
Temperature range °C	0/12
Product dimensions, HxWxD, mm	1690 x 515 x 485

B



RTC 287 BE

Display Cooler

Double	glazed	glass	on	four	sides

- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	В
Annual energy cons. kWh/a	1365
Climate class	4
Reversible door	No
Gross- / Net volume, L	270 / 235
Temperature range °C	0/12
Product dimensions, HxWxD, mm	1895 x 515 x 485









RTC 287 WE

Display Cooler

- Double glazed glass on four sides
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	В
Annual energy cons. kWh/a	1365
Climate class	4
Reversible door	No
Gross- / Net volume, L	270 / 235
Temperature range °C	0/12
Product dimensions, HxWxD, mm	1895 x 515 x 485



D

KK 381 E

Display Cooler

- Right hinged glass door with lock
- 4 adjustable coated wire shelves
- 1 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	531
Climate class	4
Reversible door	No
Gross- / Net volume, L	289 / 192
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1795 x 615 x 610

KK 421 E

Display Cooler

Right hinged glass door with lock

- 4 adjustable coated wire shelves
- 1 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	767
Climate class	4
Reversible door	No
Gross- / Net volume, L	339 / 225
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1990 x 615 x 610

C f



SC 21 BE

Display Cooler

Self-closing	hinged	plass	door
Sell closing	Inneca	Pigga	0001

- 1 adjustable coated wire shelf
- LED interior light

Energy efficiency class	С
Annual energy cons. kWh/a	274
Climate class	ST
Reversible door	No
Gross- / Net volume, L	20 / 18
Temperature range °C	0/10
Product dimensions, HxWxD, mm	585 x 360 x 330









SC 51 BE

Display Cooler

Self-closing hinged glass door
2 adjustable coated wire shelves

LED interior light

Energy efficiency class	С
Annual energy cons. kWh/a	237
Climate class	ST
Reversible door	No
Gross- / Net volume, L	59 / 44
Temperature range °C	0/10
Product dimensions, HxWxD, mm	805 x 426 x 460



C f

SC 81 BE

Display Cooler

- Self-closing hinged glass door
- LED interior light
- Illuminated canopy

Energy efficiency class	С
Annual energy cons. kWh/a	274
Climate class	ST
Reversible door	No
Gross- / Net volume, L	84 / 60
Temperature range °C	0/10
Product dimensions, HxWxD, mm	950 x 460 x 460



Display Cooler

Right	hinged	glass	door
Manu	migcu	61033	uooi

- 1 coated wire shelf
- LED interior light

Energy efficiency class	С
Annual energy cons. kWh/a	303
Climate class	4
Reversible door	No
Gross- / Net volume, L	48 / 46
Temperature range °C	0/10
Product dimensions, HxWxD, mm	528 x 475 x 435



AtG 部设

DKS 123 BE

Display Cooler

Right hinged glass door

- 2½ adjustable coated wire shelves
- LED interior light

Energy efficiency class	D
Annual energy cons. kWh/a	503
Climate class	4
Reversible door	No
Gross- / Net volume, L	110 / 105
Temperature range °C	1/9
Product dimensions, HxWxD, mm	840 x 480 x 520









DKS 142 BE

Display Cooler

Hinged glass door with lock 4 adjustable coated wire shelves LED interior light	
Energy efficiency class	E
Annual energy cons. kWh/a	548
Climate class	6
Reversible door	Yes
Gross- / Net volume, L	126 / 115
Temperature range °C	0/10
Product dimensions, HxWxD, mm	845 x 540 x 548



Dâ

SD 181 BE

Display Cooler

- Self-closing hinged glass door with lock
- 3 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	646
Climate class	ST
Reversible door	No
Gross- / Net volume, L	214 / 160
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1575 x 538 x 505

SD 430 E

Display Cooler

Self-closing hinged glass door with lock

- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	712
Climate class	ST
Reversible door	No
Gross- / Net volume, L	392 / 360
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1980 x 578 x 605



SD 430 BE

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	712
Climate class	ST
Reversible door	No
Gross- / Net volume, L	392 / 360
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1980 x 578 x 605





AtG

SD 226 BE

SD 426 BE

5 adjustable coated wire shelves 2 vertical LED in front

Annual energy cons. kWh/a

Self-closing hinged aluminum glass door w/lock

D

Т

No

361/286

2020 x 606 x 620

0/10

730

Display Cooler

Energy efficiency class

Climate class

Reversible door

Gross- / Net volume, L

Temperature range °C

Product dimensions, HxWxD, mm

Display Cooler

- 5 adjustable coated wire shelves
- 1 vertical LED
- 4 feet

Energy efficiency class	D
Annual energy cons. kWh/a	569
Climate class	4
Reversible door	No
Gross- / Net volume, L	166 / 144
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1892 x 390 x 475





AtG

SD 726 BE

Display Cooler

Self-closing hinged aluminum glass door with lock

- 5 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	985
Climate class	Т
Reversible door	No
Gross- / Net volume, L	592 / 498
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2067 x 700 x 783



At



SD 826 BE

Display Cooler

Self-closing hinged aluminum glass doors with lock

- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1262
Climate class	Т
Reversible door	No
Gross- / Net volume, L	776 / 660
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2025 x 1000 x 695





SD 1326 BE

Display Cooler

	8 adjustable coated wire shelves
	2 vertical LED
_	

4 strong castors, 2 with brake

Energy efficiency class	D
Annual energy cons. kWh/a	1752
Climate class	Т
Reversible door	No
Gross- / Net volume, L	1093 / 917
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2035 x 1330 x 720



B

B

DC614BB

Display Cooler

Large presentation area - slim aluminum door frames

- 1 horizontal and 2 vertical LED's
- 4 strong castors

Energy efficiency class	В
Annual energy cons. kWh/a	912,5
Climate class	3
Reversible door	No
Gross- / Net volume, L	614 / 459
Temperature range °C	0 / 8
Product dimensions, HxWxD, mm	2003 x 750 x 710



DC1080BB

Display Cooler

Large presentation area - slim aluminum door frames

- 2 horizontal and 2 vertical LED's
- 4 strong castors

Energy efficiency class	В
Annual energy cons. kWh/a	1522
Climate class	3
Reversible door	No
Gross- / Net volume, L	1081 / 809
Temperature range °C	0/8
Product dimensions, HxWxD, mm	2003 x 1253 x 710

At

識過



SD 217 E

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 1 vertical LED in front

11	Energy efficiency class	D
	Annual energy cons. kWh/a	573
		575
	Climate class	ST
	Reversible door	No
	Gross- / Net volume, L	160 / 133
	Temperature range °C	0/10
	Product dimensions, HxWxD, mm	1880 x 390 x 475









SD 217 BE

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 1 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	573
Climate class	ST
Reversible door	No
Gross- / Net volume, L	160 / 133
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1880 x 390 x 475



D

SD 417 E

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	599
Climate class	ST
Reversible door	No
Gross- / Net volume, L	317 / 280
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1980 x 578 x 605

SD 417 BE

Display Cooler

Self-closing hinged glass door with lock

- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	599
Climate class	ST
Reversible door	No
Gross- / Net volume, L	317 / 280
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1980 x 578 x 605

AtG



SD 420 E

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	639
Climate class	Т
Reversible door	Yes
Gross- / Net volume, L	386 / 360
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1980 x 578 x 605









SD 420 BE

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	639
Climate class	Т
Reversible door	Yes
Gross- / Net volume, L	386 / 360
Temperature range °C	0/10
Product dimensions, HxWxD, mm	1980 x 578 x 605



D

SD 802 HE

Display Cooler

- Self-closing hinged glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1263
Climate class	Т
Reversible door	No
Gross- / Net volume, L	776 / 660
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2023 x 1000 x 720

SD 802 BHE

Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1263
Climate class	Т
Reversible door	No
Gross- / Net volume, L	776 / 660
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2023 x 1000 x 720

At





Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1296
Climate class	Т
Reversible door	No
Gross- / Net volume, L	690 / 658
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2023 x 1000 x 700





EG

SD 802 BSLE

Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1296
Climate class	Т
Reversible door	No
Gross- / Net volume, L	690 / 658
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2023 x 1000 x 700







SD 881 HE

Display Cooler

- Self-closing hinged glass doors with lock
- 8 adjustable coated wire shelves
- Ventilated cooling

Energy efficiency class	E
Annual energy cons. kWh/a	1372
Climate class	Т
Reversible door	No
Gross- / Net volume, L	569 / 437
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2000 x 870 x 605

SD 881 BHE

Display Cooler

Self-closing hinged glass doors with lock

- 8 adjustable coated wire shelves
- Ventilated cooling

Energy efficiency class	E
Annual energy cons. kWh/a	1372
Climate class	Т
Reversible door	No
Gross- / Net volume, L	569 / 437
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2000 x 870 x 605

AtG

Dđ

回該族回



SD 1002 HE

Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1365
Climate class	Т
Reversible door	No
Gross- / Net volume, L	879 / 758
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2023 x 1130 x 720









a cu

SD 1002 BSLE

Display Cooler

8 adjustable coated wire shelves	
----------------------------------	--

- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1205
Climate class	Т
Reversible door	No
Gross- / Net volume, L	764 / 670
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2023 x 1130 x 700



SD 1002 BHE

Display Cooler

8 adjustable coated wire shelves	5
----------------------------------	---

- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1365
Climate class	Т
Reversible door	No
Gross- / Net volume, L	879 / 758
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2023 x 1130 x 720



SD 1002 SLE

Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1205
Climate class	Т
Reversible door	No
Gross- / Net volume, L	764 / 670
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2023 x 1130 x 700

C t



SD 1502 HE

Display Cooler

- Self-closing hinged glass doors with lock
- 15 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	С
Annual energy cons. kWh/a	1496
Climate class	Т
Reversible door	No
Gross- / Net volume, L	1383 / 1152
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2065 x 1710 x 720









SD 1502 BHE

Display Cooler

- 15 adjustable coated wire shelves
- 2 vertical LED
- 8 strong castors

Energy efficiency class	С
Annual energy cons. kWh/a	1496
Climate class	Т
Reversible door	No
Gross- / Net volume, L	1383 / 1152
Temperature range °C	0/10
Product dimensions, HxWxD, mm	2065 x 1710 x 720



Df

SC 131 HE

Back Bar

- 2 adjustable chrome shelves
- Easy access electronic thermostat
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	402
Climate class	ST
Reversible door	No
Gross- / Net volume, L	103 / 86
Temperature range °C	0/10
Product dimensions, HxWxD, mm	865 x 500 x 530

SC 141 HE

Back Bar

Self-closing hinged glass door with lock

- 2 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	402
Climate class	ST
Reversible door	No
Gross- / Net volume, L	127 / 105
Temperature range °C	0/10
Product dimensions, HxWxD, mm	865 x 600 x 530

A



SC 211 HDE

Back Bar

Self-closing hinged glass doors with lock

- 4 adjustable chrome shelves
- Easy access electronic thermostat

Energy	efficiency class	D
Annua	l energy cons. kWh/a	493
Climat	e class	ST
Revers	ible door	No
Gross-	/ Net volume, L	198 / 158
Tempe	rature range °C	0/10
Produc	t dimensions, HxWxD, mm	865 x 900 x 530





SC 211 SLE

Back Bar

Self-closing sliding glass doors with lock

- 4 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	613
Climate class	ST
Reversible door	No
Gross- / Net volume, L	198 / 158
Temperature range °C	0/10
Product dimensions, HxWxD, mm	865 x 900 x 520



SC 311 SLE

Back Bar

- Self-closing sliding glass doors with lock
- 6 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	683
Climate class	CC2
Reversible door	No
Gross- / Net volume, L	308 / 254
Temperature range °C	0/10
Product dimensions, HxWxD, mm	865 x 1350 x 520

Showcases

BAt



RTW 101 BE

Display Cooler

- Sliding glass doors
- 2 adjustable chrome wire shelves
- 2 vertical LED

Energy efficiency class	В
Annual energy cons. kWh/a	912
Climate class	4
Reversible door	No
Gross- / Net volume, L	100 / 70
Temperature range °C	1/10
Product dimensions, HxWxD, mm	675 x 682 x 450









B

RTW 129 BE

Display Cooler

2	sliding	glas	S	do	00	rs

- 3 angle adjustable glass shelves
- 2 vertical LED

Energy efficiency class	С
Annual energy cons. kWh/a	1506
Climate class	4
Reversible door	No
Gross- / Net volume, L	140 / 129
Temperature range °C	2 / 12
Product dimensions, HxWxD, mm	874 x 624 x 560

RTW 160 E

Display Cooler

- 2 sliding glass doors
- 2 adjustable chrome wire shelves
- 1 horizontal LED

Energy efficiency class	В
Annual energy cons. kWh/a	1206
Climate class	Ν
Reversible door	No
Gross- / Net volume, L	160 / 145
Temperature range °C	2 / 6
Product dimensions, HxWxD, mm	686 x 880 x 568



SVS 145

Display Heater

- 3 chrome shelves
- Temperature range 30 til 90°C
- LED interior light

Energy efficiency class	Label not required
Annual energy cons. kWh/a	
Climate class	-
Reversible door	No
Gross- / Net volume, L	/ 137
Temperature range °C	30 - 90
Product dimensions, HxWxD, mm	785 x 645 x 487

Display Freezers



Display Freezers

EAto



SD 46 E

Display Freezer

Self-closing hinged aluminum glass door

- 2 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	2761
Climate class	4
Temperature range °C	-15 / -18
Gross- / Net volume, L	45 / 42
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	500 x 570 x 500









SD 76 E

Display Freezer

Self-closing hinged aluminum glass door

- 3 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	3264
Climate class	4
Temperature range °C	-15 / -18
Gross- / Net volume, L	92 / 88
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	690 x 595 x 520



CA

SD 92 E

Display Freezer

- Self-closing hinged aluminum glass door
- 3 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	3264
Climate class	4
Temperature range °C	-15 / -18
Gross- / Net volume, L	92 / 88
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	855 x 595 x 535

SF 217 BE

Display Freezer

Self-closing hinged glass door

- 5 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	C
Annual energy cons. kWh/a	1770
Climate class	4
Temperature range °C	-18 / -22
Gross- / Net volume, L	173 / 142
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1790 x 445 x 665

Display Freezers

At





Display Freezer

Self-closing hinged glass door with lock

- 6 adjustable coated wire shelves
- 2 vertical and 1 horienzal LED

Energy efficiency class	E
Annual energy cons. kWh/a	4857
Climate class	4
Temperature range °C	-15/ -18
Gross- / Net volume, L	370 / 329
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	2126 x 660 x 764









DF560BC

Display Freezer

Large presentation area - slim aluminum door frames

- 1 horizontal and 2 vertical LED's
- 4 strong castors

Energy efficiency class	C
Annual energy cons. kWh/a	3311
Climate class	3
Temperature range °C	-15~-30
Gross- / Net volume, L	560 / 390
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	2003 x 750 x 730



D

KF 1006 BE

Display Freezer

- Large product presentation slim door frames
- 3 vertical LED
- 4 strong castors

Energy efficiency class	F
Annual energy cons. kWh/a	9329
Climate class	3
Temperature range °C	-18 / -22
Gross- / Net volume, L	1006 / 702
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	2003 x 1253 x 760

DF1563BD

Display Freezer

Large presentation area - slim aluminum door frames

- 3 horizontal and 3 vertical LED's
- 8 strong castors

Energy efficiency class	D
Annual energy cons. kWh/a	8702
Climate class	3
Temperature range °C	-15~-30
Gross- / Net volume, L	1563 / 1090
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	2003 x 1880 x 730

Impulse Coolers and Freezers



Impulse Coolers and Freezers



	Б	ģ
	21	
間	ΖØ.	譋.

D A

TK 42 BE

Can Cooler Split flip glass lid

4 strong castors	
Static cooling	

Energy efficiency class	В
Annual energy cons. kWh/a	142
Climate class	ST
Temperature range °C	2 / 10
Gross- / Net volume, L	41/37
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	735 x 445 x 445







B a TK 66 BE

Can Cooler

- Split flip glass lid
- 4 strong castors
- Static cooling

Energy efficiency class	В
Annual energy cons. kWh/a	142
Climate class	ST
Temperature range °C	0/10
Gross- / Net volume, L	63 / 58
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	960 x 445 x 445



D

TK 86 BE

- Can Cooler
- Split flip glass lid4 strong castors
- Static cooling

Energy efficiency class	В
Annual energy cons. kWh/a	164
Climate class	ST
Temperature range °C	0/10
Gross- / Net volume, L	87 / 84
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	836 x 565 x 565

FT 87 BE

Can Freezer
Split flip glass lid
Temperature range <-18°C
1 wire basket
Energy efficiency class
Annual energy cons. kWh/a
Climate class

Climate class	4
Temperature range °C	-15 / -18
Gross- / Net volume, L	85 / 85
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	836 x 565 x 565

D 1095



Impulse Coolers and Freezers

At



OFC 222 E

Open Front Cooler

Stylish curved front, glass sides

- Adjustable shelves with tilting function
- LED in top and under each shelf

Energy efficiency class	F
Annual energy cons. kWh/a	4669
Climate class	6
Temperature range °C	2 / 10
Gross- / Net volume, L	220 / 158
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1742 x 495 x 674









OFC 231 E

Open Front Cooler

Stylish curved front, glass sides, stainlass cabinet

- Adjustable shelves with tilting function
- LED in top and under each shelf

Energy efficiency class	E
Annual energy cons. kWh/a	4642
Climate class	6
Temperature range °C	2 - 10
Gross- / Net volume, L	230 / 163
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1520 x 600 x 890



Dt

OFC 381 E

Open Front Cooler

- Stylish curved front, glass sides, stainless cabinet
- Adjustable shelves with tilting function
- LED in top and under each shelf

Energy efficiency class	G
Annual energy cons. kWh/a	6260
Climate class	6
Temperature range °C	2 / 10
Gross- / Net volume, L	380 / 273
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1520 x 1000 x 890

OFC390B

Open Front Cooler

Easy open sliding doors

LED light in top and underneath each shelf

Digital temperature controller and display

Energy efficiency class	D
Annual energy cons. kWh/a	2087,8
Climate class	6
Temperature range °C	2 / 10
Gross- / Net volume, L	320 / 223
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1459 x 918 x 792

Impulse Coolers and Freezers

A



OTC 95 BE

Impulse Cooler

Elegant	soft	and	round	curvers

- Efficient product presentation
- LED interior light

Energy efficiency class	D
Annual energy cons. kWh/a	1058
Climate class	3
Temperature range °C	2 / 8
Gross- / Net volume, L	110 / 87
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	930 x 773 x 833









OTF 87 BE

Supermarket Freezer

- Dual function conversion between refrigerator and freezer
- Temperature range for freezing -18 to -21°C
- Temperature range for cooling -1 to 5°C

Energy efficiency class	E
Annual energy cons. kWh/a	2920
Climate class	3
Temperature range °C	-18 / -21 & -1 / 5
Gross- / Net volume, L	110 / 102
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	930 x 773 x 833



CA

IM 111 E

Impulse Cooler

- Perfect display for cans and bottles
- 1 Horizontal LED
- 4 castors

Energy efficiency class	D
Annual energy cons. kWh/a	876
Climate class	ST
Temperature range °C	2/8
Gross- / Net volume, L	110 / 55
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1010 x 750 x 555

VM 91 E

Impulse Cooler

Perfect for displaying cans and bottles

1 Horizontal LED

Possible of placing against wall

Energy efficiency class	C
Annual energy cons. kWh/a	620
Climate class	ST
Temperature range °C	2/8
Gross- / Net volume, L	90 / 60
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	998 x 690 x 445



AtG



KK 152 E

Storage Refrigerator

- Adjustable glass shelves
- 2 adjustable feet in front
- Static cooling

	Energy efficiency class	F
	Annual energy cons. kWh/a	109
	Climate class	ST
	Reversible door	Yes
	Net volume, L	108
	Temperature range °C	1/8
	Product dimensions, HxWxD, mm	845 x 495 x 545





KK 262 E

Storage Refrigerator

- Adjustable glass shelves
- LED interior light
 - Static cooling

Energy efficiency class	F
Annual energy cons. kWh/a	127
Climate class	ST
Reversible door	Yes
Net volume, L	228
Temperature range °C	1/8
Product dimensions, HxWxD, mm	1440 x 540 x 580





B

KK 367 E

Storage Refrigerator

- Adjustable glass shelves
- LED interior light
- Static cooling

	Energy efficiency class	F
	Annual energy cons. kWh/a	137
	Climate class	ST
	Reversible door	Yes
	Net volume, L	290
	Temperature range °C	1/8
	Product dimensions, HxWxD, mm	1780 x 540 x 585



SF 115 X

Storage Freezer

Self-closing hinged solid door with lock

- 3 wire baskets
- Digital temperature control

Energy efficiency class	В
Annual energy cons. kWh/a	438
Climate class	6
Reversible door	No
Net volume, L	115
Temperature range °C	-16 / -22
Product dimensions, HxWxD, mm	820 x 595 x 595



A † G



SK 145 E

Storage Refrigerator

- Self-closing hinged solid door with lock
- 3 adjustable coated wire shelves
- Digital temperature control

÷.	Energy efficiency class	C
	Annual energy cons. kWh/a	365
	Climate class	6
	Reversible door	No
	Net volume, L	145
	Temperature range °C	0 / 10
	Product dimensions, HxWxD, mm	820 x 595 x 595





SK 145 GDE

Storage Refrigerator

- Self-closing hinged glass door with lock
- 3 adjustable coated wire shelves
- Digital temperature control

Energy efficiency class	D
Annual energy cons. kWh/a	460
Climate class	6
Reversible door	No
Net volume, L	145
Temperature range °C	0/10
Product dimensions, HxWxD, mm	820 x 595 x 595





B

GUR390W

Storage Refrigerator

- Ventilated Cooling
- Digital controller
- Strong external stainless handle

Energy efficiency class	С
Annual energy cons. kWh/a	523
Climate class	5
Reversible door	Yes
Net volume, L	293
Temperature range °C	1/10
Product dimensions, HxWxD, mm	1850 x 595 x 625



GUF390W

Storage Freezer

- Ventilated Cooling
- Digital controller
- Strong external stainless handle

Energy efficiency class	В
Annual energy cons. kWh/a	980
Climate class	5
Reversible door	Yes
Net volume, L	293
Temperature range °C	-18 / -22
Product dimensions, HxWxD, mm	1850 x 595 x 625





GUR600W

Storage Refrigerator

- GN2/1 suitable
- Ventilated cooling Automatic Defrost
- 4 x GN2/1 removable coated wire shelves

Energy efficiency class	С
Annual energy cons. kWh/a	668
Climate class	4
Reversible door	Yes
Net volume, L	476
Temperature range °C	1/8
Product dimensions, HxWxD, mm	2000 x 750 x 750





GUF600W

Storage Freezer

GN2/1 suitable

- Reversible Solid Door
- Self-closing door

Energy efficiency class	Label not required
Annual energy cons. kWh/a	1334
Climate class	4
Reversible door	Yes
Net volume, L	459
Temperature range °C	-16 /-22
Product dimensions, HxWxD, mm	2000 x 750 x 710

Ice cream- and supermarket freezers



Ice cream- and supermarkes freezers





IC155D

Ice Cream Freezer

Curved sliding glass lids

2 strong wire baskets including 2 dividers in each

4 strong castors

Energy efficiency class	D
Annual energy cons. kWh/a	440
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	137 / 94
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	850 x 584 x 694









IC306D

Ice Cream Freezer

Curved sliding glass lids with lock

4 strong wire baskets including 2 dividers in each

Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	600
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	255 / 192
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	850 x 1000 x 649

IC352D

At

A

Ice Cream Freezer

- Curved sliding glass lids with lock
- 5 strong wire baskets including 2 dividers in each
- Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	680
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	330 / 251
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	850 x 1224 x 649

SD 310 E

Ice Cream Freezer

Flat sliding glass lids with lock

- 4 strong wire baskets
- Coated white steel inner liner

Energy efficiency class	E
Annual energy cons. kWh/a	780
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	284 / 223
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	830 x 1000 x 694

Ice cream- and supermarkes freezers

A



SD 410 E

Ice Cream Freezer

- Flat sliding glass lids with lock
- 5 strong wire baskets
- Coated white steel inner liner

Energy efficiency class	E
Annual energy cons. kWh/a	970
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	372 / 293
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	830 x 1240 x 694







SD 510 E

Ice Cream Freezer

- Flat sliding glass lids with lock
- 6 strong wire baskets
- Coated white steel inner liner

Energy efficiency class	E
Annual energy cons. kWh/a	1160
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	470 / 373
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	830 x 1510 x 694

XS 602 E

At

A

8.6

Supermarket Freezer

- Large curved sliding glass lids with lock
- 5 strong wire baskets
- Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	2117
Climate class	5
Lock & Key	Yes
Gross- / Net volume, L	500 / 355
Temperature range °C	8 / -24
Product dimensions, HxWxD, mm	858 x 1475 x 757



SIF600C

Supermarket Freezer

- Large curved sliding glass lids with strong aluminum handles
- Dual function freezer can be converted to cooling 2-7°C
- 6 strong wire baskets and coated white steel inner liner

Energy efficiency class	С
Annual energy cons. kWh/a	1760
Climate class	4
Lock & Key	No
Gross- / Net volume, L	600 / 430
Temperature range °C	-15 / -24
Product dimensions, HxWxD, mm	785 x 1864 x 814



Ice cream- and supermarkes freezers

AtG

Ato



SIF700C

Supermarket Freezer

Large curved sliding glass lids with strong aluminum handles

- Dual function freezer can be converted to cooling 2-7°C
- 6 strong wire baskets and coated white steel inner liner

Energy efficiency class	С
Annual energy cons. kWh/a	1780
Climate class	4
Lock & Key	No
Gross- / Net volume, L	670/501
Temperature range °C	-15 / -24
Product dimensions, HxWxD, mm	850 x 1864 x 814



SIF900D

Supermarket Freezer

Large curved sliding glass lids with strong aluminum handles

Dual function - freezer can be converted to cooling 2-7°C

10 strong wire baskets and coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	2800
Climate class	4
Lock & Key	No
Gross- / Net volume, L	900 / 690
Temperature range °C	-15 / -24
Product dimensions, HxWxD, mm	850 x 2504 x 814

Gastro Refrigerators, Freezers and Dishwashers



Gastro

At



GUR700X

Storage Refrigerator

- Right hinged self-closing door with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	577
Climate class	4
Reversible door	Yes
Net volume, L	461
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	2040 x 653 x 842









GUR700GDX

Storage Refrigerator

- Right hinged self-closing glass door with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	В
Annual energy cons. kWh/a	876
Climate class	4
Reversible door	No
Net volume, L	461
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	2040 x 653 x 842

GUR1400X

Storage Refrigerator

- Self-closing doors with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	С
Annual energy cons. kWh/a	998
Climate class	4
Reversible door	No
Net volume, L	922
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	2040 x 1318 x 842

GUF700X

Storage Freezer

Right hinged self-closing door with 120° dwell position

- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	D
Annual energy cons. kWh/a	2485
Climate class	4
Reversible door	Yes
Net volume, L	461
Temperature range °C	-16 / -21
Product dimensions, HxWxD, mm	2040 x 653 x 842



D

Gastro

A † G



GUF1400X

Storage Freezer

- Self-closing doors with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	E
Annual energy cons. kWh/a	4997
Climate class	4
Reversible door	No
Net volume, L	922
Temperature range °C	-16 / -21
Product dimensions, HxWxD, mm	2040 x 1318 x 842





GCR1352X

Counter Refrigerated

- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	956
Climate class	4
Reversible door	Yes
Net volume, L	143
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	835 x 1342 x 700



GCR1803X

Counter Refrigerated

- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	С
Annual energy cons. kWh/a	1095
Climate class	4
Reversible door	Yes
Net volume, L	214
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	835 x 1792 x 700



GCR2254X

Counter Refrigerated

- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	1206
Climate class	4
Reversible door	Yes
Net volume, L	285
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	835 x 2242 x 700

CA

Gastro

AtG



GCF1352X

Counter Freezer

- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	D
Annual energy cons. kWh/a	2302
Climate class	4
Reversible door	Yes
Net volume, L	143
Temperature range °C	-16 / -21
Product dimensions, HxWxD, mm	835 x 1342 x 700





GCF1803X

Counter Freezer

- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	E
Annual energy cons. kWh/a	2901
Climate class	4
Reversible door	Yes
Net volume, L	214
Temperature range °C	-16 / -21
Product dimensions, HxWxD, mm	835 x 1792 x 700





Label not required

GBC05X

Blast Chiller

- Fast chilling +90°C to +3°C in 90 min
- Fast freezing +90°C to -18°C in 240 min
- Suitable for 5 pcs. GN 1/1

Energy efficiency class	Label not required -
Annual energy cons. kWh/a	
Climate class	4
Reversible door	Yes
Net volume, L	103
Temperature range °C	3 / -18
Product dimensions, HxWxD, mm	850 x 790 x 700



GBC10X

Blast Chiller

Fast chilling +90°C to +3°C in 90 min

- Fast freezing +90°C to -18°C in 240 min
- Suitable for 10 pcs. GN 1/1

Energy efficiency class	Label not required -
Annual energy cons. kWh/a	
Climate class	4
Reversible door	Yes
Net volume, L	219
Temperature range °C	3 / -18
Product dimensions, HxWxD, mm	1420 x 800 x 790



Gastro Dishwashers



GD400BDD

Glasswasher

- Built-in draining pump, rinse and detergent aid dispenser1 washing cycle of 120" sec
- Stainless steel washing and rinsing arms

Tank capacity, L	15
Tank heating power, kw	2
Boiler capacity, L	5
Boiler heating power, kw	2,8
Washing temperature, °C	60
Rinsing temperature, °C	85
Product dimensions, HxWxD, mm	720 x 470 x 525



Label not required

GD510BDDSS

Undercounter Dishwasher

- Built-in draining pump, rinse and detergent aid dispenser
- 2 washing cycle of 90"/180" sec
- Stainless steel washing and rinsing arms

Tank capacity, L	25
Tank heating power, kw	2,8
Boiler capacity, L	7
Boiler heating power, kw	5,6
Washing temperature, °C	60
Rinsing temperature, °C	85
Product dimensions, HxWxD, mm	820 x 600 x 600

Decoration

Scandomestic has many years of experience in branding commercial refrigerators and freezers

Here's how we can help;

Scandomestic can offer decoration of your products from 1 piece and upwards.

Decoration is done with either 0.5 mm wrap, on specific products, or as white vinyl adhesive.

Printing is done with CMYK colours on professional large format printers.

We do not have the option to print PANTONE colors.

File specifications for decoration:

- Finished printable PDF-files with 5 mm extra design for cropping incl. crop marks.
- CMYK Colours.
- Minimum 100 dpi if the file contains photos.
- Made to scale (scale 1:1) according to our design forms, which can be downloaded from our website.

Contact us for an offer.

YOUR BRAND



Examples of decoration




















See other publications:



DK



UK



SE



Scandomestic A/S Linåvej 20 DK-8600 Silkeborg Tel: + 45 7242 5571 www.scandomestic.com