# Ice Cream Freezer Catalogue



# Why Choose Scandomestic.....

### **Quality and reliability**

- We partner with the world's leading manufacturers.

## **Full service and support**

- In-house service department and spare parts warehouse.

# Over 300 years of combined experience

- A strong team of appliance specialists.

# Fast delivery from a large warehouse

- Constant stock of 30–35,000 units in Silkeborg.

### **Sustainable and responsible solutions**

- We set high standards for environment, health, safety, and ethical production.

#### Solutions for the future

- Innovative household appliances and professional cooling solutions for every need.







# **Scoop Ice Freezers**

# **General features**

- Exceptionally energy-efficient models
- Curved glass sneeze guard for hygienic customer-facing presentation
- Sliding glass lids with integrated lock for secure overnight storage
- Internal LED lighting and front LED branding strip for high visibility
- Robust castors (2 with brake) for mobility and stability
- Static cooling system ideal for stable temperature and silent operation
- Perfect for branding and impulse sales in cafés, kiosks, and events



# **Built to Perform – and Promote**

This scoop ice cream freezer features a robust cabinet designed for daily commercial use.

It is equipped with strong castors, making it easy to move and position, even when fully loaded.

The side panels offer additional space for branding, providing excellent visibility and promotional opportunities from multiple angles



# **Additional Storage**

The freezer includes a compartment that provides additional storage space for ice cream, equipped with a strong handle for easy access.

This is ideal for quick refilling during the day, ensuring continuous service without the need to leave the sales area.



# Fits Napoli Standard 5L Pans

Scoop ice freezers are built for Napoli 5L standard pans, ensuring full compatibility with industry norms.

Models are available in 4, 6, 9, or 12-pan setups – perfect for everything from small kiosks to full-size gelato counters.



# Scancool, SIC4WB







Item number	23424510000SIC4WB	Taric goods code	8418501190
EAN code	5704704022492	QTY in 40HQ	47

#### **Short Description**


Inside, it includes a full set of stainless steel 5L Napoli pans, and there's additional storage space below the pans, accessible via a separate rear door – ideal for backup stock or accessories.

Built-in LED lighting inside and on the front ensures a striking product display and offers branding opportunities on the front panel.

Equipped with strong castors, two of which have brakes, the unit is easy to move and stays stable during use.

#### **Key features**

- Curved glass sneeze guard for hygiene
- Sliding glass lids with integrated lock for secure overnight storage
- Includes full set of 4 pcs. 5L Napoli stainless steel pans
- Extra storage under pans with separate rear door
- Internal LED light and front LED for branding
- Strong castors, 2 with brake
- Static cooling Energy class A
   –efficient performance
- Ideal for cafés, kiosks, and promotional use



# Dimensions and weight Product dimensions, HxWxD, mm Product depth w/handle, mm Packaging dimensions, HxWxD, mm 1310 x 965 x 1005 Gross volume, L 170 Gross- / Net volume, L 170 Internal dimensions, HxWxD, mm 600 x 656 x 550 Gross- / Net weight, kg 108 / 82

Performance and consumption	
Energy efficiency class	А
Daily Energy Consumption, kWh/24	2,465
Annual energy cons. kWh/a	899,73
Energy Efficiency Index (EEI)	7,5
Refrigeration / freezing technique	Static
Climate class	4
Type of refrigerant / gas gr.	R290a / 68
Bulb Watt, W	12
Temperature range °C	-18 / -24

Installation and power	
Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	130 / 1
Peak power watt, W	200
Length of Powercord, cm	200

Design and comfort	
Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	1 Horizontal LED
External thermometer	Yes
Door- / lid type	Sliding
Handle	Outside
Number of castors, pcs	4 casters (2 w/brake)

Outside colour	White
Inside Colour	White
Colour and material of door/lid	Sliding glass
Features	
Night curtain	Ves

Lock & Kev

Colour and material



# Scancool, SIC6WB







Item number	23424510000SIC6WB	Taric goods code	8418501190
EAN code	5704704022508	QTY in 40HQ	39

#### **Short Description**


Inside, it includes a full set of stainless steel 5L Napoli pans, and there's additional storage space below the pans, accessible via a separate rear door – ideal for backup stock or accessories.

Built-in LED lighting inside and on the front ensures a striking product display and offers branding opportunities on the front panel.

Equipped with strong castors, two of which have brakes, the unit is easy to move and stays stable during use.

#### **Key features**

- Curved glass sneeze guard for hygiene
- Sliding glass lids with integrated lock for secure overnight storage
- Includes full set of 6 pcs. 5L Napoli stainless steel pans
- Extra storage under pans with separate rear door
- Internal LED light and front LED for branding
- Strong castors, 2 with brake
- Static cooling Energy class A
   –efficient performance
- Ideal for cafés, kiosks, and promotional use



# Dimensions and weight

Product dimensions, HxWxD, mm	1270 x 1080 x 838
Product depth w/handle, mm	838
Packaging dimensions, HxWxD, mm	1310 x 1210 x 1005
Gross volume, L	325
Net volume, L	240
Gross- / Net volume, L	325 / 240
Internal dimensions, HxWxD, mm	600 x 900 x 550
Gross- / Net weight, kg	138 / 109

#### Performance and consumption

Energy efficiency class	A
Daily Energy Consumption, kWh/24	3,527
Annual energy cons. kWh/a	1287,36
Energy Efficiency Index (EEI)	9,8
Refrigeration / freezing technique	Static
Climate class	4
Type of refrigerant / gas gr.	R290a / 98
Bulb Watt, W	12
Temperature range °C	-18 / -24

#### Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	180 / 1.5
Peak power watt, W	280
Length of Powercord, cm	200

#### Design and comfort

Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	1 Horizontal LED
External thermometer	Yes
Door- / lid type	Sliding
Handle	Outside
Number of castors, pcs	4 casters (2 w/brake)
Lock & Key	Yes

#### Colour and material

Outside colour	White
Inside Colour	White
Colour and material of door/lid	Sliding glass

#### Features

Night curtain Yes



# Scancool, SIC9WB







Item number	23424510000SIC9WB	Taric goods code	8418501190
EAN code	5704704022515	QTY in 40HQ	31

#### **Short Description**


Inside, it includes a full set of stainless steel 5L Napoli pans, and there's additional storage space below the pans, accessible via a separate rear door – ideal for backup stock or accessories.

Built-in LED lighting inside and on the front ensures a striking product display and offers branding opportunities on the front panel.

Equipped with strong castors, two of which have brakes, the unit is easy to move and stays stable during use.

#### **Key features**

- Curved glass sneeze guard for hygiene
- Sliding glass lids with integrated lock for secure overnight storage
- Includes full set of 9 pcs. 5L Napoli stainless steel pans
- Extra storage under pans with separate rear door
- Internal LED light and front LED for branding
- Strong castors, 2 with brake
- Static cooling Energy class A -efficient performance
- Ideal for cafés, kiosks, and promotional use



#### Dimensions and weight Product dimensions, HxWxD, mm 1270 x 1350 x 838 Product depth w/handle, mm Packaging dimensions, HxWxD, mm 1310 x 1480 x 1005 Gross volume, L Net volume, L Gross- / Net volume, L 415 / 310

Internal dimensions, HxWxD, mm 639 x 1170 x 550 162 / 123 Gross- / Net weight, kg

#### Performance and consumption Energy efficiency class Daily Energy Consumption, kWh/24 4,079 Annual energy cons. kWh/a 1488,84 Energy Efficiency Index (EEI) 9,8 Refrigeration / freezing technique Static Climate class Type of refrigerant / gas gr. R290a / 105 Bulb Watt, W 12 Temperature range °C -18 / -24

Installation and power	
Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	180 / 1.5
Peak power watt, W	280
Length of Powercord, cm	200

Design and comfort	
Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	1 Horizontal LED
External thermometer	Yes
Door- / lid type	Sliding
Handle	Outside
Number of castors, pcs	4 casters (2 w/brake)

Lock & Key

Colour and material Outside colour White Inside Colour White Colour and material of door/lid Sliding glass

Features	
Night curtain	Yes



# Scancool, SIC12WB



	В	A ↑ G
_		



Item number	23424510000SIC12WB	Taric goods code	8418501190
EAN code	5704704022522	QTY in 40HQ	23

#### **Short Description**


Freezing function from -18 $^{\circ}$ C to -24 $^{\circ}$ C, as the freezer display case specially designed for storing ice. The cooler has 4 wheels, 2 of which have brakes, and is easy to move around, even if it is full.

Top-class design with soft and round corners. The ice cream freezer comes with curved transparent sliding lids with integrated handles that keep the cold in extra control.

Includes a complete set of  $12 \times 5L$  Naples stainless steel ice cream containers, in addition to additional storage under the separate opening ice cream containers.

#### **Key features**

- Curved glass sneeze guard for hygiene
- Sliding glass lids with integrated lock for secure overnight storage
- Includes full set of 12 pcs. 5L Napoli stainless steel pans
- Extra storage under pans with separate rear door
- Internal LED light and front LED for branding
- Strong castors, 2 with brake
- Static cooling Energy class B efficient performance
- Ideal for cafés, kiosks, and promotional use



# Dimensions and weight Product dimensions, HxWxD, mm 1270 x 1720 x 838 Product depth w/handle, mm 838 Packaging dimensions, HxWxD, mm 1310 x 1850 x 1005 Gross volume, L 575 Net volume, L 430 Gross- / Net volume, L 575 / 430 Internal dimensions, HxWxD, mm 600 x 1540 x 550 Gross- / Net weight, kg 199 / 152

Performance and consumption	
Energy efficiency class	В
Daily Energy Consumption, kWh/24	5,226
Annual energy cons. kWh/a	1907,49
Energy Efficiency Index (EEI)	11,2
Refrigeration / freezing technique	Static
Climate class	4
Type of refrigerant / gas gr.	R290a / 120
Bulb Watt, W	25
Temperature range °C	-18 / -24

Installation and power	
Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	255 / 2
Peak power watt, W	400
Length of Powercord, cm	200

Design and comfort	
Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	1 Horizontal LED
External thermometer	Yes
Door- / lid type	Sliding
Handle	Outside
Number of castors, pcs	4 casters (2 w/brake)

Yes

Lock & Kev

Colour and material

Outside colour	White
Inside Colour	White
Colour and material of door/lid	Sliding glass
Features	
Night curtain	Ves







# **General features**

- Transparent sliding lids with lock and integrated handle for better cold retention
- Freezing range from -18°C to -24°C
   ideal for storing and displaying ice cream
- 4 strong wire baskets with 2 dividers in each for flexible organization
- White lacquered steel inner liner and design with soft, rounded corners
- Equipped with 4 heavy-duty castors
   easy to move even when fully loaded
- Suitable for side branding with optional lightbox accessory
- Effective product presentation that promotes self-service, visibility, and increased sales
- Climate class 7 reliable operation even in warm environments



# Scancool, IC155D



D A




Item number	23424310000IC155D	Taric goods code	8418501190
EAN code	5704704019515	QTY in 40HQ	169

#### **Short Description**

The IC155D holds 94 ltr. freezing capacit, it also come with lightweight sliding lids and are therefore suitable for self-service, which provides a good opportunity to place the cabinet strategically to create focus and additional sales.

#### **Key features**

- Curved sliding glass lids
- 2 strong wire baskets including
   2 dividers in each
- 4 strong castors
- Suitable for branding
- Light sign sold seperately
- Coated white steel inner liner



#### Dimensions and weight

Product dimensions, HxWxD, mm	865 x 585 x 700
Product depth w/handle, mm	700
Packaging dimensions, HxWxD, mm	880 x 625 x 770
Gross volume, L	137
Net volume, L	94
Gross- / Net volume, L	137 / 94
Internal dimensions, HxWxD, mm	500 x 440 x 550
Gross- / Net weight, kg	53 / 48

#### Performance and consumption

Energy efficiency class	D
Daily Energy Consumption, kWh/24	1,21
Annual energy cons. kWh/a	440
Energy Efficiency Index (EEI)	41,13
Noise level, dB(A)	70
Refrigeration / freezing technique	Static
Climate class	7
Temperature class	C1
Type of refrigerant / gas gr.	R290a / 60
Bulb Watt, W	None
Temperature range °C	-18 / -24
NoFrost	No

#### Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	200 / 1.5
Peak power watt, W	230
Length of Powercord, cm	200

#### Design and comfort

Controller	Mechanical
Control panel	Outside
Digital display	No
Canopy light sign	No - available as spare part
Internal light	No light
External thermometer	Yes
Door- / lid type	Sliding
Handle	Integrated
Number of castors, pcs	4 casters (2 w/brake)
Lock & Key	Yes

#### Colour and material

Outside colour	White
Inside Colour	White
Colour and material of door/lid	Sliding glass

Number of baskets, pcs	;
Basket Size (HxWxD) (mm)	Ye
Max loading per shelf/basket, kg	1



# Scancool, IC306D



D A



Item number	23424310000IC306D	Taric goods code	8418501190
EAN code	5704704019522	QTY in 40HQ	98

#### **Short Description**

Freezer function from -18°C to -24°C, as a freezer display case, it is ideal for storing ice cream.

4 strong wire baskets with 2 partitions in each are included.


The freezer has 4 wheels and is easy to move around, even if it is full.

The design is top class with soft and round corners.

The ice cream freezer comes with curved transparent sliding lids with an integrated handle that keeps the cold extra.

#### **Key features**

- Curved sliding glass lids with lock
- 4 strong wire baskets including 2 dividers in each
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding



# Dimensions and weight Product dimensions, HxWxD, mm 850 x 1025 x 649 Product depth w/handle, mm 649 Packaging dimensions, HxWxD, mm 895 x 1080 x 730 Gross volume, L 255 Net volume, L 192

 Gross- / Net volume, L
 255 / 192

 Internal dimensions, HxWxD, mm
 645 x 856 x 505

 Gross- / Net weight, kg
 68 / 60

1,64

600

Nο

# Performance and consumption Energy efficiency class Daily Energy Consumption, kWh/24 Annual energy cons. kWh/a

NoFrost

Number of castors, pcs

Colour and material of door/lid

Lock & Key

Energy Efficiency Index (EEI) 42,14

Noise level, dB(A) 70

Refrigeration / freezing technique Static

Climate class 7

Temperature class C1

Type of refrigerant / gas gr. R290a / 66

Temperature range °C -18 / -24

# Installation and power Voltage / hertz, V/hz 220-240V / 50hz No. of electrical phases 1L+N Watt / Ampere, W/A 180 / 2 Peak power watt, W 280 Length of Powercord. cm 200

Design and comfort	
Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	No light
External thermometer	Yes
Door- / lid type	Sliding
Handle	Integrated

Colour and material
Outside colour White
Inside Colour White

4 casters (2 w/brake)

Sliding glass

Features	
Number of baskets, pcs	4
Max loading per shelf/basket, kg	20



# Scancool, IC352D







Item number	23424310000IC352D	Taric goods code	8418501190
EAN code	5704704019546	QTY in 40HQ	81

#### **Short Description**

Freezer function from -18°C to -24°C, as a freezer display case, it is ideal for storing ice cream.

5 strong wire baskets with 2 partitions in each are included.


The freezer has 4 wheels and is easy to move around, even if it is full.

The design is top class with soft and round corners.

The ice cream freezer comes with curved transparent sliding lids with an integrated handle that keeps the cold extra.

#### **Key features**

- Curved sliding glass lids with lock
- 5 strong wire baskets including 2 dividers in each
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding



## Dimensions and weight

Product dimensions, HxWxD, mm	850 x 1240 x 649
Product depth w/handle, mm	649
Packaging dimensions, HxWxD, mm	895 x 1310 x 735
Gross volume, L	330
Net volume, L	251
Gross- / Net volume, L	330 / 251
Internal dimensions, HxWxD, mm	640 x 1080 x 505
Gross- / Net weight, kg	79 / 68

#### Performance and consumption

Energy efficiency class	D
Daily Energy Consumption, kWh/24	1,86
Annual energy cons. kWh/a	680
Energy Efficiency Index (EEI)	41,54
Noise level, dB(A)	70
Refrigeration / freezing technique	Static
Climate class	7
Temperature class	C1
Type of refrigerant / gas gr.	R290a / 80
Temperature range °C	-18 / -24
NoFrost	No

#### Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	180 / 2.2
Peak power watt, W	280
Length of Powercord, cm	200

#### Design and comfort

Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	No light
External thermometer	Yes
Door- / lid type	Sliding
Handle	Integrated
Number of castors, pcs	4 casters (2 w/brake)
Lock & Key	Yes

#### Colour and material

Outside colour	White
Inside Colour	White
Colour and material of door/lid	Sliding glass

Number of baskets, pcs	5
Basket Size (HxWxD) (mm)	Yes
Max loading per shelf/basket, kg	20



# Scancool, IC310D







Item number	23424310000IC310D	Taric goods code	8418501190
EAN code	5704704019539	QTY in 40HQ	97

#### **Short Description**

Freezer function from -18°C to -24°C, as a freezer display case, it is ideal for storing ice cream.


4 strong wire baskets with 2 partitions in each are included.

The freezer has 4 wheels and is easy to move around, even if it is full. The design is top class with soft and round corners.

The ice cream freezer comes with flat transparent sliding lids with an integrated handle that keeps the cold extra.

#### **Key features**

- Flat sliding glass lids with lock
- 4 strong wire baskets including
   2 dividers in each
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding



## Dimensions and weight

Product dimensions, HxWxD, mm	840 x 1020 x 700
Product depth w/handle, mm	700
Packaging dimensions, HxWxD, mm	890 x 1086 x 770
Gross volume, L	284
Net volume, L	223
Gross- / Net volume, L	284 / 223
Internal dimensions, HxWxD, mm	620 x 856 x 550
Gross- / Net weight, kg	68 / 60

#### Performance and consumption

Energy efficiency class	D
Daily Energy Consumption, kWh/24	1,63
Annual energy cons. kWh/a	595
Energy Efficiency Index (EEI)	38,74
Noise level, dB(A)	70
Refrigeration / freezing technique	Static
Climate class	7
Type of refrigerant / gas gr.	R290a / 78
Temperature range °C	-18 / -24
NoFrost	No

#### Installation and power

Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	180 / 2
Peak power watt, W	280
Length of Powercord, cm	200

#### Design and comfort

Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	No light
External thermometer	Yes
Door- / lid type	Sliding
Handle	Integrated
Number of castors, pcs	4 casters (2 w/brake)
Lock & Key	Yes

#### **Colour and material**

Outside colour	White
Inside Colour	White
Colour and material of door/lid	Sliding glass

Number of baskets, pcs	4
Basket Size (HxWxD) (mm)	Yes
Max loading per shelf/basket, kg	20



# Scancool, IC410D



D A



Item number	23424310000IC410D	Taric goods code	8418501190
EAN code	5704704019553	QTY in 40HQ	81

#### **Short Description**

Freezer function from -18°C to -24°C, as a freezer display case, it is ideal for storing ice cream.


4 strong wire baskets with 2 partitions in each are included.

The freezer has 4 wheels and is easy to move around, even if it is full. The design is top class with soft and round corners.

The ice cream freezer is supplied with flat transparent sliding lids with an integrated handle that keeps the cold extra.

#### **Key features**

- Flat sliding glass lids with lock
- 4 strong wire baskets including
   2 dividers in each
- Coated white steel inner liner
- 4 strong castors
- Suitable for branding



# Dimensions and weight Product dimensions, HxWxD, mm 830 x 1240 x 694 Product depth w/handle, mm 694 Packaging dimensions, HxWxD, mm 890 x 1325 x 770 Gross volume, L 372 Net volume, L 293 Gross- / Net volume, L 372 / 293 Internal dimensions, HxWxD, mm 636 x 1095 x 550 Gross- / Net weight, kg 82 / 71

Performance and consumption	
Energy efficiency class	D
Daily Energy Consumption, kWh/24	1,81
Annual energy cons. kWh/a	660
Energy Efficiency Index (EEI)	36,9
Noise level, dB(A)	70
Refrigeration / freezing technique	Static
Climate class	7
Type of refrigerant / gas gr.	R290a / 92
Temperature range °C	-18 / -24
NoFrost	No

Installation and power	
Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	220 / 2.5
Peak power watt, W	320
Length of Powercord, cm	200

Design and comfort	
Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	No light
External thermometer	Yes
Door- / lid type	Sliding
Handle	Integrated
Number of castors, pcs	4 casters (2 w/brake)
Lock & Key	Yes

Colour and material	
Outside colour	White
Inside Colour	White
Colour and material of door/lid	Sliding glass

Number of baskets, pcs	5
Basket Size (HxWxD) (mm)	Yes
Max loading per shelf/basket, kg	20



# Scancool, IC510D







Item number	23424310000IC510D	Taric goods code	8418501190
EAN code	5704704019560	QTY in 40HQ	81

#### **Short Description**

Freezer function from -18°C to -24°C, as a freezer display case, it is ideal for storing ice cream.


6 strong wire baskets with 2 partitions in each are included.

The freezer has 4 wheels and is easy to move around, even if it is full. The design is top class with soft and round corners.

The ice cream freezer is supplied with flat transparent sliding lids with an integrated handle that keeps the cold extra.

#### **Key features**

- Flat sliding glass lids with lock
- 6 strong wire baskets including 2 dividers in each
- Coated white steel inner liner
- 4 strong castors
- · Suitable for branding



# Dimensions and weight Product dimensions, HxWxD, mm Product depth w/handle, mm Packaging dimensions, HxWxD, mm Gross volume, L You volume, L Gross- / Net volume, L Hard Jara Hard Jara Hot volume, L Hard Jara Har

Performance and consumption	
Energy efficiency class	D
Daily Energy Consumption, kWh/24	2,11
Annual energy cons. kWh/a	770
Energy Efficiency Index (EEI)	37,06
Noise level, dB(A)	70
Refrigeration / freezing technique	Static
Climate class	7
Type of refrigerant / gas gr.	R290a / 110
Temperature range °C	-18 / -24
NoFrost	No

Installation and power	
Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	245 / 2.5
Peak power watt, W	370
Length of Powercord, cm	200

Design and comfort	
Controller	Mechanical
Control panel	Outside
Digital display	No
Internal light	No light
External thermometer	Yes
Door- / lid type	Sliding
Handle	Integrated
Number of castors, pcs	4 casters (2 w/brake)
Lock & Key	Yes

Colour and material	
Outside colour	White
Inside Colour	White
Colour and material of door/lid	Sliding glass

Number of baskets, pcs	6
Basket Size (HxWxD) (mm)	Yes
Max loading per shelf/basket, kg	20







# **Storage Freezers**

# **General features**

- Digital controller with temperature range from -18°C to -22°C
- Strong external stainless-steel handle
- Four durable coated wire shelves plus one at the bottom (up to 30 kg capacity each)
- Reversible door with lock and removable door gasket for easy cleaning and replacement
- LED lighting with switch and ergonomic digital display for easy monitoring
- Two front feet and two rear wheels for stability and mobility
- Uses natural refrigerant R290a with low Global Warming Potential (GWP) for reduced environmental impact
- Hygienic interior with curved corners and bottom panel with water drain for faster and easier cleaning



# **Storage Freezer**

# Scancool, GUF390W







Item number	31324510000GUF390W	Taric goods code	8418501190
EAN code	5704704019454	QTY in 40HQ	54

#### **Short Description**

GUF 390 W is a full-door freezer of 293 net liters, with reversible door and sturdy steel handle.


The freezer is spacious and ideal for stocking frozen products in any food producing company, institutions and commercial kitchen.

The freezer cabinet has coated thread shelves, with a maximum capacity of up to 30 kg.

The freezer comes right hinged, but can also be left hinged. The door is solid in full length. Height adjustable legs from 25 to 35 mm.

#### **Key features**

- Ventilated Cooling
- Digital controller
- Strong external stainless handle
- 4 strong coated wire shelves
- Reversible door



Dimensions and weight	
Product dimensions, HxWxD, mm	1870 x 595 x 625
Product depth w/handle, mm	655
Packaging dimensions, HxWxD, mm	2025 x 660 x 670
Gross volume, L	293
Net volume, L	293
Gross- / Net volume, L	293 / 293
Internal dimensions, HxWxD, mm	1620 x 445 x 440
Gross- / Net weight, kg	77 / 63.5

Performance and consumption	
Energy efficiency class	В
Daily Energy Consumption, kWh/24	2,68
Annual energy cons. kWh/a	980
Energy Efficiency Index (EEI)	33,61
Noise level, dB(A)	45
Refrigeration / freezing technique	Ventilated
Climate class	5
Type of refrigerant / gas gr.	R290 / 45
Bulb Watt, W	20
Temperature range °C	-18 / -22
NoFrost	Yes

Installation and power	
Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	135 / 1.2
Peak power watt, W	430
Length of Powercord, cm	180

Design and comfort	
Controller	Electronic
Control panel	Outside
Digital display	Yes
Internal light	1 Horizontal LED
External thermometer	No
Door- / lid type	Right hinged
Self closing / reversible	No/Yes
Handle	Outside stainless steel
Number of castors, pcs	2 castors
Lock & Key	Vac

Colour and material	
Outside colour	White
Inside Colour	White
Colour and material of door/lid	None
Edge trim on shelves / drawers	None

Teatures	
Number of shelves	5
Adjustable shelves	Yes
Shelves material	White wire
Max loading per shelf/basket, kg	30
Large shelves size WxD, mm	White wire



1882 x 775 x 707

2040 x 840 x 760

510 / 510

# **Storage Freezer**


# Scancool, GUF590WB

**Dimensions and weight** Product dimensions, HxWxD, mm

Product depth w/handle, mm
Packaging dimensions, HxWxD, mm

Internal dimensions, HxWxD, mm

Gross volume, L Net volume, L Gross- / Net volume, L



#### 110 / 101.5 Gross- / Net weight, kg Performance and consumption Energy efficiency class Daily Energy Consumption, kWh/24 3,77 Annual energy cons. kWh/a 1376 Energy Efficiency Index (EEI) 34,53 Refrigeration / freezing technique Ventilated Climate class R290a / 110 Type of refrigerant / gas gr. Bulb Watt. W 10 Temperature range °C -15 / -25 NoFrost Yes

## **Short Description**

The freezer has coated wire shelves, with a maximum capacity of up to 30 kg.


The freezer is supplied with a right hinge, but can also be left-hinged. The door is solid along its entire length.

The external digital control panel is placed in an ergonomic and user-friendly position.

The GUF590WB is a full-door freezer of 510 net liters with a reversible door and a robust steel handle.

#### **Key features**

- GN 2/1 norm Ventilated Cooling
- Digital controller temperatur range -18 to -22°C
- Strong external stainless handle
- 4 strong coated wire shelves + 1 in bottom
- Reversible door with stopper and lock
- LED light with switch
- 2 feet in front, 2 castors in back
- Lock & key



Installation and power	
Voltage / hertz, V/hz	220-240V / 50hz
No. of electrical phases	1L+N
Watt / Ampere, W/A	250 /
Length of Powercord, cm	180

Design and comfort	
Controller	Digital
Control panel	Outside
Digital display	Yes
Internal light	2 Vertical LED
External thermometer	Yes
Door- / lid type	Left hinged
Self closing / reversible	No/Yes

Handle Outside white plastic
Number of castors, pcs 2 castors
Lock & Key Yes

# Colour and material Outside colour White Inside Colour White

Edge trim on shelves / drawers

Faaturaa

reatures	
Number of shelves	6
Adjustable shelves	Yes
Shelves material	White wire

White

Notes:		

# scandomestic

- your professional and reliable partner





Scandomestic A/S

Linåvej 20 . DK-8600 Silkeborg Tel: + 45 7242 5571 . www.scandomestic.dk