



scandomestic

White goods for households and professionals

2024
Version II

Welcome



Scandomestic is a young company employing staff with a long experience in commercial and household appliances.

Scandomestic imports, stocks and distributes commercial and household appliances, and has customers in all European markets as well as a number of overseas markets.

Our production takes place in close cooperation with our customers. We have direct contact to our customers and react quickly to changes in market trends. Our sales staff possess considerable market knowledge and we wish to serve our customers in an atmosphere of flexibility, proficiency and credibility.

In addition to standard appliances we aim to be up front with new trends and ideas in order to be an attractive partner for existing and potentially new customers.

Scandomestic is located in the middle of Jutland in Denmark with easy access to ports and international roads.

In order to fulfil customer requirements, we have constantly 30-35,000 units in stock which ensures quick and efficient deliveries.

Scandomestic uses the brand names Scandomestic and ScanCool.

Scandomestic - a cool flexible partner.

Content

Upright Refrigerators.	4
Upright Freezers.	8
Combi Fridge/Freezers.	13
Chest Freezers.	20
Hobs.	23
Hoods.	26
Microwave Ovens.	29
Cookers.	32
Ovens.	34
Dishwashers.	35
Washing Machines.	38
Tumble Dryers.	40
Wine Coolers.	42
Minibars.	47
Cool Cubes Coolers.	48
Display Coolers.	50
Showcases.	63
Display Freezers.	64
Impulse Coolers and Freezers.	67
Storage Coolers and Freezers.	71
Ice cream and Supermarket Freezers.	76
Gastro.	80
Profesional Dishwashers.	84

Upright Refrigerators



Upright Refrigerators



SKS56WE



Table Top Refrigerator

- Reversible door
- Ideal for rooms, garage etc.
- Removable door gasket

■ Energy efficiency class	E
Annual energy cons. kWh/a	80
Net volume, L	47
Noise level, dB(A)	39
Handle	Integrated
Digital display	No
Product dimensions, HxWxD, mm	525 x 475 x 445



SKS92WE



Table Top Refrigerator

- Reversible door
- Adjustable shelves
- Break safe glass shelves

■ Energy efficiency class	E
Annual energy cons. kWh/a	85
Net volume, L	92
Noise level, dB(A)	40
Handle	Integrated
Digital display	No
Product dimensions, HxWxD, mm	842 x 475 x 448



RFT126WE



Table Top Refrigerator

- Reversible door
- Energy-saving LED light
- Break safe glass shelves

■ Energy efficiency class	E
Annual energy cons. kWh/a	90
Net volume, L	126
Noise level, dB(A)	39
Handle	Outside
Digital display	No
Product dimensions, HxWxD, mm	845 x 549 x 557



SKS192WE



Freestanding Refrigerator

- Reversible door
- Energy-saving LED light
- Break safe glass shelves

■ Energy efficiency class	E
Annual energy cons. kWh/a	93
Net volume, L	158
Noise level, dB(A)	39
Handle	Outside
Digital display	No
Product dimensions, HxWxD, mm	1025 x 545 x 580

Upright Refrigerators



SKS 201 W

Freestanding Refrigerator

- Reversible door
- Large transparent vegetable drawer
- Break safe glass shelves

■ Energy efficiency class	E
Annual energy cons. kWh/a	98
Net volume, L	197
Noise level, dB(A)	39
Handle	Outside
Digital display	No
Product dimensions, HxWxD, mm	1250 x 540 x 580



SKS 262 W

Freestanding Refrigerator

- Reversible door
- Automatic defrost
- Break safe glass shelves

■ Energy efficiency class	E
Annual energy cons. kWh/a	99
Net volume, L	205
Noise level, dB(A)	41
Handle	Outside
Digital display	No
Product dimensions, HxWxD, mm	1441 x 540 x 550



SKS332WE

Freestanding Refrigerator

- Reversible door with robust steel handle
- Energy-saving LED light
- Possibility of side-by-side solution with SFS242WE

■ Energy efficiency class	E
Annual energy cons. kWh/a	114
Net volume, L	331
Noise level, dB(A)	40
Handle	Integrated
Digital display	No
Product dimensions, HxWxD, mm	1700 x 600 x 600



SKS346WE

Freestanding Refrigerator

- Reversible door with robust steel handle
- Adjustable and break safe glass shelves
- Energy-saving LED light

■ Energy efficiency class	E
Annual energy cons. kWh/a	109
Net volume, L	290
Noise level, dB(A)	39
Handle	Outside stainless steel
Digital display	No
Product dimensions, HxWxD, mm	1780 x 545 x 580

Upright Refrigerators



SKS 452 W

Freestanding Refrigerator

- Reversible door with robust steel handle
- Display on door with many functions
- Possibility of side-by-side solution with SFS 352 W

■ Energy efficiency class	E
Annual energy cons. kWh/a	142
Net volume, L	370
Noise level, dB(A)	40
Handle	Outside
Digital display	Yes
Product dimensions, HxWxD, mm	1855 x 595 x 651

Upright Freezers



Upright Freezers



SFS 56 W



Table Top Freezer

- Integrated handle in the door
- Reversible door
- Removable door gasket

■ Energy efficiency class	F
Annual energy cons. kWh/a	187
Net volume, L	38
Noise level, dB(A)	39
Freezing capacity kg/24h	2,6
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	522 x 479 x 447



SFS 61 W



Table Top Freezer

- Integrated handle in the door
- Reversible door
- Removable door gasket

■ Energy efficiency class	F
Annual energy cons. kWh/a	196
Net volume, L	61
Noise level, dB(A)	39
Freezing capacity kg/24h	3
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	842 x 475 x 448



SFS 82 W



Table Top Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

■ Energy efficiency class	E
Annual energy cons. kWh/a	164
Net volume, L	90
Noise level, dB(A)	45
Freezing capacity kg/24h	4,5
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	845 x 545 x 566



SFS 112 W



Table Top Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

■ Energy efficiency class	E
Annual energy cons. kWh/a	164
Net volume, L	90
Noise level, dB(A)	45
Freezing capacity kg/24h	4,5
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	845 x 545 x 566

Upright Freezers



SFS 140 W

Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	183
Net volume, L	146
Noise level, dB(A)	41
Freezing capacity kg/24h	6,6
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1250 x 545 x 566



SFS 170 W

Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door
- Adjustable feet

Energy efficiency class	E
Annual energy cons. kWh/a	183
Net volume, L	146
Noise level, dB(A)	41
Freezing capacity kg/24h	6,6
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1250 x 545 x 566



SFS163WE

Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door with robust steel handle

Energy efficiency class	E
Annual energy cons. kWh/a	209
Net volume, L	166
Noise level, dB(A)	39
Freezing capacity kg/24h	7,5
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1440 x 540 x 580



FRF177WD

Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door with strong stainless handle
- 5 transparent drawers, 1 shelf with flap

Energy efficiency class	D
Annual energy cons. kWh/a	153
Net volume, L	177
Noise level, dB(A)	39
Freezing capacity kg/24h	7
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1440 x 540 x 550

Upright Freezers



FRF168WE



Upright Freestanding Freezer

- Reversible full size door with stainless steel handle
- 4 crystal freezer drawers and 1 tray
- Easy to use mechanical control with Super freeze function

Energy efficiency class	E
Annual energy cons. kWh/a	190
Net volume, L	170
Noise level, dB(A)	40
Freezing capacity kg/24h	7,8
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1425 x 545 x 575



FRF161NFW



Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- Reversible full size door with stainless steel handle
- Electronic temperature control - Internal top display

Energy efficiency class	E
Annual energy cons. kWh/a	207
Net volume, L	161
Noise level, dB(A)	39
Freezing capacity kg/24h	12
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1430 x 540 x 600



SFS226WE



Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Can be placed in a dry environment at temperatures down to -15°C

Energy efficiency class	E
Annual energy cons. kWh/a	223
Net volume, L	206
Noise level, dB(A)	43
Freezing capacity kg/24h	9,4
Superfreeze w/auto shut off	No
Product dimensions, HxWxD, mm	1700 x 540 x 590



SFS242WE



Upright Freestanding Freezer

- Can be placed in a dry environment at temperatures down to -15°C
- Reversible door with robust steel handle
- Transparent drawers

Energy efficiency class	E
Annual energy cons. kWh/a	214
Net volume, L	242
Noise level, dB(A)	40
Freezing capacity kg/24h	11
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1710 x 600 x 587

Upright Freezers



SFS 352 W

Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- Reversible door with robust steel handle
- Possibility of side-by-side solution with SKS 452 W

Energy efficiency class	E
Annual energy cons. kWh/a	246
Net volume, L	274
Noise level, dB(A)	41
Freezing capacity kg/24h	13
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1855 x 595 x 651



SFS 381 BX

Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- 70 cm wide - XXL capacity
- Can be placed in a dry environment at temperatures down to -15°C

Energy efficiency class	E
Annual energy cons. kWh/a	282
Net volume, L	380
Noise level, dB(A)	39
Freezing capacity kg/24h	17,2
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1855 x 710 x 705



SFS 381 W

Upright Freestanding Freezer

- NoFrost - 100% self-defrosting
- 70 cm wide - XXL capacity
- Can be placed in a dry environment at temperatures down to -15°C

Energy efficiency class	E
Annual energy cons. kWh/a	282
Net volume, L	380
Noise level, dB(A)	39
Freezing capacity kg/24h	17,2
Superfreeze w/auto shut off	Yes
Product dimensions, HxWxD, mm	1855 x 710 x 705

Combi Fridge / Freezers



Combi Fridge / Freezers



SKB82WE

Table Top Fridge with box

- Reversible door
- Break safe glass shelves
- Energy-saving LED light

Energy efficiency class	E
Annual energy cons. kWh/a	124,83
Net volume refrigerator, L	75
Net volume freezer, L	7
Noise level, dB(A)	38
Freezing capacity kg/24h	
Product dimensions, HxWxD, mm	842 x 475 x 455



SKB 161 W

Table Top Fridge with box

- Reversible door
- Energy-saving LED light
- Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	137
Net volume refrigerator, L	94
Net volume freezer, L	13
Noise level, dB(A)	39
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	845 x 549 x 557



SKB182WE

Fridge with box

- Reversible door
- Energy-saving LED light
- Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	144
Net volume refrigerator, L	133
Net volume freezer, L	17
Noise level, dB(A)	39
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1025 x 545 x 580



SKB190W

Fridge with box

- Electronic temperature control
- Energy-saving LED light
- 4-star freezer compartment

Energy efficiency class	E
Annual energy cons. kWh/a	143
Net volume refrigerator, L	176
Net volume freezer, L	14
Noise level, dB(A)	39
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1235 x 545 x 580

Combi Fridge / Freezers



E A T G



CBF206WE

Freestanding Combi Fridge Freezer

- Reversible door with integrated handle
- Energy-saving LED light
- Adjustable and break safe glass shelves

■ Energy efficiency class	E
Annual energy cons. kWh/a	172
Net volume refrigerator, L	169
Net volume freezer, L	37
Noise level, dB(A)	40
Freezing capacity kg/24h	2,4
Product dimensions, HxWxD, mm	1430 x 545 x 555



D A T G



CBF211WD

Freestanding Combi Fridge Freezer

- Reversible door with strong stainless handle
- Energy-saving LED light
- Adjustable and break safe glass shelves

■ Energy efficiency class	D
Annual energy cons. kWh/a	141
Net volume refrigerator, L	170
Net volume freezer, L	41
Noise level, dB(A)	39
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1428 x 540 x 551



D A T G



CBF211XD

Freestanding Combi Fridge Freezer

- Reversible door with strong stainless handle
- Energy-saving LED light
- Adjustable and break safe glass shelves

■ Energy efficiency class	D
Annual energy cons. kWh/a	141
Net volume refrigerator, L	170
Net volume freezer, L	41
Noise level, dB(A)	39
Freezing capacity kg/24h	2
Product dimensions, HxWxD, mm	1428 x 540 x 551



E A T G



SKF 231 W

Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Reversible door with integrated handle
- Adjustable and break safe glass shelves

■ Energy efficiency class	E
Annual energy cons. kWh/a	191
Net volume refrigerator, L	153
Net volume freezer, L	52
Noise level, dB(A)	39
Freezing capacity kg/24h	2,4
Product dimensions, HxWxD, mm	1440 x 540 x 550

Combi Fridge / Freezers



SKF 297 W

Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Reversible door with integrated handle
- Adjustable and break safe glass shelves

Energy efficiency class	E
Annual energy cons. kWh/a	210
Net volume refrigerator, L	153
Net volume freezer, L	74
Noise level, dB(A)	39
Freezing capacity kg/24h	3,5
Product dimensions, HxWxD, mm	1593 x 540 x 550



SKF 307 W

Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Adjustable humidity in the vegetable drawer
- Removable glass shelves create a large space

Energy efficiency class	E
Annual energy cons. kWh/a	215
Net volume refrigerator, L	187
Net volume freezer, L	75
Noise level, dB(A)	39
Freezing capacity kg/24h	3,4
Product dimensions, HxWxD, mm	1760 x 540 x 550



CBF253NFW

Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Electronic temperature control
- Energy-saving LED light

Energy efficiency class	E
Annual energy cons. kWh/a	220
Net volume refrigerator, L	182
Net volume freezer, L	71
Noise level, dB(A)	40
Freezing capacity kg/24h	3,2
Product dimensions, HxWxD, mm	1810 x 545 x 600



SKF 313 W

Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Adjustable humidity in the vegetable drawer
- Reversible door with integrated handle

Energy efficiency class	E
Annual energy cons. kWh/a	219
Net volume refrigerator, L	180
Net volume freezer, L	70
Noise level, dB(A)	41
Freezing capacity kg/24h	3,2
Product dimensions, HxWxD, mm	1800 x 540 x 576

Combi Fridge / Freezers



SKF 313 X

Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Adjustable humidity in the vegetable drawer
- Reversible door with integrated handle

Energy efficiency class	E
Annual energy cons. kWh/a	219
Net volume refrigerator, L	180
Net volume freezer, L	70
Noise level, dB(A)	41
Freezing capacity kg/24h	3,2
Product dimensions, HxWxD, mm	1800 x 540 x 576



SKF327WE

Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Large vegetable drawer
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	235
Net volume refrigerator, L	211
Net volume freezer, L	104
Noise level, dB(A)	40
Freezing capacity kg/24h	4,7
Product dimensions, HxWxD, mm	1855 x 595 x 590



SKF327XE

Freestanding Combi Fridge Freezer

- SmartFrost - limits frost in your freezer
- Large vegetable drawer
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	235
Net volume refrigerator, L	211
Net volume freezer, L	104
Noise level, dB(A)	40
Freezing capacity kg/24h	4,7
Product dimensions, HxWxD, mm	1855 x 595 x 590



SKF 331 W

Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Removable glass shelves create a large space
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	244
Net volume refrigerator, L	224
Net volume freezer, L	94
Noise level, dB(A)	42
Freezing capacity kg/24h	4,3
Product dimensions, HxWxD, mm	1855 x 595 x 635



SKF334WE

Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Air flow - Ensures the same temperature
- Adjustable humidity in the vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	246
Net volume refrigerator, L	226
Net volume freezer, L	96
Noise level, dB(A)	41
Freezing capacity kg/24h	4,3
Product dimensions, HxWxD, mm	1855 x 595 x 625



SKF340WD

Freestanding Combi Fridge Freezer

- NoFrost - 100% self-defrosting
- Air flow - distributes the cold air
- Adjustable humidity in the vegetable drawer

Energy efficiency class	D
Annual energy cons. kWh/a	195
Net volume refrigerator, L	226
Net volume freezer, L	96
Noise level, dB(A)	35
Freezing capacity kg/24h	6
Product dimensions, HxWxD, mm	1855 x 595 x 625



SKF 481 X

American Fridge Freezer

- NoFrost - 100% self-defrosting
- Air flow - distributes the cold air
- Adjustable and break safe glass shelves

Energy efficiency class	F
Annual energy cons. kWh/a	376
Net volume refrigerator, L	316
Net volume freezer, L	176
Noise level, dB(A)	42
Freezing capacity kg/24h	8
Product dimensions, HxWxD, mm	1810 x 785 x 716



SKF 562 X

American Fridge Freezer

- NoFrost - 100% self-defrosting
- Display on door with many functions
- 2 large vegetable drawer

Energy efficiency class	E
Annual energy cons. kWh/a	323
Net volume refrigerator, L	359
Net volume freezer, L	203
Noise level, dB(A)	39
Freezing capacity kg/24h	10
Product dimensions, HxWxD, mm	1770 x 912 x 704



Combi Fridge / Freezers



BIC249WE

Integrated Combi Fridge Freezer



- Mounted with sliding rail
- Flat and reversible door for built-in purpose
- Super freeze function

■ Energy efficiency class	E
Annual energy cons. kWh/a	216
Net volume refrigerator, L	179
Net volume freezer, L	70
Noise level, dB(A)	39
Freezing capacity kg/24h	3,2
Product dimensions, HxWxD, mm	1780 x 540 x 540



BIC 401 W

Integrated Combi Fridge Freezer



- Slider fitting
- NoFrost - 100% self-defrosting
- Adjustable humidity in the vegetable drawer

■ Energy efficiency class	F
Annual energy cons. kWh/a	260
Net volume refrigerator, L	190
Net volume freezer, L	56
Noise level, dB(A)	41
Freezing capacity kg/24h	2,5
Product dimensions, HxWxD, mm	1769 x 540 x 540

Chest Freezers



Chest Freezers



CF51WE

Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 1 basket included
- The lid can stand at different angles of 45 °-75 °

Energy efficiency class	E
Annual energy cons. kWh/a	154
Net volume, L	51
Noise level, dB(A)	42
Superfreeze w/auto shut off	No
Internal light	No light
Product dimensions, HxWxD, mm	850 x 355 x 590



CF100WD

Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 in 1 - Temperature for freezer -12°C to -24°C
- 2 in 1 - Temperature for refrigerator 8°C to 2°C

Energy efficiency class	D
Annual energy cons. kWh/a	135
Net volume, L	99
Noise level, dB(A)	39
Superfreeze w/auto shut off	No
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 545 x 476



CF200WD

Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 in 1 - Temperature for refrigerator 8°C to 2°C
- 2 in 1 - Temperature for freezer 12°C to -24°C

Energy efficiency class	D
Annual energy cons. kWh/a	160
Net volume, L	199
Noise level, dB(A)	41
Superfreeze w/auto shut off	No
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 823 x 555



CF300WD

Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 in 1 - Temperature for refrigerator 8°C to 2°C
- 2 in 1 - Temperature for freezer -12°C to -24°C

Energy efficiency class	D
Annual energy cons. kWh/a	185
Net volume, L	299
Noise level, dB(A)	39
Superfreeze w/auto shut off	Yes
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 1125 x 610



Chest Freezers



CF400WE



Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 in 1 -Temperature for refrigerator 8°C to 2°C
- 2 in 1 - Temperature for freezer -12°C to -24°C

Energy efficiency class	E
Annual energy cons. kWh/a	263
Net volume, L	400
Noise level, dB(A)	41
Superfreeze w/auto shut off	Yes
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 1365 x 730



CF500WE



Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 2 in 1 -Temperature for refrigerator 8°C to 2°C
- 2 in 1 - Temperature for freezer -12°C to -24°C

Energy efficiency class	E
Annual energy cons. kWh/a	295
Net volume, L	500
Noise level, dB(A)	45
Superfreeze w/auto shut off	Yes
Internal light	Top LED
Product dimensions, HxWxD, mm	835 x 1650 x 735



CF560WE



Chest freezer

- Can be placed in a dry environment at temperatures down to -15°C
- 4 baskets included
- Mechanical controller

Energy efficiency class	E
Annual energy cons. kWh/a	314
Net volume, L	560
Noise level, dB(A)	50
Superfreeze w/auto shut off	No
Internal light	Top LED
Product dimensions, HxWxD, mm	850 x 1805 x 715

Hobs



K 30 Domino




Ceramic Hob

- Without frame, suitable for flat gluing in the tabletop
- 2 Zones: 1 x 16,5 cm - 1 x 20 cm
- Timer

Type of cooking zones	Highlight
Number of cooking zones	2
Child safety	Yes
Controls	Touch
Watt, W	3000
Booster	No
Product dimensions, HxWxD, mm	64.5 x 288 x 520

HOI30P1FLEX



Induction Hob

- 2 zones Flex induction 2x180mm
- 10 stage power setting booster
- Without frame, suitable for flat gluing in the tabletop

Type of cooking zones	Induction
Number of cooking zones	2
Child safety	Yes
Controls	Slider
Watt, W	3500
Booster	Yes
Product dimensions, HxWxD, mm	56 x 288 x 520

K 61



Ceramic Hob

- Without frame, suitable for flat gluing in the tabletop
- 4 Zones: 2 x 20 cm - 2 x 16,5 cm
- Timer

Type of cooking zones	Highlight
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	6000
Booster	No
Product dimensions, HxWxD, mm	55 x 590 x 520

K 62



Ceramic Hob

- 4 faceted edges
- 4 Zones: 1 x 20 cm - 2 x 16,5 cm - 1 x 14/23
- Timer

Type of cooking zones	Highlight
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	6400
Booster	No
Product dimensions, HxWxD, mm	55 x 590 x 520

Hobs



IKP 60

Induction Hob

- Without frame, suitable for flat gluing in the tabletop
- 9 stage power setting with Boost
- Automatic pan detection

■ Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Slider
Watt, W	7400
Booster	Yes
Product dimensions, HxWxD, mm	62 x 590 x 520



IKF 60 FLEX

Induction Hob

- Without frame, suitable for flat gluing in the tabletop
- 9 stage power setting with Boost
- Large flex zone

■ Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Slider
Watt, W	7400
Booster	Yes
Product dimensions, HxWxD, mm	62 x 590 x 520



IKF 265

Induction Hob

- 4 faceted edges
- Zones 2 x 15 cm - 2 x 22 cm
- Slider touch for each zone

■ Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	7000
Booster	Yes
Product dimensions, HxWxD, mm	60 x 590 x 520



IKF 285

Induction Hob

- 4 faceted edges
- Zones 2 x 18 - 1 x 16 - 1 x 21 cm
- Slider touch for each zone

■ Type of cooking zones	Induction
Number of cooking zones	4
Child safety	Yes
Controls	Touch
Watt, W	7000
Booster	Yes
Product dimensions, HxWxD, mm	60 x 770 x 520

Hoods



Hoods



A

KHP60300A

Pull-out Hood



- Comes with 2 different fronts, white and stainless steel
- 2 speed - 300m³/h airflow - BLDC motor
- 3 layer aluminum filters

Energy efficiency class	A
Fluid dynamic efficiency class	C
Grease filtering efficiency class	F
Controls	Switch
Airflow min/max, m ³ /h	163.9/319.7
Airborne Noise min/max dB(A)	45/63
Product dimensions, HxWxD, mm	195 x 600 x 280



C

EMV 104

Wall Hood



- LED light
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	C
Fluid dynamic efficiency class	E
Grease filtering efficiency class	E
Controls	Push knobs
Airflow min/max, m ³ /h	65.6/138.1
Airborne Noise min/max dB(A)	50/68
Product dimensions, HxWxD, mm	150 x 600 x 500



C

EMV 105

Wall Hood



- LED light
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	C
Fluid dynamic efficiency class	E
Grease filtering efficiency class	E
Controls	Push knobs
Airflow min/max, m ³ /h	65.6/138.1
Airborne Noise min/max dB(A)	50/68
Product dimensions, HxWxD, mm	150 x 600 x 500



B

EMV 602

Wall Hood



- LED Light
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	B
Fluid dynamic efficiency class	B
Grease filtering efficiency class	C
Controls	Push knobs
Airflow min/max, m ³ /h	348.3/610
Airborne Noise min/max dB(A)	61/71
Product dimensions, HxWxD, mm	555 x 600 x 500

Hoods



A+

EMV 660



Wall Hood

- LED light
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	A+
Fluid dynamic efficiency class	A
Grease filtering efficiency class	D
Controls	Touch
Airflow min/max, m ³ /h	187.6/494.3
Airborne Noise min/max dB(A)	43/63
Product dimensions, HxWxD, mm	764 x 600 x 382



C

EMF 990



Island Hood

- LED light
- Washable aluminium filter
- Carbon filter is available as spare part

Energy efficiency class	C
Fluid dynamic efficiency class	B
Grease filtering efficiency class	B
Controls	Push knobs
Airflow min/max, m ³ /h	348.7/591.5
Airborne Noise min/max dB(A)	64/64
Product dimensions, HxWxD, mm	1050 x 900 x 600

Microwave Ovens



Microwave Ovens



MWS20W



Microwave Standard

- 25,5 cm turntable
- Timer
- Defrost program

■ Oven size, L	20
Outside colour	White
Number of programs, pcs	5
Micro effect, W	700
Grill effect, W	-
Child safety	No
Product dimensions, HxWxD, mm	258 x 440 x 333



MWS20B



Microwave Standard

- 25,5 cm turntable
- Timer
- Defrost program

■ Oven size, L	20
Outside colour	Black
Number of programs, pcs	5
Micro effect, W	700
Grill effect, W	-
Child safety	No
Product dimensions, HxWxD, mm	258 x 440 x 333



MIG 27 SS



Microwave Grill

- 27 cm turntable and 1 grate
- LED display with remaining time
- Child safety lock

■ Oven size, L	23
Outside colour	Black
Number of programs, pcs	8
Micro effect, W	800
Grill effect, W	1000
Child safety	Yes
Product dimensions, HxWxD, mm	293 x 485 x 396



MIG 2301



Microwave Grill

- 27 cm turntable and 1 grate
- LED display with remaining time
- Defrost program

■ Oven size, L	23
Outside colour	White
Number of programs, pcs	8
Micro effect, W	800
Grill effect, W	1000
Child safety	Yes
Product dimensions, HxWxD, mm	285 x 485 x 410

Microwave Ovens



MWC25X

Microwave Combi

- Electronically hot air oven with auto menu
- LED display with remaining time
- 31 cm turntable and 1 grate

Oven size, L	25
Outside colour	Stainless Steel
Number of programs, pcs	10
Micro effect, W	900
Grill effect, W	1100
Child safety	Yes
Product dimensions, HxWxD, mm	304 x 514 x 480



MWC26B

Microwave Combi

- Air-fry function with 12 menus
- 10 auto cooking menu
- Special metal tray and bottom heating element for fast heating

Oven size, L	26
Outside colour	Black
Number of programs, pcs	22
Micro effect, W	900
Grill effect, W	1500
Child safety	Yes
Product dimensions, HxWxD, mm	290 x 495 x 435



MWP 25

Professional Microwave

- LED display with remaining time
- Defrost program
- Ideal for commercial kitchens, cafeteria etc.

Oven size, L	25
Outside colour	Stainless Steel
Number of programs, pcs	100
Micro effect, W	1000
Grill effect, W	-
Child safety	Yes
Product dimensions, HxWxD, mm	311 x 511 x 432



MWP34X

Professional Microwave

- LED display with remaining time
- Defrost program
- Ideal for commercial kitchens, cafeteria etc.

Oven size, L	34
Outside colour	Stainless Steel
Number of programs, pcs	100
Micro effect, W	1000
Grill effect, W	-
Child safety	No
Product dimensions, HxWxD, mm	343 x 553 x 485

Cookers and Built-in Ovens



Cookers



A

SK 403-1



Solid Plate Cooker

- Zoner 2 x 14 cm / 2 x 18 cm
- Conventional oven with fan
- Extra deep baking tray

Energy efficiency class	A
Net volume, L	60
Full glass in inner door	Yes
Storage compartment	No
Multi function oven	Yes
Controls	Turnable knobs
Product dimensions, HxWxD, mm	900 x 600 x 600



A

FCC800W



Ceramic Cooker

- Multifunction oven with circular heating element
- 8 cooking functions including grill and defrost function
- Spacious magazine drawer

Energy efficiency class	A
Net volume, L	60
Full glass in inner door	Yes
Storage compartment	Yes
Multi function oven	Yes
Controls	Turnable knobs
Product dimensions, HxWxD, mm	900 x 600 x 585



A

FCI900W



Induction Cooker

- Multifunction oven with circular heating element
- Induction hob with residual heat indicator
- 8 cooking functions including grill and defrost function

Energy efficiency class	A
Net volume, L	60
Full glass in inner door	Yes
Storage compartment	Yes
Multi function oven	Yes
Controls	Knobs - touch
Product dimensions, HxWxD, mm	900 x 600 x 600

Built-in Ovens



A

XO 6300



Built-in Oven

- 3 layer glass door and enamel cavity
- 9 programs incl. Light, Defrost, Top/Bottom heat, Convection, Grill
- Convection w/circular heating element

Energy efficiency class	A
Number of programs, pcs	9
Full glass in inner door	Yes
Oven size, L	70
Telescopic pullout system	No
Function light	None
Product dimensions, HxWxD, mm	595 x 595 x 580



A

XO 6800



Built-in Oven

- 70L Multifunction oven with Pyrolysis
- LCD Display
- Convection with circular heating element

Energy efficiency class	A
Number of programs, pcs	9
Full glass in inner door	Yes
Oven size, L	70
Telescopic pullout system	No
Function light	White
Product dimensions, HxWxD, mm	595 x 595 x 580



A

XO 6500



Built-in Oven

- Clean enamel
- Hot air - Circular heating element
- Extra deep baking tray

Energy efficiency class	A
Number of programs, pcs	8+1
Full glass in inner door	Yes
Oven size, L	72
Telescopic pullout system	Available as sparepart
Function light	White
Product dimensions, HxWxD, mm	596 x 595 x 546



A+

XO 7800



Built-in Oven

- Multifunction oven with pyrolysis
- Hot air - Circular heating element
- Touch display

Energy efficiency class	A+
Number of programs, pcs	12
Full glass in inner door	Yes
Oven size, L	72
Telescopic pullout system	Available as sparepart
Function light	White
Product dimensions, HxWxD, mm	596 x 595 x 546

Dishwashers



Dishwashers



SFO 101 W



Table Top Dishwasher

- Only uses 5 liters of water
- Does not require water connection
- Disinfectant steam program

Energy efficiency class	G
Place settings, pcs	2
Noise level, dB(A)	58
Number of programs, pcs	7
Water cons pr dishwash cycle (EPWC), L	5
Energy cons. pr dishwash (EPEC), kWh	0,396
Product dimensions, HxWxD, mm	435 x 420 x 435



SFO 2203 W



Table Top Dishwasher

- Delayed start function 2, 4 or 8h
- LED indicator for salt and rinse aid
- Easy and simple LED operation

Energy efficiency class	F
Place settings, pcs	6
Noise level, dB(A)	49
Number of programs, pcs	6
Water cons pr dishwash cycle (EPWC), L	6,5
Energy cons. pr dishwash (EPEC), kWh	0,613
Product dimensions, HxWxD, mm	438 x 550 x 500



DWF1047WE



Freestanding Dishwasher

- 7 programs, LED display
- 1-24H delay start
- Aqua stop, Half load

Energy efficiency class	E
Place settings, pcs	10
Noise level, dB(A)	47
Number of programs, pcs	7
Water cons pr dishwash cycle (EPWC), L	9
Energy cons. pr dishwash (EPEC), kWh	0,755
Product dimensions, HxWxD, mm	845 x 448 x 600



DWF1444WD



Freestanding Dishwasher

- 7 programs, LED display
- 1-24H delay start
- Aqua stop, Half load, Extra drying

Energy efficiency class	D
Place settings, pcs	14
Noise level, dB(A)	44
Number of programs, pcs	7
Water cons pr dishwash cycle (EPWC), L	11
Energy cons. pr dishwash (EPEC), kWh	0,849
Product dimensions, HxWxD, mm	845 x 598 x 600

Dishwashers



SFO 3802 W



Integrated Dishwasher

- Delayed start function 3, 6 or 9h
- 1/2 wash function
- AquaStop

Energy efficiency class	D
Place settings, pcs	14
Noise level, dB(A)	44
Number of programs, pcs	6
Water cons pr dishwash cycle (EPWC), L	10,5
Energy cons. pr dishwash (EPEC), kWh	0,849
Product dimensions, HxWxD, mm	815 x 598 x 550



SFO 3806 W



Integrated Dishwasher

- Extra space with 3rd basket
- Delayed start function 1-24h
- Auto sensor and 30 min Rapid program

Energy efficiency class	C
Place settings, pcs	14
Noise level, dB(A)	42
Number of programs, pcs	8
Water cons pr dishwash cycle (EPWC), L	9,8
Energy cons. pr dishwash (EPEC), kWh	0,747
Product dimensions, HxWxD, mm	820 x 600 x 550



DWB1444WD



Built-in Dishwasher

- LED display & 1-24H delay start
- 3 baskets, adjustable upper basket with full extension and bearings
- Aqua stop, Half load, Extra drying

Energy efficiency class	D
Place settings, pcs	14
Noise level, dB(A)	44
Number of programs, pcs	7
Water cons pr dishwash cycle (EPWC), L	11
Energy cons. pr dishwash (EPEC), kWh	0,849
Product dimensions, HxWxD, mm	815 x 598 x 570



DWB1442WC



Built-in Dishwasher

- Touch control & LED display
- 1-24H delay start
- 3 racks, adjustable upper basket with full extension and bearings

Energy efficiency class	C
Place settings, pcs	14
Noise level, dB(A)	42
Number of programs, pcs	7
Water cons pr dishwash cycle (EPWC), L	9,8
Energy cons. pr dishwash (EPEC), kWh	0,747
Product dimensions, HxWxD, mm	815 x 598 x 585

Washing Machines and Tumble Dryers



Washing Machines



WAH 1506 W

Front Loaded Washing Machine



- Dept only 40 cm
- Quick wash 15' - 30' or 45' min
- Drum clean program

Energy efficiency class	D
Energy consumption, kWh/cycle	0,644
Spin speed, rpm	1200
Capacity, kg	6
Water cons. weighted L/cycle	43
Spin/Drying Efficiency Class	C
Product dimensions, HxWxD, mm	850 x 595 x 400



WAH 2808 W

Front Loaded Washing Machine



- 23 programs incl quick wash 15 min.
- Delayed start and remaining time display
- Drum clean program

Energy efficiency class	E
Energy consumption, kWh/cycle	0,827
Spin speed, rpm	1400
Capacity, kg	8
Water cons. weighted L/cycle	48
Spin/Drying Efficiency Class	B
Product dimensions, HxWxD, mm	850 x 595 x 575



WAH 2908 W

Front Loaded Washing Machine



- Silent and strong energy saving Inverter motor
- Delayed start and remaining time display
- Quick wash 15 or 45 min

Energy efficiency class	B
Energy consumption, kWh/cycle	0,545
Spin speed, rpm	1400
Capacity, kg	8
Water cons. weighted L/cycle	48
Spin/Drying Efficiency Class	B
Product dimensions, HxWxD, mm	850 x 595 x 565



WMF1408WA

Front Loaded Washing Machine



- Silent and strong energy saving Inverter motor
- Steam program that removes bacteria and smell
- Large LCD display with white digits

Energy efficiency class	A
Energy consumption, kWh/cycle	0,403
Spin speed, rpm	1400
Capacity, kg	8
Water cons. weighted L/cycle	48
Spin/Drying Efficiency Class	B
Product dimensions, HxWxD, mm	850 x 595 x 475

Washing Machines



B A T G

WAH 3110 W

Front Loaded Washing Machine

- Silent and strong energy saving Inverter motor
- Delayed start and remaining time display
- Quick wash 15 or 45 min.

■ Energy efficiency class	B
Energy consumption, kWh/cycle	0,593
Spin speed, rpm	1500
Capacity, kg	10
Water cons. weighted L/cycle	52
Spin/Drying Efficiency Class	B
Product dimensions, HxWxD, mm	850 x 595 x 565

B A T G

WDF8514WBE

Washer Dryer

- Washer & Dryer Combo in one, 8kg wash, 5kg drying
- One Touch, one key to start the smart washing mode
- Silent and strong energy saving Inverter motor

■ Energy efficiency class	B
Energy consumption, kWh/cycle	0,068
Spin speed, rpm	1400
Capacity, kg	8
Water cons. weighted L/cycle	65
Spin/Drying Efficiency Class	C
Product dimensions, HxWxD, mm	850 x 600 x 520



B A T G

WDF10614WBE

Washer Dryer

- Washer & Dryer Combo in one, 10kg wash, 6kg drying
- One Touch, one key to start the smart washing mode
- Silent and strong energy saving Inverter motor

■ Energy efficiency class	B
Energy consumption, kWh/cycle	0,059
Spin speed, rpm	1400
Capacity, kg	10
Water cons. weighted L/cycle	75
Spin/Drying Efficiency Class	C
Product dimensions, HxWxD, mm	850 x 600 x 580



Tumble Dryers



B

TRK 1020 W



Condenser Tumble Dryer

- Electronically controlled
- Delayed start function 3, 6, 9, or 12h
- Light inside the drum

■ Energy efficiency class	B
Condence efficiency class	B
Annual energy cons. kWh/a	561
Rated capacity, kg	8
Airborne acoustical noise dB(A)	69
Option of drainhose connection	Yes
Product dimensions, HxWxD, mm	845 x 595 x 615



A++

TDH8WA2



Heat Pump Tumble Dryer

- Electronic Heat Pump dryer with 16 programs
- White LED display with delay start
- Interior light

■ Energy efficiency class	A++
Condence efficiency class	B
Annual energy cons. kWh/a	235
Rated capacity, kg	8
Airborne acoustical noise dB(A)	65
Option of drainhose connection	Yes
Product dimensions, HxWxD, mm	845 x 595 x 600



A+++

TDH8WA3



Heat Pump Tumble Dryer

- Electronic Heat Pump dryer with 14 programs
- White LED display with delay start
- Interior light

■ Energy efficiency class	A+++
Condence efficiency class	B
Annual energy cons. kWh/a	176
Rated capacity, kg	8
Airborne acoustical noise dB(A)	65
Option of drainhose connection	Yes
Product dimensions, HxWxD, mm	845 x 595 x 600

Wine Coolers



Wine Coolers



SV 19 B

Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- One temperature zone

Energy efficiency class	F
Annual energy cons. kWh/a	98
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	1 Horizontal LED
Wine bottles, pcs	18
Product dimensions, HxWxD, mm	865 x 295 x 561



SV 45 B

Wine Cooler

- Black glass door with thin frame
- Freestanding model
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	138
Temperature range °C	4 / 22
Noise level, dB(A)	39
Internal light	1 Horizontal LED
Wine bottles, pcs	45
Product dimensions, HxWxD, mm	845 x 540 x 548



SV 81 B

Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	130
Temperature range °C	5 / 18
Noise level, dB(A)	40
Internal light	1 Horizontal LED
Wine bottles, pcs	46
Product dimensions, HxWxD, mm	865 x 595 x 561



SV 85 B

Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	145
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	44
Product dimensions, HxWxD, mm	865 x 595 x 561



Wine Coolers



SV 104 B



Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- Two temperature zones

Energy efficiency class	F
Annual energy cons. kWh/a	121
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	90
Product dimensions, HxWxD, mm	1392 x 595 x 680



WC105BG



Wine Cooler

- Stylish frameless black glass door
- Recessed handle
- One temperature zone 5-20°C

Energy efficiency class	G
Annual energy cons. kWh/a	153
Temperature range °C	5-20
Noise level, dB(A)	37
Internal light	1 Horizontal LED
Wine bottles, pcs	105
Product dimensions, HxWxD, mm	1285 x 480 x 575



SV 111 B



Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	158
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	1 Horizontal LED
Wine bottles, pcs	126
Product dimensions, HxWxD, mm	1764 x 595 x 680



SV 124 B



Wine Cooler

- Stylish frameless black glass door
- Curved black stainless handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	175
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	126
Product dimensions, HxWxD, mm	1764 x 595 x 680

Wine Coolers



SV 138 B



Wine Cooler

- One temperature zone
- Touch display
- Exclusive, frameless glass door with lock

Energy efficiency class	G
Annual energy cons. kWh/a	158
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	10 Vertical LED + 1 Horizontal LED
Wine bottles, pcs	138
Product dimensions, HxWxD, mm	1764 x 595 x 682



SV 1382 B



Wine Cooler

- Two temperature zones
- Touch display
- Exclusive, frameless glass door with lock

Energy efficiency class	G
Annual energy cons. kWh/a	175
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	10 Vertical LED + 2 Horizontal LED
Wine bottles, pcs	138
Product dimensions, HxWxD, mm	1764 x 595 x 682



SV 81 X



Wine Cooler

- Stylish door frame in stainless steel
- Curved stainless steel handle
- One temperature zone

Energy efficiency class	G
Annual energy cons. kWh/a	130
Temperature range °C	5 / 18
Noise level, dB(A)	40
Internal light	1 Horizontal LED
Wine bottles, pcs	46
Product dimensions, HxWxD, mm	865 x 595 x 570



SV 91 X



Wine Cooler

- Stylish door frames in stainless steel
- Curved stainless steel handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	142
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	36
Product dimensions, HxWxD, mm	865 x 595 x 570

Wine Coolers



SV 104 X

Wine Cooler

- Stylish door frame in stainless steel
- Curved stainless steel handle
- Two temperature zones

Energy efficiency class	F
Annual energy cons. kWh/a	121
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	90
Product dimensions, HxWxD, mm	1392 x 595 x 678



SV 124 X

Wine Cooler

- Stylish door frame in stainless steel
- Curved stainless steel handle
- Two temperature zones

Energy efficiency class	G
Annual energy cons. kWh/a	175
Temperature range °C	5 / 18
Noise level, dB(A)	39
Internal light	2 Horizontal LED
Wine bottles, pcs	126
Product dimensions, HxWxD, mm	1763 x 595 x 678



Minibars



E A T G

MB 32 BE



Minibar

- LED interior light
- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	E
Annual energy cons. kWh/a	70
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	35 / 32
Temperature range °C	6 / 8
Product dimensions, HxWxD, mm	485 x 385 x 455



D A T G

MB 32 BGD



Minibar

- LED interior light
- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	D
Annual energy cons. kWh/a	60
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	35 / 32
Temperature range °C	12 / 14
Product dimensions, HxWxD, mm	485 x 385 x 450



E A T G

MB 34 BE



Minibar

- LED interior light
- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	E
Annual energy cons. kWh/a	77
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	40 / 34
Temperature range °C	6 / 8
Product dimensions, HxWxD, mm	560 x 400 x 435



D A T G

MB 34 BGD



Minibar

- LED interior light
- Adjustable glass shelves
- Peltier cooling

Energy efficiency class	D
Annual energy cons. kWh/a	60
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	40 / 34
Temperature range °C	12 / 14
Product dimensions, HxWxD, mm	570 x 400 x 420

Cool Cubes Coolers



Cool Cubes Coolers



F A T G

Compact Cube



Cool Cubes

- Stylish chrome door with integrated handle
- Adjustable shelf
- Black exterior and interior

Energy efficiency class	F
Annual energy cons. kWh/a	98
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	55 / 48
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	510 x 430 x 475



F A T G

Coca-cola FiftyCube



Cool Cubes

- Classic oldtimer Coca Cola design
- Integrated handle in the door
- Perfect for children's room or office

Energy efficiency class	F
Annual energy cons. kWh/a	98
Climate class	ST
Reversible door	Yes
Gross- / Net volume, L	50 / 48
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	510 x 430 x 475



F A T G

Coca-Cola Coolcube



Cool Cubes

- Classic Coca Cola design
- Stylish chrome door with integrated handle
- Perfect for children's room or office

Energy efficiency class	F
Annual energy cons. kWh/a	98
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	55 / 48
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	510 x 430 x 475



E A T G

Coca-Cola Highcube GDE



Cool Cubes

- Classic Coca Cola design
- Reversible door with lock and key
- Adjustable Shelves

Energy efficiency class	E
Annual energy cons. kWh/a	81
Climate class	N
Reversible door	Yes
Gross- / Net volume, L	130 / 115
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	845 x 540 x 548

Display Coolers



Display Coolers



RT 82 BE

Display Cooler

- Double glazed glass on four sides
- 3 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	C
Annual energy cons. kWh/a	1003
Climate class	4
Reversible door	No
Gross- / Net volume, L	78 / 71
Temperature range °C	0 / 12
Product dimensions, HxWxD, mm	960 x 428 x 386



RT 82 WE

Display Cooler

- Double glazed glass on four sides
- 3 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	C
Annual energy cons. kWh/a	1003
Climate class	4
Reversible door	No
Gross- / Net volume, L	78 / 71
Temperature range °C	0 / 12
Product dimensions, HxWxD, mm	960 x 428 x 386



RTC 237 BE

Display Cooler

- Double glazed glass on four sides
- 4 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	B
Annual energy cons. kWh/a	1622
Climate class	4
Reversible door	No
Gross- / Net volume, L	235 / 176
Temperature range °C	0 / 12
Product dimensions, HxWxD, mm	1690 x 515 x 485



RTC 237 WE

Display Cooler

- Double glazed glass on four sides
- 4 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	B
Annual energy cons. kWh/a	1622
Climate class	4
Reversible door	No
Gross- / Net volume, L	235 / 176
Temperature range °C	0 / 12
Product dimensions, HxWxD, mm	1690 x 515 x 485



Display Coolers



RTC 287 BE

Display Cooler

- Double glazed glass on four sides
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	B
Annual energy cons. kWh/a	1365
Climate class	4
Reversible door	No
Gross- / Net volume, L	270 / 235
Temperature range °C	0 / 12
Product dimensions, HxWxD, mm	1895 x 515 x 485



RTC 287 WE

Display Cooler

- Double glazed glass on four sides
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	B
Annual energy cons. kWh/a	1365
Climate class	4
Reversible door	No
Gross- / Net volume, L	270 / 235
Temperature range °C	0 / 12
Product dimensions, HxWxD, mm	1895 x 515 x 485



SC 21 BE

Display Cooler

- Self-closing hinged glass door
- 1 adjustable coated wire shelf
- LED interior light

Energy efficiency class	C
Annual energy cons. kWh/a	274
Climate class	ST
Reversible door	No
Gross- / Net volume, L	20 / 18
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	585 x 360 x 330



SC 51 BE

Display Cooler

- Self-closing hinged glass door
- 2 adjustable coated wire shelves
- LED interior light

Energy efficiency class	C
Annual energy cons. kWh/a	237
Climate class	ST
Reversible door	No
Gross- / Net volume, L	59 / 44
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	805 x 426 x 460

Display Coolers



SC 81 BE

Display Cooler

- Self-closing hinged glass door
- LED interior light
- Illuminated canopy

Energy efficiency class	C
Annual energy cons. kWh/a	274
Climate class	ST
Reversible door	No
Gross- / Net volume, L	84 / 60
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	950 x 460 x 460



DKS 63 BE

Display Cooler

- Right hinged glass door
- 1 coated wire shelf
- LED interior light

Energy efficiency class	C
Annual energy cons. kWh/a	303
Climate class	4
Reversible door	No
Gross- / Net volume, L	48 / 46
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	528 x 475 x 435



DKS 123 BE

Display Cooler

- Right hinged glass door
- 2½ adjustable coated wire shelves
- LED interior light

Energy efficiency class	D
Annual energy cons. kWh/a	503
Climate class	4
Reversible door	No
Gross- / Net volume, L	110 / 110
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	840 x 480 x 520



DKS 142 BE

Display Cooler

- Hinged glass door with lock
- 4 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	548
Climate class	6
Reversible door	Yes
Gross- / Net volume, L	126 / 115
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	845 x 540 x 548



Display Coolers



SD 181 BE

Display Cooler

- Self-closing hinged glass door with lock
- 3 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	646
Climate class	ST
Reversible door	No
Gross- / Net volume, L	214 / 160
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1575 x 538 x 505



SD 430 E

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	712
Climate class	ST
Reversible door	No
Gross- / Net volume, L	392 / 360
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1980 x 578 x 605



SD 430 BE

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	712
Climate class	ST
Reversible door	No
Gross- / Net volume, L	392 / 360
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1980 x 578 x 605



SD 226 BE

Display Cooler

- 5 adjustable coated wire shelves
- 1 vertical LED
- 4 feet

Energy efficiency class	D
Annual energy cons. kWh/a	569
Climate class	4
Reversible door	No
Gross- / Net volume, L	166 / 144
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1892 x 390 x 475



Display Coolers



SD 426 BE



Display Cooler

- Self-closing hinged aluminum glass door w/lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	730
Climate class	T
Reversible door	No
Gross- / Net volume, L	361 / 286
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2020 x 606 x 620



SD 726 BE



Display Cooler

- Self-closing hinged aluminum glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	985
Climate class	T
Reversible door	No
Gross- / Net volume, L	592 / 498
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2067 x 700 x 783



SD 826 BE



Display Cooler

- Self-closing hinged aluminum glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1262
Climate class	T
Reversible door	No
Gross- / Net volume, L	776 / 660
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2025 x 1000 x 695



SD 1326 BE



Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- 4 strong castors, 2 with brake

Energy efficiency class	D
Annual energy cons. kWh/a	1752
Climate class	T
Reversible door	No
Gross- / Net volume, L	1093 / 917
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2035 x 1330 x 720

Display Coolers



DC389BD

Display Cooler

- Self-closing glass door with long handle
- 5 adjustable coated wire shelves - ABS inner liner
- 2 vertical energy-saving LED lights

Energy efficiency class	D
Annual energy cons. kWh/a	638,75
Climate class	ST
Reversible door	Yes
Gross- / Net volume, L	360 / 274
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1886 x 600 x 570



DC389WD

Display Cooler

- Self-closing glass door with long handle
- 5 adjustable coated wire shelves - ABS inner liner
- 2 vertical energy-saving LED lights

Energy efficiency class	D
Annual energy cons. kWh/a	638,75
Climate class	ST
Reversible door	Yes
Gross- / Net volume, L	360 / 274
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1886 x 600 x 570



DC614BB

Display Cooler

- Large presentation area - slim aluminum door frames
- 1 horizontal and 2 vertical LED's
- 4 strong castors

Energy efficiency class	B
Annual energy cons. kWh/a	913
Climate class	3
Reversible door	No
Gross- / Net volume, L	614 / 459
Temperature range °C	0 / 8
Product dimensions, HxWxD, mm	2003 x 755 x 727



DC1080BB

Display Cooler

- Large presentation area - slim aluminum door frames
- 2 horizontal and 2 vertical LED's
- 4 strong castors

Energy efficiency class	B
Annual energy cons. kWh/a	1522
Climate class	3
Reversible door	No
Gross- / Net volume, L	1081 / 809
Temperature range °C	0 / 8
Product dimensions, HxWxD, mm	2003 x 1253 x 710



Display Coolers



DC1664BB

Display Cooler

- Large presentation area - slim aluminum door frames
- 3 horizontal and 3 vertical LED lights
- 8 strong castors

Energy efficiency class	B
Annual energy cons. kWh/a	1975
Climate class	3
Reversible door	No
Gross- / Net volume, L	1664 / 1246
Temperature range °C	0 / 8
Product dimensions, HxWxD, mm	2003 x 1880 x 710



SD 217 E

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 1 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	573
Climate class	ST
Reversible door	No
Gross- / Net volume, L	160 / 133
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1880 x 390 x 475



SD 217 BE

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 1 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	573
Climate class	ST
Reversible door	No
Gross- / Net volume, L	160 / 133
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1880 x 390 x 475



SD 417 E

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	599
Climate class	ST
Reversible door	No
Gross- / Net volume, L	317 / 280
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1980 x 578 x 605



Display Coolers



SD 417 BE

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	599
Climate class	ST
Reversible door	No
Gross- / Net volume, L	317 / 280
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1980 x 578 x 605



SD 420 E

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	639
Climate class	T
Reversible door	Yes
Gross- / Net volume, L	386 / 360
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1980 x 578 x 605



SD 420 BE

Display Cooler

- Self-closing hinged glass door with lock
- 5 adjustable coated wire shelves
- 2 vertical LED in front

Energy efficiency class	D
Annual energy cons. kWh/a	639
Climate class	T
Reversible door	Yes
Gross- / Net volume, L	386 / 360
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	1980 x 578 x 605



SD 802 HE

Display Cooler

- Self-closing hinged glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1263
Climate class	T
Reversible door	No
Gross- / Net volume, L	776 / 660
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2023 x 1000 x 720



Display Coolers



SD 802 BHE

Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1263
Climate class	T
Reversible door	No
Gross- / Net volume, L	776 / 660
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2023 x 1000 x 720



SD 802 SLE

Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1296
Climate class	T
Reversible door	No
Gross- / Net volume, L	690 / 658
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2023 x 1000 x 700



SD 802 BSLE

Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1296
Climate class	T
Reversible door	No
Gross- / Net volume, L	690 / 658
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2023 x 1000 x 700



SD 881 HE

Display Cooler

- Self-closing hinged glass doors with lock
- 8 adjustable coated wire shelves
- Ventilated cooling

Energy efficiency class	E
Annual energy cons. kWh/a	1372
Climate class	T
Reversible door	No
Gross- / Net volume, L	569 / 437
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2000 x 870 x 605

Display Coolers



SD 881 BHE



Display Cooler

- Self-closing hinged glass doors with lock
- 8 adjustable coated wire shelves
- Ventilated cooling

Energy efficiency class	E
Annual energy cons. kWh/a	1372
Climate class	T
Reversible door	No
Gross- / Net volume, L	569 / 437
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2000 x 870 x 605



SD 1002 HE



Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1365
Climate class	T
Reversible door	No
Gross- / Net volume, L	879 / 758
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2023 x 1130 x 720



SD 1002 BHE



Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1365
Climate class	T
Reversible door	No
Gross- / Net volume, L	879 / 758
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2023 x 1130 x 720



SD 1002 SLE



Display Cooler

- Self-closing sliding glass doors with lock
- 8 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	D
Annual energy cons. kWh/a	1205
Climate class	T
Reversible door	No
Gross- / Net volume, L	764 / 670
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2023 x 1130 x 700

Display Coolers



SD 1002 BSLE



Display Cooler

- 8 adjustable coated wire shelves
- 2 vertical LED
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	1205
Climate class	T
Reversible door	No
Gross- / Net volume, L	764 / 670
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2023 x 1130 x 700



SD 1502 HE



Display Cooler

- Self-closing hinged glass doors with lock
- 15 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	C
Annual energy cons. kWh/a	1496
Climate class	T
Reversible door	No
Gross- / Net volume, L	1383 / 1152
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2065 x 1710 x 720



SD 1502 BHE



Display Cooler

- 15 adjustable coated wire shelves
- 2 vertical LED
- 8 strong castors

Energy efficiency class	C
Annual energy cons. kWh/a	1496
Climate class	T
Reversible door	No
Gross- / Net volume, L	1383 / 1152
Temperature range °C	1 / 9
Product dimensions, HxWxD, mm	2065 x 1710 x 720



SC 131 HE



Back Bar

- 2 adjustable chrome shelves
- Easy access electronic thermostat
- Ventilated cooling

Energy efficiency class	D
Annual energy cons. kWh/a	402
Climate class	ST
Reversible door	No
Gross- / Net volume, L	103 / 86
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	865 x 500 x 530

Display Coolers



SC 141 HE

Back Bar

- Self-closing hinged glass door with lock
- 2 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	402
Climate class	ST
Reversible door	No
Gross- / Net volume, L	127 / 105
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	865 x 600 x 530



SC 211 HDE

Back Bar

- Self-closing hinged glass doors with lock
- 4 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	493
Climate class	ST
Reversible door	No
Gross- / Net volume, L	198 / 158
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	865 x 900 x 530



SC 211 SLE

Back Bar

- Self-closing sliding glass doors with lock
- 4 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	613
Climate class	ST
Reversible door	No
Gross- / Net volume, L	198 / 158
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	865 x 900 x 520



SC 311 SLE

Back Bar

- Self-closing sliding glass doors with lock
- 6 adjustable chrome shelves
- Easy access electronic thermostat

Energy efficiency class	D
Annual energy cons. kWh/a	683
Climate class	ST
Reversible door	No
Gross- / Net volume, L	308 / 254
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	865 x 1350 x 520

Showcases



B A T G

RTW 101 BE

Display Cooler

- Sliding glass doors
- 2 adjustable chrome wire shelves
- 2 vertical LED

Energy efficiency class	B
Annual energy cons. kWh/a	912
Climate class	4
Reversible door	No
Gross- / Net volume, L	100 / 70
Temperature range °C	1 / 10
Product dimensions, HxWxD, mm	675 x 682 x 450

C A T G

RTW 129 BE

Display Cooler

- 2 sliding glass doors
- 3 angle adjustable glass shelves
- 2 vertical LED

Energy efficiency class	C
Annual energy cons. kWh/a	1506
Climate class	4
Reversible door	No
Gross- / Net volume, L	140 / 129
Temperature range °C	2 / 12
Product dimensions, HxWxD, mm	874 x 624 x 560



B A T G

RTW 160 E

Display Cooler

- 2 sliding glass doors
- 2 adjustable chrome wire shelves
- 1 horizontal LED

Energy efficiency class	B
Annual energy cons. kWh/a	1206
Climate class	N
Reversible door	No
Gross- / Net volume, L	160 / 145
Temperature range °C	2 / 6
Product dimensions, HxWxD, mm	686 x 880 x 568



Label not required

SVS 145

Display Heater

- 3 chrome shelves
- Temperature range 30 til 90°C
- LED interior light

Energy efficiency class	Label not required
Annual energy cons. kWh/a	
Climate class	-
Reversible door	No
Gross- / Net volume, L	/ 137
Temperature range °C	30 - 90
Product dimensions, HxWxD, mm	785 x 645 x 487



Display Freezers



Display Freezers



E A T G

SD 46 E

Display Freezer

- Self-closing hinged aluminum glass door
- 2 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	2761
Climate class	4
Temperature range °C	-15 / -18
Gross- / Net volume, L	45 / 42
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	500 x 570 x 520

E A T G

SD 76 E

Display Freezer

- Self-closing hinged aluminum glass door
- 3 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	3264
Climate class	4
Temperature range °C	-15 / -18
Gross- / Net volume, L	92 / 88
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	690 x 595 x 520



E A T G

SD 92 E

Display Freezer

- Self-closing hinged aluminum glass door
- 3 adjustable coated wire shelves
- LED interior light

Energy efficiency class	E
Annual energy cons. kWh/a	3264
Climate class	4
Temperature range °C	-15 / -18
Gross- / Net volume, L	92 / 88
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	855 x 595 x 535



C A T G

SF 217 BE

Display Freezer

- Self-closing hinged glass door
- 5 adjustable coated wire shelves
- 2 vertical LED

Energy efficiency class	C
Annual energy cons. kWh/a	1770
Climate class	4
Temperature range °C	-18 / -22
Gross- / Net volume, L	173 / 142
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1790 x 445 x 665



Display Freezers



KF 870 E

Display Freezer

- Self-closing hinged glass door with lock
- 6 adjustable coated wire shelves
- 2 vertical and 1 horizontal LED

Energy efficiency class	E
Annual energy cons. kWh/a	4857
Climate class	4
Temperature range °C	-15/ -18
Gross- / Net volume, L	370 / 329
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	2126 x 660 x 764



DF560BC

Display Freezer

- Large presentation area - slim aluminum door frames
- 1 horizontal and 2 vertical LED's
- 4 strong castors

Energy efficiency class	C
Annual energy cons. kWh/a	3311
Climate class	3
Temperature range °C	-15 / -30
Gross- / Net volume, L	560 / 390
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	2003 x 750 x 730



DF1006BD

Display Freezer

- Large presentation area - slim aluminum door frames
- 2 horizontal and 2 vertical LED's
- 4 strong castors

Energy efficiency class	D
Annual energy cons. kWh/a	6377
Climate class	3
Temperature range °C	-15 / -18
Gross- / Net volume, L	1006 / 702
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	2003 x 1253 x 760



DF1563BD

Display Freezer

- Large presentation area - slim aluminum door frames
- 3 horizontal and 3 vertical LED's
- 8 strong castors

Energy efficiency class	D
Annual energy cons. kWh/a	8702
Climate class	3
Temperature range °C	-15~-30
Gross- / Net volume, L	1563 / 1090
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	2003 x 1880 x 730



Impulse Coolers and Freezers





TK 42 BE

Can Cooler

- Split flip glass lid
- 4 strong castors
- Suitable for branding

■ Energy efficiency class	B
Annual energy cons. kWh/a	142
Climate class	ST
Temperature range °C	2 / 10
Gross- / Net volume, L	41 / 37
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	735 x 445 x 445



TK 66 BE

Can Cooler

- Split flip glass lid
- 4 strong castors
- Suitable for branding

■ Energy efficiency class	B
Annual energy cons. kWh/a	142
Climate class	ST
Temperature range °C	0 / 10
Gross- / Net volume, L	63 / 58
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	960 x 445 x 445



TK 86 BE

Can Cooler

- Split flip glass lid
- 4 strong castors
- Suitable for branding

■ Energy efficiency class	B
Annual energy cons. kWh/a	164
Climate class	ST
Temperature range °C	0 / 10
Gross- / Net volume, L	87 / 84
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	836 x 565 x 565



FT 87 BE

Can Freezer

- Split flip glass lid
- Suitable for branding
- 1 wire basket

■ Energy efficiency class	D
Annual energy cons. kWh/a	1095
Climate class	4
Temperature range °C	-15 / -18
Gross- / Net volume, L	85 / 85
Refrigeration / freezing technique	Static
Product dimensions, HxWxD, mm	836 x 565 x 565



OFC 222 E

Open Front Cooler

- Stylish curved front, glass sides
- Adjustable shelves with tilting function
- LED in top and under each shelf

Energy efficiency class	F
Annual energy cons. kWh/a	4669
Climate class	6
Temperature range °C	2 / 10
Gross- / Net volume, L	220 / 158
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1742 x 495 x 674



OFC 231 E

Open Front Cooler

- Stylish curved front, glass sides, stainless cabinet
- Adjustable shelves with tilting function
- LED in top and under each shelf

Energy efficiency class	E
Annual energy cons. kWh/a	4642
Climate class	6
Temperature range °C	2 - 10
Gross- / Net volume, L	230 / 163
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1520 x 600 x 890



OFC390B

Open Front Cooler

- Easy open sliding doors
- LED light in top and underneath each shelf
- Digital temperature controller and display

Energy efficiency class	D
Annual energy cons. kWh/a	2087,8
Climate class	6
Temperature range °C	2 / 10
Gross- / Net volume, L	320 / 223
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1459 x 918 x 792



OTC 95 BE

Impulse Cooler

- Elegant soft design
- Efficient product presentation
- LED interior light

Energy efficiency class	D
Annual energy cons. kWh/a	1058
Climate class	3
Temperature range °C	2 / 8
Gross- / Net volume, L	110 / 87
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	930 x 773 x 833



OTF 87 BE



Supermarket Freezer

- Dual function - conversion between refrigerator and freezer
- Temperature range for freezing -18 to -21°C
- Temperature range for cooling -1 to 5°C

Energy efficiency class	E
Annual energy cons. kWh/a	2920
Climate class	3
Temperature range °C	-18 / -21 & -1 / 5
Gross- / Net volume, L	110 / 102
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	930 x 773 x 833



IM 111 E



Impulse Cooler

- Perfect display for cans and bottles
- 1 Horizontal LED
- 4 castors

Energy efficiency class	D
Annual energy cons. kWh/a	876
Climate class	ST
Temperature range °C	2 / 8
Gross- / Net volume, L	110 / 55
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1010 x 750 x 555



VM 91 E



Impulse Cooler

- Perfect for displaying cans and bottles
- 1 Horizontal LED
- Possible of placing against wall

Energy efficiency class	C
Annual energy cons. kWh/a	620
Climate class	ST
Temperature range °C	2 / 8
Gross- / Net volume, L	90 / 60
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	1010 x 690 x 445



IMC82BC



Impulse Cooler

- Mobile Impulse Cooler Generates Incremental Sales
- Ventilated Refrigeration System
- Transparent lid and LED light

Energy efficiency class	C
Annual energy cons. kWh/a	828,55
Climate class	3
Temperature range °C	-1 / 7
Gross- / Net volume, L	82 / 68
Refrigeration / freezing technique	Ventilated
Product dimensions, HxWxD, mm	900 x 730 x 450

Storage Coolers and Freezers



Storage Coolers and Freezers



F A T G

KK 152 E



Storage Refrigerator

- Adjustable glass shelves
- 2 adjustable feet in front
- Static cooling

Energy efficiency class	F
Annual energy cons. kWh/a	109
Climate class	ST
Reversible door	Yes
Gross- / Net volume, L	111 / 108
Temperature range °C	1 / 8
Product dimensions, HxWxD, mm	845 x 495 x 545



F A T G

KK 262 E



Storage Refrigerator

- Adjustable glass shelves
- LED interior light
- Static cooling

Energy efficiency class	F
Annual energy cons. kWh/a	127
Climate class	ST
Reversible door	Yes
Gross- / Net volume, L	231 / 228
Temperature range °C	1 / 8
Product dimensions, HxWxD, mm	1440 x 540 x 580



B A T G

SF 115 X



Storage Freezer

- Self-closing hinged solid door with lock
- 3 wire baskets
- Digital temperature control

Energy efficiency class	B
Annual energy cons. kWh/a	438
Climate class	6
Reversible door	No
Gross- / Net volume, L	117 / 115
Temperature range °C	-16 / -22
Product dimensions, HxWxD, mm	820 x 595 x 595



C A T G

SK 145 E



Storage Refrigerator

- Self-closing hinged solid door with lock
- 3 adjustable coated wire shelves
- Digital temperature control

Energy efficiency class	C
Annual energy cons. kWh/a	365
Climate class	6
Reversible door	No
Gross- / Net volume, L	145 / 145
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	820 x 595 x 595

Storage Coolers and Freezers



D A T G

SK 145 GDE

Storage Refrigerator

- Self-closing hinged glass door with lock
- 3 adjustable coated wire shelves
- Digital temperature control

Energy efficiency class	D
Annual energy cons. kWh/a	460
Climate class	6
Reversible door	No
Gross- / Net volume, L	148 / 145
Temperature range °C	0 / 10
Product dimensions, HxWxD, mm	820 x 595 x 595

C A T G

GUR190W

Storage Refrigerator

- Ventilated cooling
- Reversible door with lock
- Digital controller with temperature alarm

Energy efficiency class	C
Annual energy cons. kWh/a	1037
Climate class	5
Reversible door	Yes
Gross- / Net volume, L	110 / 110
Temperature range °C	1 / 10
Product dimensions, HxWxD, mm	883 x 595 x 655



B A T G

GUF190W

Storage Freezer

- Ventilated cooling
- Reversible door with lock
- Digital controller with temperature alarm

Energy efficiency class	B
Annual energy cons. kWh/a	1059
Climate class	5
Reversible door	Yes
Gross- / Net volume, L	110 / 110
Temperature range °C	-15 / -25
Product dimensions, HxWxD, mm	883 x 595 x 655



C A T G

GUR200X

Storage Refrigerator

- Reversible and self-closing door with integrated handle
- Fan assisted cooling
- Automatic defrost

Energy efficiency class	C
Annual energy cons. kWh/a	313,9
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	143 / 73
Temperature range °C	0 / 8
Product dimensions, HxWxD, mm	850 x 595 x 653



Storage Coolers and Freezers



C A T G

GUF200X

Storage Freezer

- Reversible and self-closing door with integrated handle
- Ventilated cooling
- Automatic defrost

Energy efficiency class	C
Annual energy cons. kWh/a	872,4
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	143 / 73
Temperature range °C	-18 / -22
Product dimensions, HxWxD, mm	850 x 595 x 653



C A T G

GUR390W

Storage Refrigerator

- Ventilated Cooling
- Digital controller
- Strong external stainless handle

Energy efficiency class	C
Annual energy cons. kWh/a	523
Climate class	5
Reversible door	Yes
Gross- / Net volume, L	293 / 293
Temperature range °C	1 / 10
Product dimensions, HxWxD, mm	1870 x 595 x 625



B A T G

GUF390W

Storage Freezer

- Ventilated Cooling
- Digital controller
- Strong external stainless handle

Energy efficiency class	B
Annual energy cons. kWh/a	980
Climate class	5
Reversible door	Yes
Gross- / Net volume, L	293 / 293
Temperature range °C	-18 / -22
Product dimensions, HxWxD, mm	1870 x 595 x 625



C A T G

GUR600W

Storage Refrigerator

- GN2/1 suitable
- Ventilated cooling - Automatic Defrost
- 4 x GN2/1 removable coated wire shelves

Energy efficiency class	C
Annual energy cons. kWh/a	668
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	544 / 476
Temperature range °C	1 / 8
Product dimensions, HxWxD, mm	2000 x 750 x 750





Label not required

GUF600W



Storage Freezer

- GN2/1 suitable
- Reversible Solid Door
- Self-closing door

■ Energy efficiency class Label not required

Annual energy cons. kWh/a 1334

Climate class 4

Reversible door Yes

Gross- / Net volume, L 544 / 459

Temperature range °C -16 / -22

Product dimensions, HxWxD, mm 2000 x 750 x 710

Ice cream- and supermarket freezers



Ice cream- and supermarkes freezers



D A T G



IC155D

Ice Cream Freezer

- Curved sliding glass lids
- 2 strong wire baskets including 2 dividers in each
- 4 strong castors

Energy efficiency class	D
Annual energy cons. kWh/a	440
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	137 / 94
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	865 x 585 x 700



D A T G



IC306D

Ice Cream Freezer

- Curved sliding glass lids with lock
- 4 strong wire baskets including 2 dividers in each
- Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	600
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	255 / 192
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	850 x 1025 x 649



D A T G



IC352D

Ice Cream Freezer

- Curved sliding glass lids with lock
- 5 strong wire baskets including 2 dividers in each
- Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	680
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	330 / 251
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	850 x 1240 x 649



E A T G



SD 310 E

Ice Cream Freezer

- Flat sliding glass lids with lock
- 4 strong wire baskets
- Coated white steel inner liner

Energy efficiency class	E
Annual energy cons. kWh/a	780
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	284 / 223
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	830 x 1000 x 694

Ice cream- and supermarkes freezers



D A T G



IC310D

Ice Cream Freezer

- Flat sliding glass lids with lock
- 4 strong wire baskets including 2 dividers in each
- Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	595
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	284 / 223
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	840 x 1020 x 700



D A T G



IC410D

Ice Cream Freezer

- Flat sliding glass lids with lock
- 4 strong wire baskets including 2 dividers in each
- Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	660
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	372 / 293
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	830 x 1240 x 694



E A T G



SD 510 E

Ice Cream Freezer

- Flat sliding glass lids with lock
- 6 strong wire baskets
- Coated white steel inner liner

Energy efficiency class	E
Annual energy cons. kWh/a	1160
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	470 / 373
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	830 x 1510 x 694



D A T G



IC510D

Ice Cream Freezer

- Flat sliding glass lids with lock
- 4 strong wire baskets including 2 dividers in each
- Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	770
Climate class	7
Lock & Key	Yes
Gross- / Net volume, L	473 / 373
Temperature range °C	-18 / -24
Product dimensions, HxWxD, mm	830 x 1510 x 694

Ice cream- and supermarket freezers



D A T G



XS 602 E

Supermarket Freezer

- Large curved sliding glass lids with lock
- 5 strong wire baskets
- Coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	2117
Climate class	5
Lock & Key	Yes
Gross- / Net volume, L	500 / 355
Temperature range °C	8 / -24
Product dimensions, HxWxD, mm	858 x 1475 x 757



C A T G



SIF600C

Supermarket Freezer

- Large curved sliding glass lids with strong aluminum handles
- Dual function - freezer can be converted to cooling 2-7°C
- 6 strong wire baskets and coated white steel inner liner

Energy efficiency class	C
Annual energy cons. kWh/a	1760
Climate class	4
Lock & Key	No
Gross- / Net volume, L	600 / 430
Temperature range °C	-15 / -24
Product dimensions, HxWxD, mm	795 x 1895 x 830



C A T G



SIF700C

Supermarket Freezer

- Large curved sliding glass lids with strong aluminum handles
- Dual function - freezer can be converted to cooling 2-7°C
- 6 strong wire baskets and coated white steel inner liner

Energy efficiency class	C
Annual energy cons. kWh/a	1780
Climate class	4
Lock & Key	No
Gross- / Net volume, L	670 / 501
Temperature range °C	-15 / -24
Product dimensions, HxWxD, mm	860 x 1895 x 830



D A T G



SIF900D

Supermarket Freezer

- Large curved sliding glass lids with strong aluminum handles
- Dual function - freezer can be converted to cooling 2-7°C
- 10 strong wire baskets and coated white steel inner liner

Energy efficiency class	D
Annual energy cons. kWh/a	2800
Climate class	4
Lock & Key	No
Gross- / Net volume, L	900 / 690
Temperature range °C	-15 / -24
Product dimensions, HxWxD, mm	860 x 2532 x 829

Gastro Refrigerators, Freezers and Dishwashers





GUR700X

Storage Refrigerator

- Right hinged self-closing door with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	577
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	543 / 461
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	2040 x 653 x 842



GUR700GDX

Storage Refrigerator

- Right hinged self-closing glass door with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	B
Annual energy cons. kWh/a	876
Climate class	4
Reversible door	No
Gross- / Net volume, L	543 / 461
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	2040 x 653 x 842



GUR1400X

Storage Refrigerator

- Self-closing doors with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	998
Climate class	4
Reversible door	No
Gross- / Net volume, L	1186 / 922
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	2040 x 1318 x 842



GUF700X

Storage Freezer

- Right hinged self-closing door with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	D
Annual energy cons. kWh/a	2485
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	543 / 461
Temperature range °C	-16 / -21
Product dimensions, HxWxD, mm	2040 x 653 x 842





GU1400X

Storage Freezer



- Self-closing doors with 120° dwell position
- Suitable for GN 2/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	E
Annual energy cons. kWh/a	4997
Climate class	4
Reversible door	No
Gross- / Net volume, L	1186 / 922
Temperature range °C	-16 / -21
Product dimensions, HxWxD, mm	2040 x 1318 x 842



GCR1352X

Counter Refrigerated



- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	956
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	274 / 143
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	835 x 1342 x 700



GCR1803X

Counter Refrigerated



- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	1095
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	428 / 214
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	835 x 1792 x 700



GCR2254X

Counter Refrigerated



- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	C
Annual energy cons. kWh/a	1206
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	581 / 285
Temperature range °C	-2 / 8
Product dimensions, HxWxD, mm	835 x 2242 x 700



GCF1352X

Counter Freezer

- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	E
Annual energy cons. kWh/a	2587,3
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	274 / 164
Temperature range °C	-16 / -21
Product dimensions, HxWxD, mm	835 x 1342 x 700



GCF1803X

Counter Freezer

- Self-closing doors with 120° dwell position
- Suitable for GN 1/1 containers
- Height-adjustable stainless legs 125-200mm

Energy efficiency class	E
Annual energy cons. kWh/a	2901
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	428 / 214
Temperature range °C	-16 / -21
Product dimensions, HxWxD, mm	835 x 1792 x 700



GBC05X

Blast Chiller

- Fast chilling +90°C to +3°C in 90 min
- Fast freezing +90°C to -18°C in 240 min
- Suitable for 5 pcs. GN 1/1

Energy efficiency class	Label not required
Annual energy cons. kWh/a	
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	121 / 103
Temperature range °C	3 / -18
Product dimensions, HxWxD, mm	850 x 790 x 700



GBC10X

Blast Chiller

- Fast chilling +90°C to +3°C in 90 min
- Fast freezing +90°C to -18°C in 240 min
- Suitable for 10 pcs. GN 1/1

Energy efficiency class	Label not required
Annual energy cons. kWh/a	
Climate class	4
Reversible door	Yes
Gross- / Net volume, L	254 / 219
Temperature range °C	3 / -18
Product dimensions, HxWxD, mm	1420 x 800 x 790



Gastro Dishwashers



Label not required



GD400BDD

Glasswasher

- Built-in draining pump, rinse and detergent aid dispenser
- 1 washing cycle of 120" sec
- Stainless steel washing and rinsing arms

Tank capacity, L	15
Tank heating power, kw	2
Boiler capacity, L	5
Boiler heating power, kw	2,8
Washing temperature, °C	60
Rinsing temperature, °C	85
Product dimensions, HxWxD, mm	720 x 470 x 525



Label not required



GD510BDDSS

Undercounter Dishwasher

- Built-in draining pump, rinse and detergent aid dispenser
- 2 washing cycle of 90"/180" sec
- Stainless steel washing and rinsing arms

Tank capacity, L	25
Tank heating power, kw	2,8
Boiler capacity, L	7
Boiler heating power, kw	5,6
Washing temperature, °C	60
Rinsing temperature, °C	85
Product dimensions, HxWxD, mm	820 x 600 x 600

Decoration

Scandomestic has many years of experience in branding commercial refrigerators and freezers

Here's how we can help;

Scandomestic can offer decoration of your products from 1 piece and upwards.

Decoration is done with either 0.5 mm wrap, on specific products, or as white vinyl adhesive.

Printing is done with CMYK colours on professional large format printers.

We do not have the option to print PANTONE colors.

File specifications for decoration:

- Finished printable PDF-files with 5 mm extra design for cropping incl. crop marks.
- CMYK Colours.
- Minimum 100 dpi if the file contains photos.
- Made to scale (scale 1:1) according to our design forms, which can be downloaded from our website.

Contact us for an offer.



Examples of decoration



UK

See other publications



DK



UK



SE



Scandomestic A/

Linåvej 20

DK-8600 Silkeborg

Tel: + 45 7242 5571

www.scandomestic.com